

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
DANGER

Danger: Do not breathe vapor. Inhalation may be fatal or cause delayed lung injury. Do not get in eyes, on skin or clothing. Liquid and vapor cause burns which may be delayed. Do not use ordinary rubber protective clothing, including gloves and boots. Use only with adequate ventilation. Keep children and animals away from areas under treatment. Methyl Bromide is a colorless odorless liquid and gas. Always have atmosphere detection equipment such as a halide leak detector available to make sure dangerous concentrations of gas are not present. If there is any doubt, wear a gas mask. A full face gas mask with an air supply (tank or airline) is recommended. Read and follow the gas mask manufacturer's recommendations. A full face mask with a fresh black canister meeting specifications of the Mining Enforcement and Safety Administration (formerly the U.S. Bureau of Mines) and by the National Institute for Occupational Safety and Health under the provision of 30 CFR Part II for organic vapors can also be used under certain circumstances where the vapor concentration is known to be under 2% by volume (5 lb. per 100 cu. ft.). Canisters should not be used for more than one-half hour. Destroy used canisters by crushing.

ENVIRONMENTAL HAZARDS

Do not spill or discharge contents outside of areas confined for treatment.

PHYSICAL OR CHEMICAL HAZARDS

Extremely hazardous liquid and vapor under pressure. Colorless, odorless liquid and vapor.

DIRECTIONS FOR APPLICATION AND PLANTING
IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

WHEN TO TREAT: Treatments can be made in the spring, summer or fall whenever soil conditions are suitable. In northern states, late summer or early fall treatments are best for land to be planted to early spring crops.

SOIL PREPARATION: To facilitate fumigant penetration, plant refuse should be worked into the soil and time allowed to decompose before treating. Soil must be in good workable seed bed condition, warm, preferably 50° to 80°F at a depth of five inches, with moisture adequate for good seed germination. Do not treat if the soil temperature is below 45°F at the five inch level. Pretreatment tillage to a depth of 12 to 18 inches often improves results, especially in heavy or muck soils.

APPLICATION: A special inexpensive chisel-type applicator is used to inject MC-2R fumigant about 5-8 inches into the soil. Due to the volatility of this fumigant, treated areas must be covered with polyethylene film or other suitable tarpaulin immediately after application. Lay film manually or with a mechanical tarp layer. MC-2R fumigant is toxic to plants. Do not apply to soil containing roots of desirable plants. The edges of the tarpaulin cover should be at least 18 inches away from the foliage drip-line of desirable plants.

Cylinders of MC-2R are not pressurized. Directions for pressurizing cylinders with nitrogen to expel contents are available from Coastal Chemical, Greenville, N. C.

For application of repeated small doses, a 2 pound methyl bromide dispenser, and these dispensers are available from NAMCO, 1000 S. Main St., Modesto, California 95035.

RESTRICTED USE PESTICIDE

For retail sale to and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's certification.

COASTAL MC-2R
PENETRATING FUMIGANT

For the Treatment of Soil to Control Certain Weeds, Grasses, Nematodes and Insect Pests

ACTIVE INGREDIENTS

Methyl Bromide	98%
Chloropicrin	2%

FOR PROFESSIONAL USE ONLY

STORE IN A COOL PLACE AWAY FROM DWELLINGS
 WHEN EMPTY, RETURN CYLINDERS AS DIRECTED

DO NOT SPILL OR DISCHARGE CONTENTS OUTSIDE OF
 AREAS CONFINED FOR TREATMENT • KEEP CHILDREN
 AND ANIMALS AWAY FROM AREAS UNDER TREATMENT

NOTE: While in the container, Coastal MC 2R fumigant is a liquid under pressure. It turns to gas when released and must be confined under a gasproof cover of either plastic or coated fabric. Both the liquid and the gas are poisonous and may cause burns on contact. Observe all Precautionary Labeling and Use and Handling Precautions given on this label.

PRECAUCION AL USUARIO: Si usted no lee ingles, no use este producto hasta que la etiqueta le haya sido explicada ampliamente.

TRANSLATION: (TO THE USER:) If you cannot read English, do not use this product until the label has been fully explained to you.

KEEP OUT OF THE REACH OF CHILDREN

DANGER  POISON

SEND FOR A DOCTOR IMMEDIATELY IN CASE OF EXPOSURE
STATEMENT OF PRACTICAL TREATMENT
EXTREMELY HAZARDOUS LIQUID AND VAPOR UNDER PRESSURE
INHALATION MAY BE FATAL OR CAUSE DELAYED LUNG INJURY
LIQUID AND VAPOR CAUSE BURN WHICH MAY BE DELAYED

Do Not Breathe Vapor • Use Only With Adequate Ventilation • Do Not Get In Eyes, On Skin, On Clothing • Do Not Use Ordinary Rubber Protective Clothing Including Gloves and Boots • Keep Away From Heat • Wear A Full Face Mask With Fresh Black Canister Meeting Specifications of the Mining Enforcement and Safety Administration • Must Never Be Dependent On This Fumigant For A Doctor Immediately In Case Of Exposure

Consumption
 Tra
 Or
 1. F
 COA
 GRE
 HAND
 sho. 10
 1. Bef
 2. Do
 3. Do
 do not
 apply
 4. Ke
 after t
 warn
 upon
 and w
 5. Wh
 eratio
 gerat
 6. Sto
 7. App
 gas m
 8. Alw

USE PESTICIDE

Apply by Certified Applicators or Supervision and only for those uses indicated by the applicator's certification.

MC-2R G FUMIGANT

Control Weeds, Grasses,

98%
2%

USE ONLY

AWAY FROM DWELLINGS
AS DIRECTED

CONTENTS OUTSIDE OF
CONTAINER - KEEP CHILDREN
AWAY FROM TREATMENT

Under pressure. It turns to gas when released and is contained in a metal or coated fabric. Both the liquid and the gas are highly toxic. See the Cautionary Labeling and Use and Handling Precautions.

Este producto hasta que la etiqueta le haya sido explicada.

Do not use this product until the label has been fully explained.

PROTECTION OF CHILDREN

POISON

IN CASE OF EXPOSURE
SEEK IMMEDIATE MEDICAL TREATMENT
DO NOT BREATH VAPOR UNDER PRESSURE
DO NOT INGEST
DO NOT USE DELAYED LUNG INJURY
WHICH MAY BE DELAYED

Ventilation • Do Not Get In Eyes, On Face or Clothing
Protective Clothing Including Gloves
Face Mask With Black Canister
or Respirator

Pest Control Desired	TYPE OF SOIL OR MATERIAL	Dosage	Minimum Exposure Time (1)	Aeration Time Before Planting (2)
Nematodes, insects and weed seeds	Turf Renovation: Lawns, parks, golf greens, athletic fields and recreational turf areas. Nonfood and Nonfeed Crop Areas: Seed and plant beds for tobacco, flowers, shade and forest trees, ornamental shrubs and vines. Also vegetables for production of transplants only. Permanent planting sites for tobacco, flowers, shade and forest trees, ornamental shrubs and vines and other similar plants.	1 1/2 lb. per 150 sq. ft. or 430 lb. / acre	24 hrs.	48 hrs.
	Well rotted compost, manure and top soil.	1 1/2 lb. per cu. yd.	24 hrs.	72 hrs.
	Mulching straw or hay.	1 1/2 lb. per 600 sq. ft.	48 hrs.	72 hrs.
Damping off organisms such as: Pythium, Rhizoctonia, Fusarium	Turf Renovation: Same sites as listed above. Nonfood and Nonfeed Crop Areas: Same plants as listed above.	3 lbs. per 150 sq. ft.	24 hrs.	72 hrs. or longer
	Well rotted compost and manure.	1 lb. per cu. yd.	24 hrs.	72 hrs. or longer

(1) Exposure and aeration times should be doubled if soil temperature is between 50°F and 60°F. Coastal MC-2R should not be used if temperature is below 50°F.
(2) Soil in which plants are to be set should be aerated for a week to ten days.

Consult the following calibration chart to apply 430 pounds of Coastal MC-2R fumigant per acre with chisels on 12-inch centers and 45 pounds operating pressure at the manifold.

Tractor Speed	2 mph	2.5 mph	3 mph	3.5 mph
Orifice Diameter in inches	.037	.039	.043	.045

1. For other calibration, consult

COASTAL CHEMICAL CORPORATION
GREENVILLE, N. C. 27834

HANDLING PRECAUTIONS: Coastal MC-2R fumigant is a highly hazardous material and should be handled observing the following precautions:

1. Before using read all label directions and follow them carefully.
2. Do not breathe vapor.
3. Do not spill. If liquid Coastal MC-2R spills on shoes or clothing, remove them at once and do not wear them again until aired outdoors for several days. Do not wear gloves when applying Coastal MC-2R.
4. Keep animals and children away from plots while under treatment for at least 30 minutes after the cover is removed. The warning agent in Coastal MC-2R, by irritating the eyes, will warn of leaks or spillage in handling and storage. Chloropicrin must never be depended upon as a warning agent when a gas mask is worn. It disappears in a few hours, however, and will not keep children or animals from creeping under the cover.
5. When fumigating inside buildings, keep doors and windows open at all times until after aeration is completed. Good ventilation is essential both for safety and for satisfactory aeration, particularly when fumigating compost and manure.
6. Store Coastal MC-2R in a cool place away from dwellings.
7. Application of Coastal MC-2R from outside the treated area often eliminates the need of a gas mask during application, however one should always be at hand for emergency use.
8. Always have a helper to assist with application and any emergency.

METHYL
BROMIDE,
LIQUID



65

USE PRECAUTIONS: Coastal MC-2R has given excellent results with a wide variety of soils and plants. However, for reasons not clearly understood, plant growth has occasionally been unsatisfactory following treatment. Difficulty has been experienced with carnations, conifers, holly, multicolor roses, snapdragons, and certain other ornamental plants and shrubs. Every grower should experiment on a small scale for at least a full season before extensive use. For best results, observe the following precautions:

1. Do not treat soil when very cold, very wet or very dry.
2. Coastal MC-2R is toxic to all plants. Do not fumigate too close to desirable vegetation. Keep the edge of the cover at least a foot away from the roots of desirable plants and water the root zone thoroughly in area not covered by the tarp or polyethylene cover. If possible pre-soak roots zone around desirable plants immediately adjacent to cover to help contain the gas under the cover.
3. Be sure treated soil or material is free from Coastal MC-2R before seeding or using. Working it will help aeration.
4. Prevent contamination of fumigated areas. If necessary to avoid flooding, trench around them or build wooden or earthen dams. Clean your shoes carefully when walking from untreated to treated soil. Do not use tools, transplants or crop remains that may carry pests from unfumigated areas.
5. Fumigation with Coastal MC-2R sometimes slows down the rate of nitrification (the conversion to nitrates from ammonia by bacterial action). Certain ammonia sensitive plants, such as tomatoes, may suffer growth inhibition or stand reduction when planted in fumigated soils containing high amounts of ammonia nitrogen. To lessen this hazard at least 1/2 and preferably all of the nitrogen fertilizer added immediately before or soon after fumigation should be in the form of nitrate nitrogen. This hazard may also be reduced by delaying planting until several months after fumigation. If a nitrate form of nitrogen such as sodium or calcium nitrate is not readily available, ammonium nitrate used sparingly will supply the nitrogen needed without risk. Phosphorus, potassium and other plant nutrients should be used according to soil needs.
6. Fumigation of soils in organic matter, such as muck, compost and heavily manured soil, may occasionally cause conditions which result in poor plant growth. These soils should be fumigated at least two months before planting.
7. To avoid the possibility of exceeding bromide tolerances, food crops other than strawberries and tomatoes should not be grown to maturity in soil treated with Coastal MC-2R soil fumigant. Transplant such crops to untreated soil or to soil treated according to registered pesticide uses.
8. Under certain conditions Coastal MC-2R soil fumigant may be corrosive to certain metals. DO NOT use containers or application equipment made of aluminum, magnesium or their alloys.

NOTICE: Seller warrants that the product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE, express or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of such use.

67

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
DANGER

Danger: Do not breathe vapor. Inhalation may be fatal or cause delayed lung injury. Do not get in eyes, on skin or clothing. Liquid and vapor cause burns which may be delayed. Do not use ordinary rubber protective clothing, including gloves and boots. Use only with adequate ventilation. Keep children and animals away from areas under treatment. Methyl Bromide is a colorless odorless liquid and gas. Always have atmosphere detection equipment such as a halide leak detector available to make sure dangerous concentrations of gas are not present. If there is any doubt, wear a gas mask. A full face gas mask with an air supply (tank or airline) is recommended. Read and follow the gas mask manufacturer's recommendations, a full face mask with a fresh black canister meeting specifications of the Mining Enforcement and Safety Administration (formerly the U.S. Bureau of Mines) and by the National Institute for Occupational Safety and Health under the provision of 30 CFR Part II for organic vapors can also be used under certain circumstances where the vapor concentration is known to be under 2% by volume (5 lb. per 100 cu. ft.). Canisters should not be used for more than one-half hour. Destroy used canisters by crushing.

ENVIRONMENTAL HAZARDS

Do not spill or discharge contents outside of areas confined for treatment.

PHYSICAL OR CHEMICAL HAZARDS

Extremely hazardous liquid and vapor under pressure. Colorless, odorless liquid and vapor.

DIRECTIONS FOR APPLICATION AND PLANTING

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING,

WHEN TO TREAT: Treatments can be made in the spring, summer, or fall whenever soil conditions are suitable. In northern states, late summer or early fall treatments are best for land to be planted to early spring crops.

SOIL PREPARATION: To facilitate fumigant penetration, plant refuse should be worked into the soil and time allowed to decompose before treating. Soil must be in good workable seed bed condition, warm, preferably 50° to 80°F at a depth of five inches, with moisture adequate for good seed germination. Do not treat if the soil temperature is below 45°F at the five inch level. Pretreatment tillage to a depth of 12 to 18 inches often improves results, especially in heavy or muck soils.

APPLICATION: A special inexpensive chisel-type applicator is used to inject MC-2R fumigant about 5-8 inches into the soil. Due to the volatility of this fumigant, treated areas must be covered with polyethylene film or other suitable tarpaulin immediately after application. Lay film manually or with a mechanical tarp layer. MC-2R fumigant is toxic to plants. Do not apply to soil containing roots of desirable plants. The edges of the tarpaulin cover should be at least 18 inches away from the foliage drip-line of desirable plants.

Cylinders of MC-2R are not pressurized. Directions for pressurizing cylinders with nitrogen to expel contents are available from Coastal Chemical, Greenville, N. C.

For application of repeated small doses, a 3-pound methyl bromide dispenser, Model 8022 is recommended. These dispensers are available from NAMCO, 765 Landess Ave., P. O. Box 319, Milpitas, California 95035.

EXPOSURE PERIOD AFTER APPLICATION: For some soil temperatures above 60°F, leave the treated soil covered for at least 48 hours to insure maximum fumigant diffusion. For soil temperatures below 60°F, extend the exposure period for 3 or 4 days for best results. Good results are obtained from fall applications where the covers are left on all winter.

In case of an emergency endangering life or property involving this product, call collect 919-756-1126

AGRICULTURAL CHEMICAL

Do Not Ship or Store with Goods, Foods, Drugs or Clothing.

STORAGE AND DISPOSAL

STORAGE: Be sure container is closed completely. Store in a cool, well ventilated place.

DISPOSAL: Return empty cylinders.

RESTRICTED USE PESTICIDE

For retail sale to and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's certification.

**COASTAL MC-2R
PENETRATING FUMIGANT**

For the Treatment of Soil to Control Certain Weeds, Grasses, Nematodes and Insect Pests

ACTIVE INGREDIENTS

Methyl Bromide 98%
Chloropicrin 2%

FOR PROFESSIONAL USE ONLY

STORE IN A COOL PLACE AWAY FROM DWELLINGS
WHEN EMPTY, RETURN CYLINDERS AS DIRECTED

DO NOT SPILL OR DISCHARGE CONTENTS OUTSIDE OF
AREAS CONFINED FOR TREATMENT • KEEP CHILDREN
AND ANIMALS AWAY FROM AREAS UNDER TREATMENT

NOTE: While in the container, Coastal MC-2R fumigant is a liquid under pressure. It turns to gas when released and must be confined under a gasproof cover of either plastic or coated fabric. Both the liquid and the gas are poisonous and may cause burns on contact. Observe all Precautionary Labeling and Use and Handling Precautions given on this label.

PRECAUCION AL USUARIO: Si usted no lee ingles, no use este producto hasta que la etiqueta le haya sido explicada amplemente.

TRANSLATION: (TO THE USER:) If you cannot read English, do not use this product until the label has been fully explained to you.

KEEP OUT OF THE REACH OF CHILDREN

DANGER  POISON

SEND FOR A DOCTOR IMMEDIATELY IN CASE OF EXPOSURE
STATEMENT OF PRACTICAL TREATMENT
EXTREMELY HAZARDOUS LIQUID AND VAPOR UNDER PRESSURE
INHALATION MAY BE FATAL OR CAUSE DELAYED LUNG INJURY
LIQUID AND VAPOR CAUSE BURN WHICH MAY BE DELAYED

Do Not Breathe Vapor • Use Only With Adequate Ventilation • Do Not Get In Eyes, On Skin, On Clothing • Do Not Use Ordinary Rubber Protective Clothing Including Gloves and Boots • Keep Away From Heat • Wear A Full Face Gas Mask With Black Canister Meeting Specifications Of U.S. Bureau of Mines For Organic Vapors • Chloropicrin Must Never Be Depended Upon As A Warning Agent When A Gas Mask Is Worn • Send For A Doctor Immediately In Case Of Exposure

IF INHALED - Carry patient to fresh air. Call a physician at once. Make sure patient can breathe freely. Keep patient lying down and aware. Give artificial respiration if breathing has stopped. Oxygen should be administered only by qualified personnel.

IF ON SKIN - Immediately remove all contaminated skin covering including shoes, clothing, and adhesive or other bandages. Wash skin thoroughly with soap and water; if irritation or blisters develop, get medical attention. Do not reuse shoes or clothing until free of all contamination.

IF IN EYES - Flush immediately with plenty of water for at least 15 minutes and get medical attention.

NOTE TO PHYSICIAN: Keep patient at rest and under observation for 24 to 48 hours.

COASTAL CHEMICAL CORPORATION

GREENVILLE N.C. 27834

EPA Est. No. 5549-NC-1

EPA Reg. No. 5549-73

NET CONTENTS _____ LBS.

Pest Control Desired	
Nematodes, insects and weed seeds	Turf & recreation tobacco and v. Perma forest plants
	Well r. Mutch
Damping-off organisms such as: Pythium Rhizoctonia Fusarium	Turf & Menta Well r.

(1) Exposure area
(2) Soil in which

Consult the following calibration chart with chisels on 12-inch c

Tractor Speed	
Orifice Diameter in Inches	

1. For other calibration, con

COASTAL CHEMICAL CORP.
GREENVILLE, N. C. 27834

HANDLING PRECAUTIONS: should be handled observing
1. Before using read all labels
2. Do not breathe vapor.
3. Do not spill. If liquid Coastal do not wear them again until applying Coastal MC-2R.
4. Keep animals and children after the cover is removed. The worn of leaks or spillage in h upon as a warning agent when and will not keep children or
5. When fumigating inside du aeration is completed. Good aeration, particularly when fu
6. Store Coastal MC-2R in a cool
7. Application of Coastal MC-2 gas mask during application.
8. Always have a helper to assi

METHYL BROMIDE, LIQUID

65

67

COASTAL MC-2R SOIL FUMIGANT

Use only by Certified Applicators or under supervision and only for those uses for which the Applicator's certification is required.

Pest Control Desired	TYPE OF SOIL OR MATERIAL	Dosage	Minimum Exposure Time (1)	Aeration Time Before Planting (2)
Nematodes, insects and weed seeds	Turf Renovation: Lawns, parks, golf greens, athletic fields and recreational turf areas	1 1/2 lb per 150 sq ft OR 430 lb / acre	24 hrs	48 hrs.
	Nonfood and Nonfeed Crop Areas: Seed and plant beds for tobacco, flowers, shade and forest trees, ornamental shrubs and vines. Also vegetable sites for production of transplants only			
Damping off organisms such as Pythium, Rhizoctonia, Fusarium	Well rotted compost, manure and top soil	1 1/2 lb per cu yd	24 hrs	72 hrs
	Mulching straw or hay	1 1/2 lb per 6 pallets	48 hrs	24 hrs
	Turf Renovation. Same sites as listed above. Nonfood and Nonfeed Crop Areas: Same plants as listed above	3 lbs per 150 sq ft	24 hrs	72 hrs or longer
	Well rotted compost and manure	1 lb per cu yd	24 hrs	72 hrs or longer

(1) Exposure and aeration times should be doubled if soil temperature is between 50°F and 60°F. Coastal MC 2R should not be used if temperature is below 50°F.
(2) Soil in which plants are to be set should be aerated for a week to ten days.

Control Certain Weeds, Grasses,

Consult the following calibration chart to apply 430 pounds of Coastal MC 2R fumigant per acre with chisels on 12 inch centers and 45 pounds operating pressure at the manifold.

Tractor Speed	7 mph	2.5 mph	3 mph	3.5 mph
Orifice Diameter in Inches	037	039	043	046

1. For other calibration, consult

COASTAL CHEMICAL CORPORATION
GREENVILLE, N. C. 27834

HANDLING PRECAUTIONS Coastal MC 2R fumigant is a highly hazardous material and should be handled observing the following precautions:

1. Before using read all label directions and follow them carefully.
2. Do not breathe vapor.
3. Do not spill. If liquid Coastal MC-2R spills on shoes or clothing, remove them at once and do not wear them again until aired outdoors for several days. Do not wear gloves when applying Coastal MC-2R.
4. Keep animals and children away from plots while under treatment for at least 30 minutes after the cover is removed. The warning agent in Coastal MC 2R, by irritating the eyes, will warn of leaks or spillage in handling and storage. Chloropicrin must never be depended upon as a warning agent when a gas mask is worn. It disappears in a few hours, however, and will not keep children or animals from creeping under the cover.
5. When fumigating inside buildings, keep doors and windows open at all times until after aeration is completed. Good ventilation is essential both for safety and for satisfactory aeration, particularly when fumigating compost and manure.
6. Store Coastal MC-2R in a cool place away from dwellings.
7. Application of Coastal MC-2R from outside the treated area often eliminates the need of a gas mask during application, however, one should always be at hand for emergency use.
8. Always have a helper to assist with application and any emergency.

USE PRECAUTIONS Coastal MC 2R has given excellent results with a wide variety of soils and plants. However, for reasons not clearly understood, plant growth has occasionally been unsatisfactory following treatment. Difficulty has been experienced with carnations, conifers, holly, mulhilla roses, snapdragons, and certain other ornamental plants and shrubs. Every grower should experiment on a small scale for at least a full season before extensive use. For best results, observe the following precautions:

1. Do not treat soil when very cold, very wet or very dry.
2. Coastal MC 2R is toxic to all plants. Do not fumigate too close to desirable vegetation. Keep the edge of the cover at least a foot away from the roots of desirable plants and water the root zone thoroughly in area not covered by the tarp or polyethylene cover. If possible, pre-soak roots zone around desirable plants immediately adjacent to cover to help contain the gas under the cover.
3. Be sure treated soil or material is free from Coastal MC-2R before seeding or using. Working it will help aeration.
4. Prevent contamination of fumigated areas. If necessary to avoid flooding, trench around them or build wooden or earthen dams. Clean your shoes carefully when walking from untreated to treated soil. Do not use tools, transplants or crop remains that may carry pests from unfumigated areas.
5. Fumigation of Coastal MC-2R sometimes slows down the rate of nitrification (the conversion to nitrites from ammonia by bacterial action). Certain ammonia sensitive plants, such as tomatoes, may suffer growth inhibition or stand reduction when planted in fumigated soils containing high amounts of ammonia nitrogen. To lessen this hazard at least 1/2 and preferably all of the nitrogen fertilizer added immediately before or soon after fumigation should be in the form of nitrate nitrogen. This hazard may also be reduced by delaying planting until several months after fumigation. If a nitrate form of nitrogen such as sodium or calcium nitrate is not readily available, ammonium nitrate used sparingly will supply the nitrogen needed without risk. Phosphorus, potassium and other plant nutrients should be used according to soil needs.
6. Fumigation of soils in organic matter, such as muck, compost and heavily manured soil, may occasionally cause conditions which result in poor plant growth. These soils should be fumigated at least two months before planting.
7. To avoid the possibility of exceeding bromide tolerances, food crops other than strawberries and tomatoes should not be grown to maturity in soil treated with Coastal MC-2R soil fumigant. Transplant such crops to untreated soil or to soil treated according to registered pesticide uses.
8. Under certain conditions Coastal MC-2R soil fumigant may be corrosive to certain metals. DO NOT use containers or application equipment made of aluminum, magnesium or their alloys.

NOTICE: Seller warrants that the product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE, express or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use.

PROFESSIONAL USE ONLY

KEEP AWAY FROM DWELLINGS
REMOVE CYLINDERS AS DIRECTED

UNLOAD CONTENTS OUTSIDE OF
TREATMENT • KEEP CHILDREN
AWAY FROM AREAS UNDER TREATMENT

This is a liquid under pressure. It turns to gas when released and is highly flammable. Both the liquid and the gas are highly toxic. See all Precautionary Labeling and Use and Handling Precautions.

Use este producto hasta que la etiqueta le haya sido explicada.

In English, do not use this product until the label has been fully explained.

KEEP OUT OF REACH OF CHILDREN



IMMEDIATELY IN CASE OF EXPOSURE
PRACTICAL TREATMENT
REMOVE CYLINDER AND VAPOR UNDER PRESSURE
TO PREVENT CAUSE DELAYED LUNG INJURY
SYMPTOMS WHICH MAY BE DELAYED

Provide adequate Ventilation • Do Not Get In Eyes, Or On Skin • Wear Rubber Protective Clothing Including Gloves • Wear A Full Face Gas Mask With Black Canister • Use Chloropicrin Warning Agent When A Gas Mask Is Worn • Send Patient To Hospital For Treatment

Call physician at once. Make sure patient can breathe. Give artificial respiration if breathing is stopped only by qualified personnel.

Decontaminated skin covering including shoes, clothing. Wash skin thoroughly with soap and water; rinse with clean water. Attention. Do not reuse shoes or clothing.


Flush with large amount of water for at least 15 minutes and get patient to hospital and under observation for 24 to 48 hours.

COASTAL CHEMICAL CORPORATION
GREENVILLE, N.C. 27834

EPA Reg. No. 5549-73

105.

METHYL
BROMIDE,
LIQUID



ACCEPTED
FEB 20 1981
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 5549-73

67

66

68