

Reg # 5549-74

PM-25

TELETYPE 198



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

WASHINGTON, D.C. 20460

APR 15 1994

James M. Pearce
COASTAL CHEMICAL CORPORATION
P.O. BOX 856
Greenville, N.C. 27834

OFFICE OF
PREVENTION, PESTICIDES AND
TOXIC SUBSTANCES

**Subject: Label Amendment Submission of 02/17/94 in Response to PR Notice 93-7
EPA Reg. No. 5549-74
KLEEN-TAC 85**

Dear Registrant:

The labeling cited above and submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, is accepted subject to the comments reflected on the enclosed sheet. A copy of your proposed labeling stamped "ACCEPTED WITH COMMENTS" is enclosed.

WHAT THIS ACCEPTANCE MEANS:

Based on your certification, the Agency has accepted the labeling changes that are necessary to comply with the Worker Protection Standard (WPS) labeling requirements of 40 CFR part 156, subpart K, described in PR Notices 93-7 and 93-11. Any other labeling changes submitted in connection with this amendment application but not directly related to compliance with the WPS have not been reviewed or accepted by the Agency. If you wish to make such changes, you must submit a separate amendment application proposing them. If your product is currently suspended, the acceptance of this labeling amendment does not affect the suspension in any way.

WHAT YOU NEED TO DO NEXT:

By the next label printing make all the specified changes to your labeling. Send to EPA one (1) copy of the final printed labeling:

- **BEFORE** selling or distributing any product bearing the final printed labeling
- AND**
- **WITHIN** one year from date of this acceptance.



Recycled/Recyclable
Printed with Soy/Canola Ink on paper that
contains at least 50% recycled fiber

298


Submit the final printed labeling via the U.S. Postal Service to:

**Document Processing Desk (FIN-LABEL)
Office of Pesticide Programs (7505C)
U.S. Environmental Protection Agency
401 M Street, SW
Washington, D.C. 20460-0001**

Hand or courier deliveries of final printed labeling may be made to:

**Document Processing Desk (FIN-LABEL)
Office of Pesticide Programs
Room 266A, Crystal Mall 2
1921 Jefferson Davis Highway
Arlington, VA 22202**

Sincerely,



**Jim Tompkins, Deputy Chief
Registration Support Branch
Registration Division (7505W)**

Attachment

398
y

Page 3

COASTAL CHEMICAL CORP.
5549-74 02/17/94
KLEEN-TAC 85
Original Submission

Correct the typographical errors circled on your proposed label.

498

ACCEPTED
with COMMENTS
in EPA Letter Dated
APR 15 1994
Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.
5549-74

KLEEN-TAC

Tobacco Sucker Control Agent

'85'

ACTIVE INGREDIENTS

n-OCTANOL (Fatty Alcohol C ₈)	38.3%
n-DECANOL (Fatty Alcohol C ₁₀)	46.7%
INERT INGREDIENTS	15.0%
TOTAL	100.0%

Weight of Active Ingredients: 6.01 lb. per gallon
 Formulated from a fatty alcohol mixture that typically contains:
 C₆ - 0.7%; C₈ - 44.2%; C₁₀ - 54.2%; C₁₂ - 0.9%
 Linear Fatty Alcohols

KEEP OUT OF REACH OF CHILDREN WARNING/AVISO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.
 (If you do not understand the label, find someone to explain it to you in detail.)

Do Not Inhale Mist, Avoid Contact with Eyes, Skin, and Clothing.
 See Side Panel For Additional Precautionary Statements.

MANUFACTURED BY:
 COASTAL CHEMICAL CORPORATION
 GREENVILLE, NORTH CAROLINA

E.P.A Reg. No. 5549-74

E.P.A. Est. No. 5549-NC-1

NET CONTENTS: 5 GALLONS



598

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Causes eye irritation. Do not get in eyes on skin, or on clothing. Harmful if swallowed. Avoid inhalation of mist. In case of eye contact, flush thoroughly with water for at least 15 minutes. Call a physician. ~~Wear safety goggles and rubber gloves when handling concentrate.~~

~~Do not apply this product in such a manner as to directly or through drift expose workers or other persons. The area being treated must be vacated by unprotected persons.~~

PERSONAL PROTECTIVE EQUIPMENT

Some materials that are chemical-resistant to this product are listed below. If you want more options, follow the instructions for category C on an EPA chemical resistance category selection chart.

Applicators and other handlers must wear:

- Long-sleeved shirt and long pants
- Chemical-resistant gloves, such as Barrier Laminate, Butyl Rubber, Nitrile Rubber, Neoprene Rubber, Polyvinyl Chloride (PVC) or viton
- Shoes plus socks
- Protective eyewear

Discard clothing and other absorbant materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them. Follow manufacturer's instructions for cleaning, maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

When handlers use closed systems, enclosed cabs, or aircraft in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240 (d) (4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS.

USER SAFETY RECOMMENDATIONS:

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

Keep out of lakes, ponds, and streams. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not apply this product through any type of irrigation system.

DIRECTIONS FOR USE

MISUSE STATEMENT

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. ~~Do not enter treated area without protective clothing until sprays have dried.~~

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

6 9 8

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

DO NOT enter or allow worker entry into treated areas during the restricted entry interval (REI) of 24 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is:

- Coveralls
- Chemical-resistant gloves, such as Barrier Laminate, Butyl Rubber, Nitrile Rubber, Neoprene Rubber, Polyvinyl Chloride (PVC) or viton
- Shoes plus socks
- Protective eyewear

STORAGE AND DISPOSAL

PESTICIDE DISPOSAL: Do not contaminate water, food, or feed by storage or disposal. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse. Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

KLEEN-TAC '85' is carefully balanced combination of active ingredients and wetting agents to be used for the control of sucker growth on Burley, Flue-Cured, Dark, Maryland, and Cigar Tobacco. The concentrated product is diluted with water to form a creamy emulsion which is then applied as a course spray. The emulsion is effective only when it comes in direct contact with suckers; therefore, the material is applied so that maximum contact is made with the suckers.

WHEN TO APPLY

KLEEN-TAC '85' can be applied before or after topping. Best results are usually obtained by spraying the tobacco with **KLEEN-TAC '85'** before topping, in early to late button stage, and then topping the tobacco within a few days, removing any suckers that were missed. If you top the tobacco plants before spraying, remove any suckers over one inch in length as you top and apply **KLEEN-TAC '85'** one or two days after topping. Because **KLEEN-TAC '85'** is a contact type agent, it is necessary to straighten any plants that are leaning so that the emulsion flows down the stalk and evenly contacts each sucker.

KLEEN-TAC '85' can be applied any time during the day. However, for best results it is recommended that you wait until the dew dries before spraying. Do not spray after the leaves begin to close in the evening. Because the underside of the leaves may be injured by contact with **KLEEN-TAC '85'** do not apply when the wind is high enough to turn top leaves over. Do not apply during rain or when plants are wet. If, however, it rains after **KLEEN-TAC '85'** has been on the plants for over an hour, you should not have to apply **KLEEN-TAC '85'** again.

HOW MUCH TO APPLY

- FLUE-CURED:** For Power Sprayer - use 1 1/2 - 2 gallons in 50 gallons of water.
For Hand Sprayer - use 4-5 ounces per gallon of water.
 - BURLEY:** For Power Sprayer - use 1 3/4 - 2 gallons in 50 gallons of water.
For Hand Sprayer - use 4-5 ounces per gallon of water.
 - DARK:** Use 6-8 ounces per gallon of water to apply with hand sprayer.
 - CIGAR:** Use 4-5 ounces per gallon of water to apply with hand sprayer.
 - MARYLAND:** Use 4 - 4 1/2 ounces per gallon of water to apply with hand sprayer.
- When applied by hand, 1 gallon of diluted **KLEEN-TAC '85'** will treat approximately 190 plants. If a power sprayer is used, 40-60 gallons of diluted product should be applied per acre of tobacco.

HOW TO APPLY

The diluted emulsion is most easily prepared by adding the required amount of **KLEEN-TAC '85'** to your spray tank and then by adding the water. In order to obtain the best results, it is important that the water be added to the **KLEEN-TAC '85'** rather than **KLEEN-TAC '85'** to the water.

If you use a hand-held or back-pack sprayer, the diluted emulsion should be applied at a rate of 2/3 to 1 ounce per plant (or enough to insure run down to the bottom of the plant). A course spray is recommended, directed downward at the top of the stalk from 6-8 inches above the top leaves. Very little tank pressure is required, and in no case should more than about 20 pounds be used.

When applied with power equipment, three nozzles per row should be used (TG-3 full-cone tips, or equivalent is satisfactory). Replacing the center TG-3 nozzle with a TG-5 full-cone nozzle, which provides more spray solution down the stalk, is also recommended. One nozzle should be directed downward over the center of the row and one should be 9 inches on either side directed at or slightly above the top of the stalk. The diluted **KLEEN-TAC '85'** should be applied to the tobacco as a course spray from a height of 12-16 inches above the stalk. It is recommended that boom pressure be kept at 20-25 lbs. and should never exceed 25 lbs. By using the recommended spray tips, spraying at approximately 20 lbs. of pressure, and operating at a tractor speed of 2 1/2 - 3 mph, you will apply approximately 50 gallons of diluted emulsion per acre of tobacco.

HOW OFTEN TO APPLY

In many cases a single application of KLEEN-TAC '85' is satisfactory to control both primary and secondary suckers. If secondary sucker growth appears vigorous, a second treatment 5-7 days after the initial treatment may be advantageous.

Some growers of Burley, Flue-Cured, and Dark tobacco may favor a dual treatment; using KLEEN-TAC '85' first (at the early button stage) followed 1-2 weeks later with a systemic sucker control agent (maleic hydrazide) used in accordance with manufacturer's instruction. If this dual treatment is used on Burley or Flue-Cured tobacco, an application rate of 1 1/2 - 2 gallons of KLEEN-TAC '85' in 50 gallons of water is adequate. If this dual treatment is used on Dark tobacco, KLEEN-TAC '85' should be used at the rate of 6-8 ounces per gallon of water to apply by hand sprayer.

NOTE: If allowed to stand for extended periods of time, the diluted emulsion may separate. Always remember to mix well immediately prior to use.

It is recommended that KLEEN-TAC '85' not be mixed with other chemicals or applied to tobacco plants which have recently been treated with other chemical. Be sure that all spray equipment has been carefully rinsed out prior to using.

In Burley tobacco, during prolonged periods of high heat and humidity or under other conditions which might favor the spread of hollow stalk or stem rot diseases, delay application of KLEEN-TAC '85' until these conditions pass.

SPECIAL LOCAL NEEDS PURSUANT TO SECTION 24(C) OF AMENDED FIFRA DIRECTIONS FOR USE:

Crop	State	SLN No.
Tobacco	North Carolina	NC-910013
Tobacco	South Carolina	SC-910007
Tobacco	Virginia	VA-910009

To avoid application of more than the labeled rate or Maleic Hydrazide and/or to avoid reapplying Maleic Hydrazide late in the season when initial sucker control starts to break down, apply Kleen-Tac '85' 3-4 weeks after Maleic Hydrazide application. This late application should be made when suckers are less than one inch in length or when suckers more than one inch in length have been removed by hand.

Late application of Kleen-Tac '85' involves the use of 5% Kleen-Tac '85' applied 3-4 weeks after MH application.

Flue-Cured:	For Power Sprayer	Use 2-1/2 gallons in 47-1/2 gallons of water.
	For Hand Sprayer	Use 6-7 ounces per gallon of water.

When applied by hand, 1 gallon of diluted Kleen-Tac '85' will treat approximately 190 plants. If a power sprayer is used, 40-60 gallons of diluted product should be applied per acre of tobacco.

In order for this late application treatment to be effective, Kleen-Tac '85' should be applied when suckers are less than one inch or when suckers longer than one inch have been removed by hand. Because Kleen-Tac '85' is a contact type agent, it is necessary to evenly apply the material so that maximum contact is made with the suckers.

NOTICE: The concentrations and application techniques recommended above have been found to control suckers with little or no leaf injury. Concentrations, application rates, sprayer pressures, and time of application other than those recommended by lead to inadequate sucker control and/or injury to the tender upper leaves of the plant. Neither **COASTAL CHEMICAL CORPORATION** nor the seller, makes any representation of warranty, expressed or implied, as to this product other than that contained on the label thereof, and the buyer assumes all responsibility of personal injury, property damage, or other loss resulting from use, handling, or storage of the product, and accepts and uses the material on these conditions.