

ALL SOLUBLE CHLORINE SANITIZER

For Restaurants, Dairies, Food Handlers Establishments

ACTIVE INGERDIENT: Sodium Dichloro-s-triazinetrione 6.9%

INERT INGREDIENT: Sodium Sulfate 93.1%

100.0%

DIRECTIONS: Always wash and rinse prior to sanitizing. To sanitize Milk Utensils, equipment, use 2 ounces of Product in 6 gallons water (100 ppm available chlorine). Rinse with potable water. Where no facilities are available to indicate a reduction to less than 50 ppm available chlorine in sanitizing solution by use, then start with 200 ppm available chlorine solution. (4-ounces of this product in 6 gallons water.)

N O T E: Contact Time. The laws of some states require that utensils and equipment remain in contact with germicidal solution for at least 2 minutes. Check with your Health Department.

This product fulfills the criteria of appendix F of the grade "A" Pasteurized Milk Ordinance 1965 Recommendations of the U.S. Public Health Service.


CAUTION

KEEP OUT OF REACH OF CHILDREN.
MAY BE HARMFUL IF SWALLOWED.
AVOID CONTACT WITH SKIN AND EYES.
AVOID CONTAMINATION OF FOOD.
RINSE CONTAINER THOROUGHLY AFTER USE.

EPA REG. No. 5576-12 EPA EST. No. 5576-Tx-1




NET CONTENTS



REGAL SUPPLY & CHEMICAL

EL PASO, TEXAS P.O. BOX 1955



SANI-TIZE

ALL SOLUBLE CHLORINE SANITIZER For Restaurants, Dairies, Food Handlers Establishments

ACTIVE INGERDIENT: Sodium Dichloro-s-triazinetrione 6.9%
INERT INGREDIENT: Sodium Sulfate 93.1%
100.0%

- DIRECTIONS: Always wash and rinse prior to sanitizing. To sanitize Milk Utensils, equipment, use 2 ounces of Product in 6 gallons water (100 ppm available chlorine). Rinse with potable water. Where no facilities are available to indicate a reduction to less than 50 ppm available chlorine in sanitizing solution by use, then start with 200 ppm available chlorine solution. (4-ounces of this product in 6 gallons water.)
- N O T E: Contact Time. The laws of some states require that utensils and equipment remain in contact with germicidal solution for at least 2 minutes. Che k with your Health Department.

 This product fulfills the criteria of appendix F of the grade "A" Pasteurized Milk Ordinance 1965 Recommendations of the U.S. Public Health Service.

CAUTION

KEEP OUT OF REACH OF CHILDREN.
MAY BE HARMFUL IF SWALLOWED.
AVOID CONTACT WITH SKIN AND EYES.
AVOID CONTAMINATION OF FOOD.
RINSE CONTAINER THOROUGHLY AFTER USE.

EPA REG. No. 5576-12 EPA EST. No. 5576-Tx-1



NET CONTENTS



REGAL SUPPLY & CHEMICAL

EL PASO, TEXAS P.O. BOX 1955



ACCEPTED	
NOV 1974 UNDER THE I STRAIT LETICIDE UNGICIDE A. CONTROL OF THE C	

