# PACE 1 FRAM 36-10-119 PA 10-11 CLF 1/25/10

#### **USE DIRECTIONS**

MAHK 11 is a cleaner, disinfectant, and sanitizer, designed for institutional use such as Hospitals. Nursing Homes and Institutions where housekeeping will be of prime importance in controlling the hazard of cross-infection from environmental surfaces. MARK 11 can provide the assurance you need in this area, when used as directed. For use on floors, walls, sink tops, garbage pails, telephones, rest rooms, bed pans and operating rooms. Effective against Staphylococcus aureus, Salmonella choleraesuis and Pseudomonas aeruginosa. Also effective against pathogenic fungi, trichophyton interdigitale.

When used for sanitization of previously cleaned non-food processing equipment and non-food contact items, limit active quaternaries to 200 ppm (2.8 ounces per 5 gallons of water). A minimum of one (1) minute contact time is required. Drain the use solution from the surface and air dry. **NO RINSE REQUIRED.** For mechanical operations, the prepared use solution may not be reused for sanitizing but may be used for other purposes such as cleaning. For manual operations, the fresh sanitizing solution must be prepared at least daily or more often if the solution becomes diluted or soiled.

### WARNING KEEP OUT OF REACH OF CHILDREN

Causes eye and skin irritation. Do not get m eyes, on skin or on clothing. Harmful if swallowed. Avoid contamination of food.

#### FIRST AID

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash all contaminated clothing before reuse. If swallowed, drink milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Call a physician.



# Mark 11

CLEANER • DISINFECTANT DEODORIZER • FUNGICIDE

Designed for Hospital and Institutional Use

#### **ACTIVE INGREDIENTS:**

n-Alkyl (60% C <sub>14</sub> , 30% C <sub>16</sub> , 5% C <sub>12</sub> , 5% C <sub>18</sub> ) dimethyl benzyl ammonium chlorides	. 2.25%
n-Alkyl (68% C <sub>12</sub> , 32% C <sub>14</sub> ) dimethyl ethylbenzyl ammonium chlorides	2.25%
INERT INGREDIENTS:	<b>9</b> 5.5 <mark>0%</mark>
WARNING	100.00%

#### KEEP OUT OF REACH OF CHILDREN

See right side panel for additional precautionary and first aid statements.

#### **INSTRUCTIONS FOR USE**

alt is a violation of Federal law to use this product in a manner inconsistent with its labeling.

#### DISINFECTATION

Use at 2 ounces per gallon. MARK 11 will be effective against Pseudomas aerugmosa PRD-10 at this level. This has been substantiated by the ADAC Use Dilution Confirmation Test. At this level, the product is fungicidal against pathogenic fungi.

For best results, use MARK 11 with a cioth or mop and apply to walls, floors and other hard surfaces.

For heavy soil or organic matter, a pre-cleaning step is recommended

#### SANITIZATION

If used for sanitization of previously cleaned non-food equipment or non-food contact items, limit the level of active quaternanes to 200 ppm (2.8 ounces per 5 gallons of water). A minimum of one (1) minute contact time is required. Drain the use solution from the surface and air dry. NO RINSE REQUIRED. For mechanical operations, the prepared use solution may not be reused for sanitizing but may be used for other purposes such as cleaning. For manual operations, the fresh sanitizing solution must be prepared at least daily or more often if the solution becomes diluted or soited

This product, when used on environmental, manimate, hard surfaces at 2 ounces per gallon of water, is effective against Influenza A<sub>2</sub>. Herpes Simplex, Adenovirus type 2, and Vaccinia Viruses.

#### **PHENOL COEFFICIENTS:**

Guaranteed	Minimum
S. aureus	44
S. typhosa	28

#### **DISPOSAL:**

Rinse empty container thoroughly with water and discard. EPA Reg. No. 3640-79 EPA Est. No. 3640-WI-1



#### STEARNS PACKAGING CORPORATION

P.O. BOX 3216 MADISON, WISCONSIN 53704

NET CONTENTS: 1 U.S. GALLON (3.78 liters)

Not Reviewed. Registrant mains to be in converse, and in the converse with the converse of the property of the converse of the

### Engineering a better environment through advance chemical research

FOR INDUSTRIAL, INSTITUTIONAL OR PROFESSIONAL USE ONLY

USE DIRECTIONS:

for sanitization of food equipment or food contact Items, limit the level of active quatermary to 200 ppm. (2.8 ounces per 5 gallons.) NO RINSE REQUIRED

For heavy roil or organic matter, a precleaning step is recommended.

This product when used on environmental, inanimate hard surfaces, at 2 ounces per gallon of water, is effective against Influenza A2, Merpes Simplex, Adenovirus type 2 and Vaccinia Viruses.

Use at 2 ounces per gallon. This product will be effective against Pseudomonas aeruginosa PRD-10 at this level. This has been substantiated by the AOAC use Dilution Confirmation Test, At this lewel the product is fungicidal against pathogenic Cungi.

For best results, use LAVA-DIS 42 with a cloth or mop and apply to walls, floors and other hard sutfaces.

PHENOL CORPCICIENTS:

Guaranteed Minima S. AUCeum 42

27

S. typhusa

ACTIVE INCREDIENTS n-Alkyl (60% 014, 30% C16 , 5% C12, 5% C14)

disathyl benzyl assonius chiorides...... 2.25% m-Alkyl (60% C12, 32% C14)-

disathy! ethylbensyl ammonium chlorides.... 2.75%

.95.50%

When used for the sanitization of food processing equipment and food contact Items, limit active austernary to \$60 plm. Mines 4th potable water before use.

# LAVA-DIS 42

## **CLEANER - DISINFECTANT** DEODORIZER - FUNGICIDE



Designed for institutional use where housekeeping will be of prime importance in controlling the hazard of cross-infection. LAVA-DIS 42 provides the assurance you need In this area when used as directed. For use on Floors, Walls, Sink Tops, Carbage Pails, Telephones, Rest Rooms, Bed Pans, Operating Mooms, and other Institutional Equipment ... Elfective against Staphylococcus aureus, Saleonella choleraisuts Pseudomonas aeruginosa. Also effective against pathogenic fungi, Trichophyton interdigitale.

#### DANGER

#### KEEP OUT OF REACH OF CHILDREN

eyes, on thin or on chaning their gurales or face sheeld and tubber time; when handling Halmful of fatel if smallered. Aread contamination of load,

FIRST AIDs In case of contact, immediately High eyes or thin with plenty of water for at least 15 minutes for eyes, call a physician Remove and wash all contaminated clathing before rouse, if pushbound, demb mula, our whiles, galatin solution or if these are not evaluate, drink large quantities of --- CALL A PHYSICIAN.

5576-18 EPA Reg. No. 5576-18 EPA Est. No. 5574-T=-1

HET CONTENTS

STORAGE AND DISPOSAL

DO NOT CONTAMINATE WATER, FOOD, OR FEED BY STORAGE OR DISPOSAL. STORAGE: STORE IN COOL DRY AREA AWAY FROM HEAT OR OPEN FLAME.

DISPOSAL: "WASTES RESULTING FROM THE USE OF THIS PRODUCT MAY BE DISPOSED OF ON SITE OR AT AN APPROVED WASTE DISPOSAL FACILITY". TRIPLE RINSE(OR EQUIVALENT). THEN OFFER FOR RECYCLING OR RECONDITIONING. OR PUNCTURE & DISPOSE OF IN A SANITARY LANDFILL. OR INCENERATION. OR IF ALLOWED BY STATE. AND LOCAL

MANUFACTURED FOR AUTHORITIES, BY BURNING. IF BURNED, STAY OUT OF SMOKE.

This product is warranted to be of uniform quality within manufacturing tolerances. Since no control is exercised over its use, no warranty, expressed or implied, is made as to the effects of such use. The obligation hereunder shall be limited to refunding the purchase price of that portion of the material proven defected

REGAL SUPPLY & CHEMICAL

Mat thempived. Bogistrate distancia be in connectance with