

## PRECAUTIONARY STATEMENTS

### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

#### CAUTION

May be absorbed through skin. Harmful if swallowed. Avoid inhalation of spray mist. Avoid skin contact. In case of contact, wash immediately with soap and water. Wash thoroughly after using and before eating or smoking. Avoid contamination of feed and foodstuffs. Do not use on household pets and humans. Do not apply this product in such a manner as to directly or through drift expose workers or other persons. The area being treated must be vacated by unprotected persons.

**ENVIRONMENTAL HAZARDS** - This product is toxic to fish, birds and other wildlife. Birds and other wildlife feeding in treated areas may be killed. Do not apply directly to water. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes.

**BENEFICIAL INSECT CAUTION** - This pesticide is highly toxic to bees exposed to direct treatment or to residues remaining on the treated area. Do not apply when bees are actively visiting the crop, cover crop, or weeds blooming in the treatment area. Applications should be timed to provide the maximum possible interval between treatment and the next period of bee activity.

**PHYSICAL AND CHEMICAL HAZARDS** - Do not use or store near heat or open flame

#### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**MEASURE ACCURATELY — STIR THOROUGHLY BEFORE USE**

**HORNFLIES ON BEEF CATTLE:** Spray animals thoroughly with 0.3% Lindane solution prepared by adding 1 tablespoonful Lindane Concentrate to 2½ gallons of water or ¼ pint to 40 gallons. Repeat as necessary.

**LICE AND TICKS ON BEEF CATTLE, HORSES, SHEEP, GOATS:** Spray animals with 0.03% Lindane solution prepared by adding 1 tablespoonful Lindane Concentrate to 2½ gallons of water or ¼ pint to 40 gallons. Wet skin thoroughly. Repeat as necessary.

**LICE ON HORSES:** Spray animals with 0.03% Lindane Solution prepared by adding 2 tablespoonfuls Lindane Concentrate to 2½ gallons of water or ¼ pint to 20 gallons. Repeat as necessary. Do not apply to young animals.

**SARCOPTIC MANGE ON BEEF CATTLE AND HORSES AND PSOROPTIC MANGE (SWEEP SCAB) ON SHEEP AND GOATS:** Spray animals with 0.03% spray prepared by adding 1 tablespoonful Lindane Concentrate to 2½ gallons of water. Wet animals thoroughly. Use 2 or more treatments at 7 to 10 day intervals as needed. Pens and shelters should also be sprayed to prevent reinfestation.

**FLIES, ROACHES, SPIDERS, ANTS, MOSQUITOES IN LIVESTOCK PENS AND BUILDINGS:** Spray with a 0.3% solution prepared by adding 4 tablespoonfuls Lindane Concentrate to 1 gallon of water or ½ pint to 4 gallons. Apply 1 gallon of mix for each 500 square feet of surface area or until thoroughly wet about to run off. For crawling insects apply thoroughly to cracks, crevices, baseboards and other hiding places. Remove animals before spraying. Do not contaminate milk or milking equipment, feed or drinking water.

**INSECTICIDAL PAINT:** Use 1.25% Lindane solution prepared by adding 1 pint Lindane Concentrate to 1 gallon of water. Apply with a brush on and around hiding places as a spot treatment. This concentration may blister paint. Do not use in the home. Do not contaminate milk, milking equipment, feed or drinking water.

REST DOCUMENT AVAILABLE

## STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.  
Open dumping prohibited.

**STORAGE:** If container is damaged. Stop any leaks by repositioning the container or by patching or otherwise repairing the leaks. Take care to avoid contact with pesticide and wear protective gear. On cleanup of spilled liquids, wear protective equipment as required to prevent contact with the product or its vapors. Cover the spilled areas with generous amounts of absorbent material, such as clay, diatomaceous earth, sand, or sawdust. Sweep the contaminated absorbent on to a shovel and put the sweepings into a salvage drum. Dispose of wastes as below. Place any leaking container into a similar drum or glass container. Do not store, use, pour or spill near heat or open flame. Do not store in car trunk where temperatures may exceed 120°F.

**PESTICIDE DISPOSAL:** Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative as the nearest EPA Regional Office for guidance.

**CONTAINER DISPOSAL:** Triple rinse (or equivalent). Puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

AERIAL APPLICATION OF LINDANE IS PROHIBITED.

### DIRECTIONS FOR USE (CONTINUED)

Do not enter treated areas without protective clothing until sprays have dried.

Because certain state laws require reentry restrictions for various crops being treated with this product, consult your State Department of Agriculture for further information.

Restricted use pesticide - For application only under the direct supervision of a certified applicator.

Applicators must wear the following protective clothing during the application process: a full length protective suit or overall; water resistant hat; unlined, waterproof gloves and gaiters; lightweight boots; gaiters and loaders must also wear double lined, steel, waterproof gloves and a waterproof apron. Also, eye protection is required. Do not eat, drink, or smoke while wearing protective clothing. Wash thoroughly after use.