

SPRAY DISINFECTANT AND AIR SANITIZER NO. 2

Aerosol Spray

- Surface Disinfectant
- Air Sanitizer
- Air Deodorant

Sprayed on Surfaces: Deodorizes by disinfecting. Germicidal activity kills most odor-producing organisms. Disinfects Staph., Strep., and Tuberculosis organisms on hard, non-porous surfaces. Prevents mold and mildew on hard, non-porous surfaces. *Kills influenza A₂ virus on environmental hard surfaces.

Sprayed in the Air: Temporarily sanitizes the air and masks unpleasant odors. Pleasantly scented.

For Hospital use where immediately available disinfection is mandatory.

For use in hospital rooms, sick rooms, doctors' examining rooms, kitchens, nursery and bathrooms.

ACCEPTED

GERMICIDAL
FUNGICIDAL
STAPHYLOCIDAL
PSEUDOMONACIDAL
TUBERCULOCIDAL
VIRUCIDAL*

WARNING: KEEP OUT OF REACH OF CHILDREN
See back panel for additional precautions

NET WEIGHT: 17 oz. (1 lb. 1 oz.)

Meets AOAC Germicidal Spray Method requirements for aerosol disinfectant type products used in hospitals.

SPRAY DISINFECTANT AND AIR SANITIZER - DEODORANT

Disinfects and deodorizes surfaces through effective bactericidal and fungicidal activity. Kills most Staph., Strep. organisms, Pseudomonas aeruginosa, Tubercle Bacilli and Trichophyton interdigitale (athlete's foot fungi) on hard surfaces. *Kills influenza A₂ virus on environmental hard surfaces. Temporarily reduces the numbers of airborne germs temporarily sanitizes the air, eliminates odors.

DIRECTIONS FOR USE:

For Surfaces: Remove protective cap, hold can upright and spray from a distance of 6 to 8 inches until area for treatment is thoroughly moistened. Rinse food contact surfaces with potable water before reuse.

For Control of Mold and Mildew on Hard, Non-Porous Surfaces: Clean surfaces prior to application, then spray surface until thoroughly moistened. Allow to dry. Repeat application in 14 days.

For Sanitizing and Deodorizing the Air: Close all windows, doors or other openings. Direct spray upward, toward center of room, and spray for 10 to 15 seconds to temporarily reduce the numbers of airborne bacteria in the air of a 12' by 12' by 9' room. Repeat spray procedure in 2-3 different locations for larger sized rooms. Sanitizing action does not work if relative humidity at room temperature is below 20%.

For Hospital Use: See use directions under "Surfaces". Walls, floors, bedframes, bedpans, urinals, furniture, fixtures, containers, toilet seats, diaper pails, instrument trays, examining tables. Spray telephone and other bedside equipment not easily subject to normal disinfecting procedures.

For Household Use: See use directions under "Surfaces". Kitchens Sink, drainboard, cabinets, stove and refrigerator. Empty garbage cans and under sinks. Eliminates household odors and retards their return. Bathrooms—Bath tub, wash basin, toilet seat, empty hampers, tiled walls. Eliminates bathroom odors. General Use—Telephone, animal areas, diaper pails, nursery room, damp or musty corners in attic, cellar or closet.

ACTIVE INGREDIENTS:

Methyldodecylbenzyl trimethyl ammonium chloride	0.400%
3,4',5-tribromosalicylanilide	0.160%
Methyldodecylxylene bis (Trimethyl ammonium chloride)	0.100%
5,4'-dibromosalicylanilide	0.040%
Triisopropanolamine	2.750%
Essential Oils	0.100%
Ethyl Alcohol	55.530%
INERT INGREDIENTS:	40.920%

(contains 0.1% sodium nitrite)

WARNING: Avoid contamination of food and food utensils. In case of contact, wash surfaces with potable water rinse before use. Causes eye irritation. Avoid getting into eyes. In case of contact, wash thoroughly with water. If irritation persists, get medical attention. Avoid excessive inhalation of spray mist and prolonged contact with the skin.

Contents under pressure. Do not puncture. Do not use or store near heat or open flame. Exposure to temperature above 130°F may cause bursting. Never throw container into fire or incinerator.

Do not spray on polished wood, furniture or rayon fabrics.

Manufactured by:

Aerosol Techniques, Incorporated
Old Gate Lane
Milford, Connecticut 06460

EPA Reg No. 5590-65