

**ACCEPTED**

AUG 29 1972

UNDER THE FEDERAL INSECTICIDE ACT  
 FOR TICKLE AND RESIDENTIAL USE  
 FEDERAL INSECTICIDE ACT REGISTERED  
 UNDER NO. 5602-5 SUBJECT  
 ATTACHED COMMENTS

**Hub States Corporation**

2000 North ... Indianapolis, Ind. 462



FOR LAWNS, SOILS, FLOWERS, HOMES

**45% CHLORDANE -45**

EMULSIFIABLE CONCENTRATE

KILLS - ANTS, CHIGGERS, CHINCH-BUGS, EARWIGS,  
 JAPANESE BEETLE GRUBS  
 ALSO ROACHES, TERMITES, WATERBUGS

**ACTIVE INGREDIENTS**

Technical Chlordane\* ..... 45%  
 Petroleum Hydrocarbons ..... 45%

**INERT INGREDIENTS** ..... 10%

\*Equivalent to 27% Octachloro-4,7-Methano-Tetrahydroindane and 18% related compounds. Contains 1 pound technical Chlordane per quart.

**CAUTION: Keep Out of Reach of Children!**

**See Side Panel for additional cautions.**

EPA Reg. No. 5602-5

This product is toxic to fish, birds and other wildlife. Keep out of lakes, streams or ponds. Birds feeding on treated areas may be killed. Do not apply where preflight is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water, food, or feed with spray. Wash hands thoroughly after use.


**HOUSEHOLD PESTS** — Use 1 oz. (2 tablespoons) Chlordane-45 in 1 1/2 pts. water. For Ants (see section on Ants). For Roaches, Waterbugs, Silverfish, Spiders, use as coarse, wet spray or apply thoroughly with brush to infested cracks, surfaces and hiding places where insects are known to crawl such as darkened areas, along waterpipes, baseboards, and infested areas or floors and shelves in closets, undersides of bookshelves, around storage areas, lavatories, sinks. For Carpet Beetles in premises apply only to areas around baseboards, in cracks, and undercarpets where these insects are known to frequent. Apply to closet shelves if necessary. Repeat treatments as needed.

**SUBTERRANEAN TERMITES** — 2 quarts Chlordane-45 in 25 gallons water. Dig trench next to foundation wall 1 foot deep by 5 to 6 inches wide and apply 1 gallon Chlordane-water mix per linear foot of trench. Inspect annually for reinfestation. For Buildings with deep foundations, use 30" trench. The objective is to establish a treated soil barrier which will prevent termite entry. Other critical areas may also require treatment. It is suggested that you consult the State Extension Service for advice.

**CAUTION: "DO NOT USE, POUR, SPILL, OR STORE NEAR HEAT OR OPEN FLAME."** Harmful if swallowed. Avoid skin contact, inhalation of vapors and spray mist, contamination of feed, foodstuffs, food containers.

**ANTIDOTE.** External: In case of spillage on skin wash thoroughly with soap and water. Internal: Drink 1 teaspoon Emetic of Mustard in glass of warm water and CALL A PHYSICIAN. Do not apply to feed or forage crops which are to be fed to dairy animals or animals being finished for slaughter.

Do not reuse empty container. Destroy it by perforating or crushing. Furry or discard in a safe place away from water supplies.



## DIRECTIONS FOR USE

**ANTS** - Lawns, Turfs. Mix 1 teaspoon Chlordane-45 in 1 quart water. Sprinkle or spray on lawns; saturate nests thoroughly. Or mix 2 tablespoons in 5 gals. water and apply over 1,000 sq. ft. area. Indoors. 1 oz. (2 tablespoons) in 1½ pints water. Apply thoroughly with brush, or as coarse, wet spray to infested surfaces, cracks, ant-trails, areas around doors, windowsills, waterpipes, heat ducts, electrical outlets, baseboards where ants enter premises. Repeat treatments as needed.

**LAWN INSECTS, SOIL INSECTS** - Add amount Chlordane-45 indicated to 5 gallons water and spray or sprinkle over 1,000 sq. ft. area. Ants (as above); Chiggers, Chinch-Bugs, cut-worms, Mole Crickets, Ticks (3 tablespoons); Earwigs (6 tablespoons); Japanese Beetle Grubs (½ Pint); White Grubs, Wireworms (4 oz. to ½ pint); Sod Webworms, Lawn Moths (4 oz.). For earwigs spray also around fences, house foundations, refuse and compost piles. Don't water treated areas for 48 hours. For Japanese Beetle Grubs, White Grubs water thoroughly after treatment. For Sod webworms water lawn thoroughly before treatment; don't water again for several days after treatment. Keep children and domestic animals off treated lawn until the lawn has been thoroughly watered and allowed to dry completely. This product is toxic to fish. Keep out of lakes, streams and ponds.