

[0602-9] 1042

### DILUTING INSTRUCTIONS

1. When infested spray is used, the amount of concentrate to be added to the spray should be as follows:

For 1 gallon of spray, add 1/2 ounce of concentrate.

For 2 gallons of spray, add 1 ounce of concentrate.

For 3 gallons of spray, add 1 1/2 ounces of concentrate.

For 4 gallons of spray, add 2 ounces of concentrate.

For 5 gallons of spray, add 2 1/2 ounces of concentrate.

NOTE

### PROPERTIES

Pyrethrins are highly effective against a wide range of insects. They are non-toxic to mammals and birds. They are also highly effective against household pests such as flies, mosquitoes, and cockroaches.

NOTE

Do not use on plants or animals. Do not use in areas where children or pets are present.

Food should be removed or covered during treatment. All food processing surfaces should be cleaned before use.

INDIANAPOLIS, IND



# HUB STATES

*Chemical and Equipment*

ACCEPTED

## PYRETHRINS CONCENTRATE

4-4-68

UNDER THE FEDERAL INSECTICIDE  
FUNGICIDE AND RODDICIDE ACT  
FOR ECONOMIC PEST CONTROL  
REGISTERED UNDER NO. 5602-9

**CAUTION! Keep Out of Reach of Children!**  
See side panel for additional instructions.

REGISTERED

[5602-9] 20f2

4-4-68

INSECTICIDE

**DIRECTIONS: 5602-9**

**WHERE TO TREAT**

If Pyrethrins Concentrate is applied in facilities used for storing, manufacturing, or transporting food products, it will ~~control~~ destroy or control present insects ~~and also destroy future infestations.~~

Because Pyrethrins Concentrate is non-tainting and non-contaminating, it is recommended for use in food machinery or around bags or bales of infested materials. It should not be applied directly on food products.

To control roaches ~~and~~ and silverfish, spray Pyrethrins Concentrate thoroughly behind sinks, counters, etc., so as to wet surfaces over which these insects crawl. Treatment should be repeated as often as necessary.

**TO CONTROL ANTS:**

treatment of ant trails and areas around door sills and window frames where the pests enter the premises.

Repeated applications are required in all cases.

**HOW TO TREAT**

For greatest efficiency Pyrethrins Concentrate must be diluted according to instructions.

Areas to be treated should first be thoroughly vacuum cleaned for best results. Pyrethrins Concentrate should then be applied so as to wet surface over which insects crawl. One gallon treats 100 square feet where less enduring protection is needed. Coverage may be increased to 1 gallon per 200 square feet. Any device used should wet surface.

**WHEN TO TREAT**

Some insects infesting food products require as little as three weeks to pass from egg to adult. Pyrethrum Concentrate should be applied as often as necessary.