

DEPARTMENT OF THE ARMY, WASHINGTON, D. C. 20315, AND NOTICE STATEMENT'S CASHIER.

1. The first group of people who are affected by the disease are those who are in the first stage of the disease. This group is the most vulnerable and is the most likely to die. They are the people who are in the first stage of the disease and are the most vulnerable and are the most likely to die.

[illegible][illegible]

ANALYSIS



CONTAINS
5%
MALATHION

CAUTION: No
See side of

1. NAME OF THE COMPANY
 2. DATE
 3. REPORT PERIOD

SECRET

McClure's book is a collection of
 short stories from 1914 to 1924, and
 is a very good collection.

positioning. Make repeat applications as needed.
It may be used on certain types of animals and control
properly. Do not use on birds or other animals.

ANIMAL INSECT CONTROL

Label and Instructions for use of Malathion are printed on the label.
Apply to the animal as directed. Do not use on animals that are
sick or stressed. Do not use on animals that are pregnant or
lactating. Do not use on animals that are nursing. Do not use on
animals that are REPTILES or BIRDS.
CGS Control the use of Malathion on animals. Do not use on
animals that are REPTILES or BIRDS. Do not use on animals that are
sick or stressed. Do not use on animals that are pregnant or
lactating. Do not use on animals that are nursing.

Label and Instructions for use of Malathion are printed on the label.
Apply to the animal as directed. Do not use on animals that are
sick or stressed. Do not use on animals that are pregnant or
lactating. Do not use on animals that are nursing. Do not use on
animals that are REPTILES or BIRDS.
CGS Control the use of Malathion on animals. Do not use on
animals that are REPTILES or BIRDS. Do not use on animals that are
sick or stressed. Do not use on animals that are pregnant or
lactating. Do not use on animals that are nursing.

Label and Instructions for use of Malathion are printed on the label.
Apply to the animal as directed. Do not use on animals that are
sick or stressed. Do not use on animals that are pregnant or
lactating. Do not use on animals that are nursing. Do not use on
animals that are REPTILES or BIRDS.
CGS Control the use of Malathion on animals. Do not use on
animals that are REPTILES or BIRDS. Do not use on animals that are
sick or stressed. Do not use on animals that are pregnant or
lactating. Do not use on animals that are nursing.

Label and Instructions for use of Malathion are printed on the label.
Apply to the animal as directed. Do not use on animals that are
sick or stressed. Do not use on animals that are pregnant or
lactating. Do not use on animals that are nursing. Do not use on
animals that are REPTILES or BIRDS.
CGS Control the use of Malathion on animals. Do not use on
animals that are REPTILES or BIRDS. Do not use on animals that are
sick or stressed. Do not use on animals that are pregnant or
lactating. Do not use on animals that are nursing.

MALATHION

Malathion
Insect Ingredient

CONTROLLED CROP

Malathion, DDT, Dieldrin
and other insecticides

Controlled Crop



MALATRON



**CONTAINS
5%
MALATHION**

CAUTION: When used in the presence of flammable or combustible materials, use proper ventilation.

4-10-68 10:00 AM
4-10-68 10:00 AM
4-10-68 10:00 AM

THESE RESULTS ARE IN ACCORD WITH THE

10-10-68

1. The first step in the process is to identify the problem or issue that needs to be addressed. This involves gathering information and understanding the context of the problem.

[illegible]

11

ACCEPTED
7-27-68
5602-17
UNDER THE FEDERAL INSECT
FUNGICIDE AND RODENT CONTROL ACT
FOR ECONOMIC POISONING
ED. 11/11/68
SUBJECT

ACCEPTED
8-27-68
5602-17

CAUTION: KEEP OUT OF REACH OF CHILDREN
See side panel for additional cautions.

Active Nursing:

1940

1. *Chlorophyll a* and *Chlorophyll b* were determined by the method of Arar and Collins (1971).

[illegible]