



Hub States Corporation

ADVANCED PRODUCTS FOR ENVIRONMENTAL SANITATION

2090 N. Mill Street, Dallas, Texas 75221

HEPTACHLOR EMULSIFIABLE

FOR PROFESSIONAL USE ONLY

(Contains 4.05 Lbs. Technical Heptachlor Per Gallon Equivalent to 3 Lbs. Actual Heptachlor Plus 1.05 Lbs. Related Compounds.)

ACTIVE INGREDIENTS		By Wt.
Heptachlor*	31.4%
Related Compounds	12.2%
Petroleum Distillate	49.4%
Inert Ingredients	7.0%

*Heptachloro-4, 7-Methanotetrahydroindene TOTAL 100.0%

WARNING KEEP OUT OF REACH OF CHILDREN

See side panel for additional warnings and antidotes.

3. Buildings With Basements

- Apply 1 gallon per 10 linear feet of trench to treat the basement floor, walls, and ceiling, including all cracks, crevices, and similar situations where dust falls at ground level.
- Apply 2 gallons per 5 linear feet of trench to treat the outside of foundation walls, including entrance porches and porches where the foundation is not more than 15-18 inches deep. If over 15-18 inches deep but not over 30 inches apply 4 gallons per 5 linear feet. Do not go deeper than the top of the footing.
- Apply 2 gallons per 5 linear feet as a trenching application to critical areas under the house, such as along the inside of foundation walls, porches, entrances and piers. If trench is deeper than 15-18 inches but not over 30 inches, apply 4 gallons per 5 linear feet. Do not go deeper than the top of the footing.
- Treat all voids in hollow masonry units of the foundation at the rate of 1 gallon per 5 linear feet of wall.

Premises treated with 0.5% Heptachlor will give residual control for a minimum of five years.

WARNING

May be fatal if swallowed. Do not breathe vapor, dust or spray mist. Do not get on skin. In case of contact wash immediately with soap and water. Do not contaminate feed and foodstuffs.

ANTIDOTE

External: In case of spillage on skin, wash promptly with soap and water.
Internal: Emetic of 1 tablespoonful mustard in tumbler of water. Call a physician.


Net Contents



A- Not For storage in or around the home. For use by Pest Control Operators only.

B- "This product is toxic to fish and wildlife."
"Do not contaminate water by cleaning of equipment, or disposal of wastes."

Buildings (PCO) - termites



TERMITICIDE ADVANCED PRODUCTS FOR ENVIRONMENTAL SANITATION

FOR THE CONTROL OF TERMITES

DIRECTIONS

Add 1 gallon of Heptachlor E emulsifiable to 72 gallons of water (0.5% emulsion). Apply the 0.5% emulsion as follows:

1. Slab-Type Construction

- a. Apply 1 gallon per 10 square feet as an overall pre-construction treatment under the slab and along attached porches or entrance platforms.
- b. Apply 2 gallons per 5 lineal feet to critical areas under the slab as pre-construction treatment, such as along the inside of the foundation walls and around utility entrances and interior partition foundation walls.

2. Building with Crawl Spaces

- a. Apply 2 gallons per 5 lineal feet in the trench along the outside of foundation walls, including entrance platforms and porches where the foundation is not more than 15-18 inches deep. If over 15-18 inches deep but not over 30 inches, apply 4 gallons per 5 lineal feet. Do not go deeper than the top of the footing.
- b. Apply 2 gallons per 5 lineal feet as a trenching application to critical areas under the house, such as along the inside of foundation walls and around piers and utility entrances. If trench is deeper than 15-18 inches but not over 30 inches, apply 4 gallons per 5 lineal feet. Do not go deeper than the top of footing.
- c. Apply 1 gallon per 10 square feet of soil surface as a pre-construction treatment where the attached porches, entrance platforms, utility entrances, etc., have covering slab on fill of ground.
- d. Apply 1 gallon per 5 lineal feet of wall to voids in hollow masonry units of the foundation.

Lot No.

USDA Reg. No. 5602-30
3 3 3 3



RECEIVED
10-19-71
5602-30
BY THE FEDERAL INSECTICIDE
AND RODENTICIDE ACT
FOR ECONOMIC PEST CONTROL
UNDER NO. SUBJECT
OF ATTACHED COMMENTS

