



SEVIN[®] 5JW

U.S.D.A.
REG. NO.

Hub States Chemical and Equipment Company

2002 NORTH ILLINOIS STREET / INDIANAPOLIS, INDIANA 46202 / Phone 317 925-1431

Active Ingredient: Carbaryl (1-naphthyl N-methylcarbamate)..... 50% by wt.
Inert ingredients..... 50% by wt.

CAUTION: HARMFUL IF INHALED OR SWALLOWED. Avoid breathing of Dust or Spray. Do Not Take Internally. Avoid prolonged or repeated contact with skin. Wash Hands and Face Before Eating. Take Shower or Bath after work. Wear Regular Long Sleeved Work Clothing. Change to Clean Clothing Daily. Note For Physician: Carbaryl is a moderate, reversible, cholinesterase inhibitor. Atropine is antidotal. AVOID CONTAMINATION OF FOOD, FEED, FEEDING TROUGHS AND WATERING RECEPTACLES.

CAUTION! Keep Out of Reach of Children!

ACCEPTED
AUG 12 1968
UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTERED
UNDER NO. 5602-56 SUBJECT
TO ATTACHED COMMENTS.

Apply 1 to 2 pounds as often as necessary to control grasshoppers on the above crops. A 1 to 2 pound rate is suggested for nymphs on small plants or sparse vegetation in wasteland, range and orchards and borders. A 2 to 3 pound dosage should be used when grasshoppers are mature or material is applied to crops requiring greater coverage.

"For protection of honey bees avoid use, if possible, during periods when honey bees are visiting the crop."

GRASSHOPPER CONTROL

SEVIN 5JW at recommended concentrations can be safely used on a wide range of ornamental plants, flowers, shrubs and shade trees including rose, carnation, gladiolus, zinnia, chrysanthemum, lilac, arbor vitae, juniper, drangea, azalea, elm, maple, oak, dogwood, birch and pines. Do not use on Boston ivy.

Use 2 level tablespoonfuls per gallon of spray. 2 pound per 100 gallons when insects or their damage appear. Repeat weekly or as needed to control.

- | | | |
|--------------------|-------------------|---------------------|
| apple aphid | Japanese beetle | plant bug |
| bagworm | June beetle | pink caterpillar |
| birch leaf miner | lace bugs | pyllids |
| blister beetles | leafhoppers | rose aptid |
| boxelder bug | leaf rollers | rose slug |
| boxwood leaf miner | mealy bugs | scale insects |
| elm leaf aphid | mimosa webworm | tent caterpillars |
| elm leaf beetle | oak leaf miners | thorn bugs |
| flea beetles | orange tortrix | thrips (exposed) |
| gypsy moth | periodical cicada | willow leaf beetles |

INTEGRATED CONTROL

Apply 1/2 lb. SEVIN 5JW in 150 to 200 gallons of water for each 5000 square foot established lawn area for the control of:

- | | | |
|------------|---------------|--------------|
| ants | fall armyworm | grasshoppers |
| chinch bug | flea | cutworms |
| earwigs | leafhopper | crickets |

Use garden hose sprayer or other low pressure equipment and apply full water volume to insure good penetration. For best results, mow lawn and apply immediately after rain or watering. Repeat 2 to 3 weeks later if necessary.

Net Content _____ lbs