

Comment

NITATION ADVANCED PRODUCTS FOR ENVIRONMENTAL SANITATION ADVANCED PRODUCTS FOR ENVIRONMENTAL SANITATION ADVANCED

DIRECTIONS

RECOMMENDATIONS: When applied as an aerosol with the Hub States Fog Applicator, Hub States Formula 32 is recommended for the control of Red Spider (Spider Mites), Aphids, Whiteflies, Mealybugs and Thrips, on Carnations, Snapdragons, Chrysanthemums, Geraniums and Roses.


PREPARATION OF THE GREENHOUSE PRIOR TO FOGGING: (1) Close all doors, windows and ventilators. (2) Lock or barricade all entrances, post warning signs, take precautions to prevent persons and animals from entering the area. (3) Turn off all misting systems. Be certain all blossoms and foliage are dry. (4) Room temperature should read from 70° to 85°F. for best insect kill.

APPLICATION DOSAGE: (1) Calculate the cubic feet of the greenhouse space to be treated. For most greenhouse ornamentals—1 ounce of Formula 32 will treat 3,000 cubic feet of space; 16 ounces will treat 50,000 cubic feet; and 32 ounces will treat 100,000 cubic feet. (2) Pour into the Hub States Fog Applicator insecticide tank the required number of ounces of Formula 32 to treat the calculated space.

APPLICATION

METHOD: Wear a full-faced gas mask with canister type recommended by the U. S. Department of Agriculture for phosphate insecticide protection. (1) Open the metering valve on the Hub States Fog Applicator counter-clockwise to the No. 4 setting on the dial. Eight ounces of liquid will be fogged per minute with a mass median diameter size of 5 microns. (2) Start the pulsating jet engine of the Hub States Fog Applicator and allow it to run one full minute before opening the insecticide valve. (3) Walk backward down the entire length of the center aisle of the greenhouse, directing the fog over the plants, swaying the machine back and forth, to blanket two benches from each side of the aisle. Keep the Hub States Fog Applicator nozzle a minimum of four feet from plants. The Hub States Fog Applicator should never be in a fixed position—it is to be constantly moving so as to cover the entire area as evenly as possible. Do not over-apply to the point where foliage is visibly wet. Note: Where bench Chrysanthemums, Roses and other crops are of such height where it is difficult to fog over the plants without wetting the foliage, then direct the fogging operation under the benches. Sway the machine back and forth, occasionally pointing the Hub States Fog Applicator nozzle upward where possible. Repeat applications as often as necessary.

DURATION OF EXPOSURE: Length of exposure time is 1½ hours with ventilators and doors closed. After this exposure time, the house should be well ventilated—at least 1 hour—before re-entering. Damage may result with longer exposure periods.



Hub States Corporation

ADVANCED PRODUCTS FOR ENVIRONMENTAL SANITATION  
2000 North Illinois St., Indianapolis, Ind. 46202 • Phone 317/925-1431

FORMULA 32

A CONCENTRATED INSECTICIDE FORMULATION FOR USE ON GREENHOUSE ORNAMENTALS AND TO BE APPLIED WITH A HUB STATES FOG APPLICATOR ONLY.

ACTIVE INGREDIENTS	By Wt.
Gamma isomer of benzene hexachloride from lindane	2.00%
Beta-butoxy beta'-thiocyano diethyl ether	2.50%
Malathion O,O-dimethyl dithiophosphate of diethyl mercaptosuccinate	14.00%
Petroleum Distillate	81.50%
	Total 100.00%

WARNING KEEP OUT OF THE REACH OF CHILDREN

USDA Reg. No. 5602-70

See side panels for additional cautions.



ACCEPTED WITH COMMENTS



**Hub States Corporation**

ADVANCED PRODUCTS FOR ENVIRONMENTAL SANITATION  
2000 44th Illinois St., Indianapolis, Ind. 46202 • Phone 317/925-1431

# FORMULA 32

A CONCENTRATED INSECTICIDE FORMULATION FOR USE ON GREENHOUSE ORNAMENTALS AND TO BE APPLIED WITH A HUB STATES FOG APPLICATOR ONLY.

ACTIVE INGREDIENTS	By Wt.
Gamma isomer of benzene hexachloride from lindane . . . . .	2.00%
Beta-butoxy beta'-thiocyano diethyl ether . . . . .	2.50%
Malathion O,O-dimethyl dithiophosphate of diethyl mercaptosuccinate . . . . .	14.00%
Petroleum Distillate . . . . .	81.50%
Total	100.00%

**WARNING KEEP OUT OF THE REACH OF CHILDREN**

USDA Reg. No. 5602-70 See side panels for additional cautions.

**CAUTION**

Antidote: If swallowed, give a tablespoonful of salt in a glass of warm water and repeat until vomit fluid is clear. Have victim lie down and keep quiet. Call a physician immediately!

**WARNING**

May be harmful or fatal by skin contact, inhalation, or swallowing! Rapidly absorbed through the skin! If on skin, wash immediately with soap and water. In case of contact, immediately remove all contaminated clothing and flush skin or eyes with plenty of water for at least 15 minutes. For eyes, get medical attention. Do not breathe fog or spray mist. Wash thoroughly with soap and water after handling and wear clean clothing before eating or smoking. Atropine is antidotal. 2-PAM is also antidotal and may be used in conjunction with Atropine.

Keep away from heat and open flame. Always wear a gas mask of a type recommended by the U. S. Department of Agriculture for Phosphate Insecticide Protection. Keep out of reach of children.

This product is toxic to fish. Keep out of lakes, streams, and ponds. Apply this product only as specified on this label.

Not for use or storage in or around the home.

**IMPORTANT STORAGE INSTRUCTIONS**

If subjected to temperatures below 32°F. move container to warm storage until reaching average room temperature and thoroughly mix before use.

NET CONTENTS

LOT. NO.

applicator, (Mites), nematodes, doors, take misting read to be 00 cubic 00 cubic number of Department valve on al. Eight microns. run one re length machine ates Fog applicator he entire t. Note: difficult on under ates Fog tors and t least 1



ACCEPTED WITH COMMENTS