ADVANCED PRODUCTS FOR ENVIRONMENTAL SANITATION ADVANCED PRODUCTS FOR ENVIRONMENTAL

DIRECTIONS

When applied as an aerosol with the Hub States Pulsfog Applicator, Hub States Formula 80 is recommended for the control of Powdery Mildew on Roses and Chrysanthemums, Botrytis on Chrysanthemums, and Alternaria. For controlling Powdery Mildew, Botrytis and Alternaria, follow a protective schedule at 10-day intervals, beginning before disease occurs. If severe infections exist, repeated applications are necessary. For controlling Powdery Mildew, Botrytis and Alternaria, make three applications of Hub States Formula 80 at 72-hour intervals, followed by a regular preventative program of 7 to 10 day intervals.

APPLICATION-DOSAGE: (1) Calculate in cubic feet the greenhouse space to be treated. For Roses and Chrysanthemums in greenhouses, 1 ounce of Formula 80 will treat 3,000 cubic feet of space; 16 ounces will treat 50,000 cubic feet; and 32 ounces will treat 100,000 cubic feet. (2) Pour into the Hub States Pulsfog Applicator insecticide tank the required number of ounces of Formula 80 to treat the calculated space.

PREPARATION OF THE GREENHOUSE PRIOR TO FOGGING: (1) Close all doors, windows and ventilators. (2) Lock or barricade all entrances, post warning signs, take precautions to prevent persons and animals from entering the area, (3) Turn off all misting systems. Be certain all blossoms and foliage are dry. (4) Room temperatures should read from 70° to 85° F.

ACCEPTEDI

• • • • • • •



ADVANCED PRODUCTS FO ENVIRONMENTAL SANITATIO 2001 North IE cluis St. Indianapolis Ind. 46202 Phone 317 925-

FORMULA 80

A CONCENTRATED FUNGICIDE FORMULATION FOR USE ON GREENHOUSE ORNAMENTALS AND TO BE APPLIED WITH A HUB STATES PULSFOG APPLICATOR **AEROSOL GENERATOR ONLY.**

from 70° to 85° F. APPLICATION-METHOD: Wear a full-fac U. S. Department of Agriculture equival Protection. (1) Open the metering valve on to the No. 4 setting on the dial. Eight ounce median diameter of 5 microns. (2) Start th	ge are dry. (4) Room temperatures should read ed gas mask with Willson G3FD canister or the ent for protection for Chlorinated Insecticide the Hub States Fog applicator counterclockwise es of liquid will be fogged per minute with a mass e pulsating jet engine of the Hub States Pulsfog minute before opening the insecticide alve.	ACTIVE INGREDIENTS Cupric 8-quinolinolate 2,4-Dinitro-6-octyl*phenyl crotonate 2,6-Dinitro-4-octyl*phenyl crotonate Nitrooctyl*phenols (principally dinitro) INERT INGREDIENTS *A mixture of 1-methylheptyl, 1-ethylhexyl, and 1-propylpentyl isomers.	By Wt. 2.00% .73% .05% 97.22% OTAL 100.C0%
LOT No.	EPA Reg. No. 5602-76	CAUTION KEEP OUT OF THE READ See Side Panels for addition	

PRODUCTS FOR ENVIRONMENTAL SANITATION ADVANCED PRODUCTS FOR ENVIRONMENTAL SANITATION ADVANCED • • •



ADVANCED PRODUCTS FOR ENVIRONMENTAL SANITATION 2000 North III rois St. Indianapolis Ind. 46202 Phone 317 925 1431

FORMULA 80

ONCENTRATED FUNGICIDE FORMULATION FOR ON GREENHOUSE ORNAMENTALS AND TO BE IED WITH A HUB STATES PULSFOG APPLICATOR OSOL GENERATOR ONLY.

IVE INGREDIENTS By Wt. 2.00% c 8-quinolinolate Dinitro-6-octyl*phenyl_crotonate Dinitro-4-octyl*phenyl_crotonate .73% octyl*phenols (principally dinitro) .05% T INGREDIENTS 97.22% nixture of 1-methylheptyl, 1-ethylhexyl, TOTAL 100.00% 1-propylpentyl isomers.

KEEP OUT OF THE REACH OF CHILDREN UTION See Side Panels for additional Cautions

(3) Walk backward down the entire length of the center aisle of the greenhouse directing the tog over the plants, swaying the machine back and forth, to blanket two benches from each side of the aisle. Keep the Hub States Fog applicator nozzle at a minimum of four feet from plants. The Hub States Fog applicator should never be in a fixed position-it is to be constantly moving so as to cover the entire area as evenly as possible. Do not over-apply to the point where foliage is visibly wet. Where bench Chrysanthemums, Roses and other crops are of such height where it is difficult to fog over the plants without wetting the foliage. then direct the fogging operation under the benches. Sway the machine back and forth, occasionally pointing the Hub States Fog applicator nozzle upward where possible. Repeat applications as often as necessary.

DURATION OF EXPOSURE: Length of exposure time is 1½ hours with ventilators and doors closed. After this exposure time, house should be well ventilated-at least 1 hourbefore re-entering.

Read entire label carefully. Use only as directed. Keep out of the reach of children. Keep away from food and food products. May be absorbed through the skin. Avoid contact with the skin. If skin in contaminated, wash thoroughly with soap and warm water. Avoid inhalation of the fog. Always wear a gas mask of a type recommended by the U.S. Department of Agriculture for chlorinated insecticide protection. Harmful if swallowed.

This product is toxic to fish. Do not contaminate water by cleaning of equipment, or disposal of wastes. IMPORTANT STORAGE INSTRUCTIONS

If subjected to temperatures below 32° F. move container to warm storage until reaching average temperature and thoroughly mix before use. Do not reuse container. Destroy when empty.



DIRECTIONS (CONT.)

CAUTION

NET CONTENTS