

CONTAINER
FRONT PANEL



135

DI-TOX E



ACCEPTED
with
in ELA

MAR 9 1961

Under the Federal Insecticide, Fungicide, and Plant Growth Regulator Act, as amended, for use only as registered under EPA Reg. No.

5602-97

CONTROLS PEST OF HOUSEHOLDS (COCKROACHES, ANTS, BROWN DOG TICKS, SILVERFISH, SPIDERS), CRICKETS, FLEAS, RATS, SAWTOOTH GRAIN BEETLE, FLOUR BEETLE, RICE WEEVIL, CIGARETTE BEETLE, DRUGSTORE BEETLE, INDIAN MEAL MOTH.

To Be Applied Only By or Under the Supervision of Pest Control Operators, Public Health Organizations, and Other Trained Personnel Responsible for Insect Control Programs.

ACTIVE INGREDIENTS	By Wt.
O,O-diethyl O-(3,5,6-trichloro-2-pyridyl) phosphorothioate.....	12.31 %
2,2-Dichlorovinyl dimethyl phosphate.....	11.45 %
Related compounds.....	0.86 %
Xylene.....	70.38 %
INERT INGREDIENTS.....	5.00 %
	Total 100.00 %

DANGER KEEP OUT OF REACH OF CHILDREN

POISON

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center immediately. If possible, vomiting should be induced under medical supervision. Drink one or two glasses of water and induce vomiting by touching the back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

IF INHALED: Remove victim to fresh air. Apply respiration if indicated.

IF ON SKIN: Remove contaminated clothing and wash affected areas with soap and water.

IF IN EYES: Flush eyes for at least 15 minutes with water. Call a physician immediately.

NOTE TO PHYSICIAN: DI-TOX E is a cholinesterase inhibitor. Treat symptomatically. Atropine only by injection is an antidote. 2-PAM is also antidotal and may be administered in conjunction with Atropine.

(See side panels for additional precautions)

MFG BY: HUB STATES CORP.
INDIANAPOLIS, IN

EPA EST NO 5602-IN-01 EPA REG NO 5602-97 NET CONTENTS

BEST DOCUMENT AVAILABLE

CONTAINER
BACK PANEL

BEST DOCUMENT AVAILABLE

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS (& DOMESTIC ANIMALS)**

DANGER

Fatal if swallowed, inhaled or absorbed through skin. Do not wear contaminated clothing. May be irritating to eyes and skin. Wash thoroughly after handling. Do not breathe vapor or spray mist. Keep away from food, feed-stuffs and water supplies. Do not let children or pets contact treated area until thoroughly dry. Mix the concentrate outdoors or in a well ventilated room. Wash all contaminated clothing with soap & hot water before reuse. Wear natural rubber gloves, protective clothing, goggles and mask or respirator of the type approved jointly by the Mining Enforcement and Safety Administration (formerly the U.S. Bureau of Mines) and by the National Institute for Occupational Safety and Health under the provisions of 29 CFR Part 11 for protection against DDVP when handling the concentrate to prepare solutions.

STORAGE AND DISPOSAL

- 1) PROHIBITIONS: DO NOT CONTAMINATE WATER, FOOD, OR FEED BY STORAGE OR DISPOSAL. OPEN DUMPING IS PROHIBITED.
- 2) PESTICIDE DISPOSAL: PESTICIDE, SPRAY, MIXTURE, OR RINSE THAT CANNOT BE USED OR CHEMICALLY REPROCESSED SHOULD BE DISPOSED OF IN A LANDFILL APPROVED FOR PESTICIDES OR BURIED IN A SAFE PLACE AWAY FROM WATER SUPPLIES.
- 3) CONTAINER DISPOSAL: TRIPLE RINSE (OR EQUIVALENT) AND OFFER FOR RECYCLING, RECONDITIONING, OR DISPOSAL IN APPROVED LANDFILL OR BURY IN A SAFE PLACE.
- 4) GENERAL: CONSULT FEDERAL, STATE OR LOCAL DISPOSAL AUTHORITIES FOR APPROVED ALTERNATIVE PROCEDURES.

Seller warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, expressed or implied, extends to the use of this product contrary to label instructions or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes risk of any such use.

See Pamphlet for Use Instructions

ATTACHED PAMPHLET LABEL INFORMATION

CONDITIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER DIFFERENT FROM ITS LABELING.

SPOT TREATMENT ONLY

Apply a small amount of material directly with spray or oil. Apply the required amount of material to water or in a basin of water. Do not use benzene or kerosene. Do not use according to the directions on the label. Do not use the de-odorant solution of 0.25% Chlorpyrifos and 0.25% DDT Vapors or 0.25% Chlorpyrifos and 0.25% DDT Vapors. Do not use higher concentrations of 0.25% Chlorpyrifos and 0.25% DDT Vapors to control heavy cockroach infestations and the lower concentration of 0.25% Chlorpyrifos and 0.25% DDT Vapors on light infestations.

	WATER EMULSION		Mixing Ratio
	Amount Required For		
1 Gal. Water	1.0 Oz.	1.0 Oz.	
0.25% Chlorpyrifos & 0.25% DDT Vapors	2 1/2 Oz.	1 Pt.	1-47
0.25% Chlorpyrifos & 0.25% DDT Vapors	3 1/2 Oz.	1 Qt.	1-68
	OIL SOLUTION		Mixing Ratio
	Amount Required For		
1 Gal. Oil	1.0 Oz.	1.0 Oz.	
0.25% Chlorpyrifos & 0.25% DDT Vapors	2 1/2 Oz.	1.00 Oz.	1-68
0.25% Chlorpyrifos & 0.25% DDT Vapors	4 1/2 Oz.	1 Pt. 10 Oz.	1-100

DO NOT USE THIS PRODUCT IN PLACES OTHER THAN PRIVATE RESIDENCES IN WHICH ANIMALS ARE KEPT, PROCESSING PLANTS, OR AREAS WHERE ANIMALS ARE KEPT OR STORED. DO NOT TREAT PLANTS WITH THIS PRODUCT.

Use in areas such as receiving, storage, packing, loading, bottling, sampling, loading, unloading, edible waste storage and enclosed processing systems, grain, sorghum, edible oils, ground, drying areas (when used in grain) and facility is in operation also should be considered a food area.

Apply a small amount of material in a 0.25% or 0.5% solution directly to cracks and crevices using equipment capable of delivering a pin stream of liquid in points between different elements of construction, between equipment and floors, openings leading to walls and hollow spaces in walls, equipment legs and bases, couplings, motor bearings, junctions or switch boxes where cockroaches, mice, termites, firebrats and silverfish hide. Prior to application de-energize electrical equipment. After application, allow time for oil to evaporate before starting motors or placing switches in the "ON" position. Use as oil base solution only around electrical equipment. Do not use water emulsion in conduits, motor housing and electrical switch boxes. Also in the control of pantry pests (sawtooth grain beetle, flour beetle, rice weevil, cigarette beetle, granary beetle and Indian meal moth) which come into contact with treated surfaces. Care should be taken to avoid depositing the product onto exposed surfaces or introducing the material into the air. Avoid contamination of food processing areas.

APPLICATION OF THIS PRODUCT ON THE LABEL IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER DIFFERENT FROM ITS LABELING.

INDOOR APPLICATION - Residential and Commercial - Use as a spot treatment or as a coarse spray or with a paint brush in areas where cockroaches, silverfish, mice, termites, firebrats, spiders, ants, and fleas are found. Apply in areas such as dark corners of rooms and closets, at the base of walls, in areas behind dark corners of cupboards, behind and beneath sinks, refrigerators, stoves and cabinets and around door frames. Spraying untreated areas and outside areas when no sign of cockroach infestation is present will aid in preventing re-infestation. Good sanitation and proper disposal of wastes is essential in any effective insect control program. NOTE: A period of 3 to 7 days after treatment is normally required for maximum effect on cockroaches.

ANTS, CRICKETS, FLIES, FIREBRATS, SILVERFISH, SPIDERS: Use a 0.25% spray to control light infestations and a 0.5% spray to quickly reduce heavy infestations. Apply as a coarse spray or with a paint brush to horizontal areas where base pests are found or normally occur, including dark corners of rooms and closets, cracks and crevices in walls, along and behind baseboards, beneath and behind sinks, stoves, refrigerators and cabinets, around plumbing and other utility installations. For ants apply to pet trails, also around doors and windows and wherever else these pests may be found.

SPIDER TRAPS: Thoroughly apply a 0.5% spray as a spot treatment to treated areas such as pet beds and resting quarters, nearby cracks and crevices, along and behind baseboards, window and door frames and locations areas of floor and floor covering where these pests may be present. Pet bedding of pets should be removed and replaced with clean, fresh bedding after treatment. **DO NOT TREAT PLANTS WITH THIS PRODUCT.**

