

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

3/6 | 417044 |  
17

AUG 5 1992

Mr. Gary Hutton  
Hub States Corporation  
419 East Washington St.  
Indianapolis, IN 46204

Dear Mr. Hutton:

Subject: Revised Labeling and Confidential Statement of Formula  
Di-Tox E  
EPA Registration No. 5502-97  
Your Submission Dated April 23, 1992

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable, provided that you make the labeling changes listed below before you release the product for shipment bearing the amended labeling:

- The signal word DANGER should appear on the same line as POISON under "Keep out of reach of children."

The CSF dated April 23, 1992 has been reviewed and is acceptable. The chemical information submitted in support of Meelium is acceptable.

Submit five copies of your final printed labeling before you release the product for shipment. A stamped copy of the labeling is enclosed for your records.

Sincerely,

George T. LaRocca  
Product Manager 13  
Insecticide-Rodenticide Branch  
Registration Division (H7505C)

CONCURRENCES							
SYMBOL							
SURNAME							
DATE							

ACCEPTED with COMMENTS in EPA Letter Dated

AUG 25 1992

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No.

5602-97

Hub States Corporation

(EVERY PRODUCT "Always A Winner" Indianapolis, IN 46240

DI-TOXE



PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS (& DOMESTIC ANIMALS) DANGER

Fatal if swallowed, inhaled or absorbed through skin. Do not wear contaminated clothing. May be irritating to eyes and skin. Wash thoroughly after handling. Do not breathe the vapor or spray mist. Keep away from food, feed stuffs and water supplies. Do not let children or pets contact treated area until thoroughly dry. Mix the concentrate outdoors or in a well ventilated room. Wash all contaminated clothing with soap & hot water before reuse. Wear natural rubber gloves, protective clothing, goggles and mask or respirator of the type approved jointly by the Mining Enforcement and Safety Administration formerly the U.S. Bureau of Mines and by the National Institute for Occupational Safety and Health under the provisions of 30 CFR Part 11 for protection against DDVP when handling a concentrate to prepare emulsions.

CONTROLS PESTS OF HOUSEHOLDS (COCKROACHES, ANTS, BROWN DOG TICKS, SILVERFISH, SPIDERS, CRICKETS, FLEAS, FIREBRATS, SAWTOOTH GRAM BEETLE, FLOUR BEETLE, RICE WEEVIL, CIGARETTE BEETLE, DRUGSTORE BEETLE, HOUSE MEAL MOTH)

To Be Applied Only By or Under the Supervision of Pest Control Operators, Public Health Organizations, and Other Trained Personnel Responsible for Insect Control Programs.

Table with 2 columns: ACTIVE INGREDIENTS and BY WT. Includes Chlorpyrifos, Dichlorobp, and INERT INGREDIENTS.

\*Contains aromatic petroleum distillates EPA EST. NO. 5602-SC-01 EPA REG. NO. 5602-97

PHYSICAL AND CHEMICAL HAZARDS

- a. Do not use or store near heat or open flame.
b. Do not use this product in or on electrical due to the possibility of shock hazard.

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING

SPOT TREATMENT ONLY

Di-Tox E insecticide mixes readily with water. Dilute the required amount of Di-Tox E in water or in a base oil such as deodorized kerosene or No. 2 fuel oil. Mix according to the following table to obtain the desired concentration of 0.25% Chlorpyrifos and 0.25% DDVP. Vaporize insecticides. Use the higher concentrations of DDVP for heavy and chronic infestations to quickly reduce heavy infestations of cockroaches and the lower concentration of DDVP for light infestations.

Table with 4 columns: Concentration, Water Emulsion, Oil Solution, and Mixing. Rows include 0.25% Chlorpyrifos and 0.25% DDVP, and 0.5% Chlorpyrifos and 0.5% DDVP.

FOOD HANDLING ESTABLISHMENTS: Do not use in private residences in which food is prepared, stored, processed, prepared or served. FOOD AREAS APPLICATION LIMITED TO CRACK AND CREVICE TREATMENT ONLY.

Apply a small amount of material in a 25% or 5% solution directly into cracks and crevices using equipment capable of delivering a pin stream of insecticide in points between different elements of construction, between equipment and floors, openings leading to voids and hollow spaces in walls, equipment legs and bases, conduits, motor housings, junctions of switch boxes where cockroaches, ants, crickets, firebrats and silverfish hide. Prior to application deenergize electrical equipment. After application allow time for oil to evaporate before starting motors or placing switches in the ON position. Use as cut-in case solution only around electrical equipment. Do not use water emulsion in conduits, motor housing and electrical switch boxes. Aids in the control of pantry pests (exposed stages of sawtooth grain beetle, flour beetle, rice weevil, cigarette beetle, drugstore beetle and Indian Meal Moth) which come into contact with treated surfaces. Care should be taken to avoid depositing the concentrate on exposed surfaces or introducing the material into the air. Avoid contamination of food processing surfaces.

APPLICATIONS OF THIS PRODUCT IN THE FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS OTHER THAN AS A CRACK AND CREVICE TREATMENT ARE NOT PERMITTED.

INDOOR APPLICATION Residential and Commercial Use as a spot treatment by applying as a coarse spray or with a paint brush to areas where cockroaches normally are found. These areas include dark corners of rooms and closets at the base of walls, in cracks in the wall, behind baseboards, behind and beneath sinks, refrigerators, stoves and cabinets and around drains. Spraying on leading ticks and outside areas (when no food is exposed) where insects congregate will aid in preventing reinfestations. Good sanitation and proper disposal of wastes is essential in any effective insect control program. NOTE: A period of 4 to 7 days after treatment is normally required for maximum effect on cockroaches. ANTS, CRICKETS, FLEAS, FIREBRATS, SILVERFISH, SPIDERS. Use a 0.25% spray to control light infestations and a 0.5% spray to quickly reduce heavy infestations. Apply as a coarse spray or with a paint brush to localized areas where these pests are found or normally occur, including dark corners of rooms and closets, cracks and crevices in walls, along and behind baseboards, beneath

and behind sinks, stoves, refrigerators and cabinets, around plumbing and other utility installations. For ants apply to ant trails, also around doors and windows and wherever else these pests may find entrance. BROWN DOG TICKS: Thoroughly apply a 0.25% solution as a spot treatment to infested areas such as pet beds and resting quarters, nearby cracks and crevices, along and behind baseboards, window and door frames and localized areas of floor and floor covering where these pests may be present. Old bedding of pets should be removed and replaced with clean fresh bedding. After treatment DO NOT TREAT PETS WITH THIS PRODUCT.

STORAGE AND DISPOSAL

- 1) PROHIBITIONS DO NOT CONTAMINATE WATER, FOOD, OR FEED BY STORAGE OR DISPOSAL. OPEN DUMPING IS PROHIBITED.
2) PESTICIDE DISPOSAL: PESTICIDE CONTAINERS WHICH ARE THAT CANNOT BE REUSED OR RECYCLED AND WHICH HAVE BEEN USED SHOULD BE DESTROYED BY A STATE AND FULLY APPROVED FOR PESTICIDE DISPOSAL. NEVER REUSE. PLACE AWAY FROM WATER SOURCES.
3) CONTAINER DISPOSAL: RINSE, RINSE, RINSE. RINSE AND OFFER FOR RECYCLING OR REUSE. IF NOT REUSABLE OR DISPOSAL IN AN APPROVED MANNER, PLACE IN A SAFE PLACE.
4) GENERAL: CONSULT FEDERAL, STATE OR LOCAL DISPOSAL AUTHORITIES FOR APPROVED ALTERNATIVE PROCEDURES.

CAUTION TEST CARPET SAMPLE PRIOR TO SPRAYING. MAY DISCOLOR. Seller warrants that the product conforms to its chemical description and is suitable for the purpose stated on the label. When used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, expressed or implied, extends to the use of the product contrary to label instructions or under abnormal conditions of use, and seller does not assume liability for use of the product in such a manner.

DANGER KEEP OUT OF REACH OF CHILDREN POISON

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: If swallowed, call your local Poison Control Center or nearby hospital. Do not vomit. Do not induce vomiting. If under medical supervision, drink water to dilute. If unconscious, do not give anything by mouth. If breathing is difficult, give oxygen. If breathing has stopped, give artificial respiration.
IF INHALED: Remove to fresh air. Apply respiration if indicated.
IF ON SKIN: Wash with soap and water.
IF ON CLOTHING: Remove and discard. Wash affected areas with soap and water.

BEST AVAILABLE COPY