

NITATION ADVANCED PRODUCTS FOR ENVIRONMENTAL SANITATION ADVANCED PRODUCTS FOR ENVIRONMENTAL SANITATION ADVANCED PRODUCTS F

CONTROL OF SOIL INSECTS ON CORN

Soil Insect Complex (Non-resistant Corn Rootworms, Seed Corn Beetles, Seed Corn Maggot, Wireworm, Grape Colaspis, Cutworms): For broadcast application apply 7½ to 10 pounds Hub States 20% Heptachlor Granules per acre, preferably 10 to 14 days before planting. Disc or work into top 3 to 4 inches of soil immediately after application. For band or row treatment, apply 5 pounds Hub States 20% Heptachlor Granules per acre. Broadcast treatment is preferred where Cutworms and or Wireworms are special problems. See specific recommendations for Wireworm and Cutworm control.

Use 2½ to 5 pounds Hub States 20% Heptachlor Granules per acre as a row treatment. For broadcast treatment use 5 to 7½ lbs, per acre. Mix into top 3 to 4 inches of soil immediately after broadcast application. In Missouri (and possibly other states -- check state recommendations) use 5 pounds for row and 7½ lbs for broadcast.

treatment, preferably 10 to 14 days before planting. Mix into top 3 to 4 inches immediately after application. In some states a minimum dosage rate of 7½ lbs. is recommended.

broadcast soil application preferably 10 to 14 days before planting. Thoroughly work into top 3 or 4 inches of soil. Use 10 lbs, dosage on peat soils or for high population of large worms.

cast treatment, preferably 10 to 14 days before planting and immediately disc in.

Heptachlor Granules per acre as a pre-plant broadcast treatment, preferably applied 10 to 14 days before planting. Disc or work into top 3 to 4 inches of soil immediately after application. As a band or row treatment apply 2% to 5 pounds in the row at planting time.

U.S.D.A. Reg. No. 5602-106 Net Contents_

Net Contents





20° HEPTACHLOR GRANULES

ACTIVE INGREDIENTS:

Heptachlor*	20.00%
Related Compounds	7.68%
INERT INGREDIENTS	72.32%
TOTAL	100.00%
*Heptachlorotetrahydro - 4, '' - methanoindene.	
ANRINGS REEP PART OF PENCH OF CHI	, † † †
SEE OTHER PERCHOTIONS ON THE SIDE	MANNET.

WARNING

May be fatal if swallowed, ately remove contaminated ical attention. Do not breat Wash thoroughly with soal clothing. During commerci synthetic rubber gloves and Heptachlor protection. Do beneficial animals. Do not inate crop.

This product is toxic to fi treated areas may be kille highly toxic to bees exposible obtained from your Cool Consult your local State A label directions and caution Do not re-use this contain or fumes.

Do not dispose of any uni animals may occur.

troducing a finger into the of warm water.)

proper and that product of cation, weather and crop beyond the control of the a warranty of merchantal authority to make any re

ITAL SANITATION ADVANCED PRODUCTS FOR ENVIRONMENTAL SANITATION ADVANCED PRODUCTS FOR ENVIRONMENTAL SANITATION ADVANCED

ed Corn Maggot, 10 pounds Hub ing. Disc or work eatment, apply 5 preferred where ons for Wireworm

State authorities): tment, For broadimmediately after nmendations) use

cre as a broadcast immediately after

cre as a pre-plant aly work into top rge worms.

er acre as a broad-

Hub States 20% lied 10 to 14 days application. As a



20% HEPTACHLOR GRANULES

ACTIVE INGREDIENTS:

Heptachlor*	20.00%
Related Compounds	7.68%
11.555 11.6555 151.75	70 100/
INERT INGREDIENTS	<u>72.32%</u>
TOTAL	100.00%
*Heptachlorotetrahydro - 4, " - methanoindene.	
WARNINGS KEEP OUT OF REACH OF CHE	4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
SEE OTHER PRECAUTIONS ON THE SIDE	PAREL

WARNING

May be fatal if swallowed. Do not get in eyes, on skin, or on clothing. In case of contact, immediately remove contaminated clothing and flush skin or eyes with plenty of water; for eyes get medical attention. Do not breathe vapor or dust. May cause poisoning by inhalation or skin absorption. Wash thoroughly with soap and water after handling and before eating or smoking; wear clean clothing. During commercial or prolonged exposure in mixing and loading operations, wear clean synthetic rubber gloves and a mask or respirator of a type passed by the U.S. Bureau of Mines for Heptachlor protection. Do not apply or allow to drift to areas occupied by unprotected humans or beneficial animals. Do not contaminate feed or foodstuffs. Use other than directed may contaminate crop.

This product is toxic to fish and wildlife. Keep out of lakes, streams, or ponds. Birds feeding on treated areas may be killed. Apply this product only as specified on this label. "This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service."

Consult your local State Agriculture Extension Service for Additional information consistent with label directions and cautions.

Do not re-use this container. Destroy by burying with waste or burning. Stay away from smoke or fumes.

Do not dispose of any unused material in such a manner that contact with humans or beneficial animals may occur.

ANTIOPTE EXITERATE In case of spillage on skin, wash immediately with soap and water. IN TERMS I -- Call a physician immediately. Unless otherwise indicated, induce vomiting by introducing a finger into the throat or by giving warm salt water (one tablespoon of salt to a glass of warm water.)

proper and that product conforms to the descriptions on this label. Timing and method of application, weather and crop conditions, and other influencing factors in the use of the product are beyond the control of the Seller, so Seller makes no other warranty, express or implied (including a warranty of merchantability), with reference to the results or effects of use. No person has authority to make any representation not contained on this label.

