

(5602-128)

NITATION ADVANCED PRODUCTS FOR ENVIRONMENTAL SANITATION ADVANCED PRODUCTS FOR ENVIRONMENTAL SANITATION ADVANCED

DIRECTIONS FOR USE

Kills the Accessible stages of INDIAN MEAL MOTH, DRIED FRUIT BEETLE, and CONFUSED FLOUR BEETLE in dried fruit products storage areas or processing areas. Close room or warehouse and shut off all ventilating systems. Use a spraying device similar to the MICRO-GEN equipment to dispense this product. Do not apply to dried fruit directly. Direct spray into areas of the room frequented by these insects hitting as many insects as possible. Then spray into the air above the trays at a rate of 1/2 gallon of spray per 50,000 cubic feet of space. Repeat application every 30 days. Leave room closed for one hour after application. Do not remain in treated areas and ventilate before re-entry. Infested stored dried fruit should be fumigated or treated by other effective methods using an approved product intended for this purpose.

Kills the Accessible stages of RICE WEEVIL, YELLOW MEALWORM CADELLE, CONFUSED FLOUR BEETLE, SAW-TOOTHED GRAIN BEETLE, ANGOUMOIS GRAIN MOTH, MEDITERRANEAN FLOUR MOTH, and INDIAN MEAL MOTH in food warehouse, storage rooms and similar areas. Close room or warehouse and shut off all ventilating systems. Use a spraying device similar to the MICRO-GEN equipment. Direct spray into corners, under pallets and around stacks of packaged goods. Hitting as many insects as possible. Then spray at the rate of one fluid ounce of spray per 1,000 cubic feet of space. Repeat applications as necessary. Leave room closed for one hour after application. Do not remain in treated areas and ventilate prior to re-entry. Infested package goods should be fumigated or treated by other effective means using an approved product intended for this purpose.

To kill ROACHES, SILVERFISH, EARWIGS, ANTS, and SPIDERS. Apply in MICRO-GEN or similar equipment adjusted to coarse spray. Apply the spray into all cracks and crevices in woodwork, walls, floors, underneath sinks, behind pipes, and in all places where these insects hide. Contact as many insects as possible. Do not allow spray to contact stored food. Repeat treatment as necessary for control.

To kill FLIES, MOSQUITOES and GNATS in open areas, dilute concentrate with petroleum distillate at the rate of one part concentrate to two parts oil and mix well. Use at a time when the temperature is cool (75°F or less) and the wind velocity is approximately 5 mph. With equipment similar to the MICRO-GEN equipment, spray at a dosage rate of 15 ounces per minute upwind of the area to be controlled.

If the equipment is truck mounted, keep the speed at approximately 5 mph and treat a swath width of no more than 300 feet.



Hub States Corporation
ADVANCED PRODUCTS FOR ENVIRONMENTAL SANITATION
2000 North Illinois St. Indianapolis, Ind 46202 - Phone 317 925 1431

MICRO-GEN INSECTICIDE

FOR PEST CONTROL OPERATOR USE ONLY

ACTIVE INGREDIENTS:	100%
Pyrethrins	3.00%
*Piperonyl butoxide, technical	6.00%
**N-octyl bicycloheptene dicarboximide	10.00%
Petroleum distillate	81.00%

*Consists of 4.80% (butylcarbityl) (6-propylpiperonyl) ether and 1.20% related compounds.

**MGK 264 Insecticide Synergist.

CAUTION: KEEP OUT OF REACH OF CHILDREN

SEE SIDE PANEL FOR ADDITIONAL CAUTIONS
EPA REG. NO. 5602-128



ACCEPTED
JUN 10, 1973
FOR THE FEDERAL REGISTER
ED UNDER 21 CFR 126 SUBJECT
TO ATTACHED COMMENTS.

CON-
Close
to the
y. Di-
as pos-
cubic
appli-
dried
product

CON-
RAIN
ware-
ilating
y into
as pos-
e. Re-
Do not
be fu-
or this

MICRO-
ks and
where
ontact

roleum
a time
5 mph.
ounces

treat a



Hub States Corporation

ADVANCED PRODUCTS FOR ENVIRONMENTAL SANITATION

2000 North Illinois St. Indianapolis, Ind. 46202 Phone 317 925 1431

MICRO-GEN INSECTICIDE

FOR PEST CONTROL OPERATOR USE ONLY

ACTIVE INGREDIENTS:		100%
Pyrethrins	3.00%	
* Piperonyl butoxide, technical	6.00%	
** N-octyl bicycloheptene dicarboximide	10.00%	
Petroleum distillate	81.00%	

* Consists of 4.80% (butylcarbityl) (6-propylpiperonyl) ether and 1.20% related compounds.

** MGK 264 Insecticide Synergist.

CAUTION: KEEP OUT OF REACH OF CHILDREN

SEE SIDE PANEL FOR ADDITIONAL CAUTIONS
EPA REG. NO. 5602-128

CAUTION

KEEP OUT OF REACH OF CHILDREN. Harmful if swallowed. Do not apply directly to food. Cover or remove food and food processing equipment during application. Do not apply while food processing is underway. After spraying in meat packing plants, bakeries and other food processing plants, wash all equipment, benches, shelving, etc., where exposed food will be handled, with potable water.

Do not reuse empty drum. Return to drum reconditioner or destroy by perforating or crushing and burying in a safe place.

Mix well in container before each use. Keep container closed and store in cool place. DO NOT POUR OR SPILL NEAR OPEN FLAME.

Do not breathe spray mist. Wear mask or respirator of a type recommended by the U. S. Bureau of Mines to give adequate protection against this material. Wear protective clothing. Wash hands, arms, and face with soap and water after handling and before smoking. Wash all contaminated clothing with soap and hot water before reuse.

Remove pets, birds and cover fish aquariums before spraying.

This product is toxic to fish. Keep out of lakes, streams, or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

NET CONTENTS

WA-106-72

