

ACCEPTED  
 JAN 16 1986  
 Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 5602-128



**Hub States Corporation**

Every Product ... "Always A Winner"  
 Indianapolis, IN 46204

**MICRO-GEN INSECTICIDE**

FOR PEST CONTROL OPERATOR USE ONLY

|  |        |      |
|--|--------|------|
| ACTIVE INGREDIENTS:                          |        | 100% |
| Pyrethrins .....                             | 3.00%  |      |
| *Piperonyl butoxide, technical .....         | 6.00%  |      |
| **N-octyl bicycloheptene dicarboximide ..... | 10.00% |      |
| Petroleum distillate .....                   | 81.00% |      |

\*Consists of 4.80% (butylcarbityl) (6-propylpiperonyl) ether and 1.20% related compounds.


\*\*MGK 264 Insecticide Synergist.

**CAUTION: KEEP OUT OF REACH OF CHILDREN**

SEE SIDE PANEL FOR ADDITIONAL CAUTIONS

EPA REG. NO. 5602-128

EPA Est. 5602-IN-01



## DIRECTIONS FOR USE


Kills the Accessible stages of INDIAN MEAL MOTH, DRIED FRUIT BEETLE, and CONFUSED FLOUR BEETLE in dried fruit products storage areas or processing areas. Close room or warehouse and shut off all ventilating systems. Use a spraying device similar to the MICRO-GEN equipment to dispense this product. Do not apply to dried fruit directly. Direct spray into areas of the room frequented by these insects hitting as many insects as possible. Then spray into the air above the trays at a rate of 1/2 gallon of spray per 50,000 cubic feet of space. Repeat application every 30 days. Leave room closed for one hour after application. Do not remain in treated areas and ventilate before re-entry. Infested stored dried fruit should be fumigated or treated by other effective methods using an approved product intended for this purpose.

Kills the Accessible stages of RICE WEEVIL, YELLOW MEALWORM CADELLE, CONFUSED FLOUR BEETLE, SAW-TOOTHED GRAIN BEETLE, ANGOUMOIS GRAIN MOTH, MEDITERRANEAN FLOUR MOTH, and INDIAN MEAL MOTH in food warehouse, storage rooms and similar areas. Close room or warehouse and shut off all ventilating systems. Use a spraying device similar to the MICRO-GEN equipment. Direct spray into corners, under pallets and around stacks of packaged goods. Hitting as many insects as possible. Then spray at the rate of one fluid ounce of spray per 1,000 cubic feet of space. Repeat applications as necessary. Leave room closed for one hour after application. Do not remain in treated areas and ventilate prior to re-entry. Infested package goods should be fumigated or treated by other effective means using an approved product intended for this purpose.

To kill ROACHES, SILVERFISH, EARWIGS, ANTS, and SPIDERS. Apply in MICRO-GEN or similar equipment adjusted to coarse spray. Apply the spray into all cracks and crevices in woodwork, walls, floors, underneath sinks, behind pipes, and in all places where these insects hide. Contact as many insects as possible. Do not allow spray to contact stored food. Repeat treatment as necessary for control.

To kill FLIES, MOSQUITOES and GNATS in open areas, dilute concentrate with petroleum distillate at the rate of one part concentrate to two parts oil and mix well. Use at a time when the temperature is cool (75°F or less) and the wind velocity is approximately 5 mph. With equipment similar to the MICRO-GEN equipment, spray at a dosage rate of 15 ounces per minute upwind of the area to be controlled.

If the equipment is truck mounted, keep the speed at approximately 5 mph and treat a swath width of no more than 300 feet.



PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

**CAUTION**

Harmful if swallowed. Avoid breathing vapors or spray mist. Wear a pesticide respirator jointly approved by the Mining Enforcement and Safety Administration and the National Institute for Occupational Safety and Health under the provisions of CFR Part 11. Contains petroleum distillate. If swallowed do not induce vomiting. Get immediate medical attention. Avoid contact with skin and eyes. In case of contact, immediately flush eyes or skin with plenty of water. Obtain medical attention if irritation persists.

Do not apply directly to food. Do not apply space spray while food processing is underway. Cover or remove all food processing surfaces. Thoroughly wash all food processing surfaces before reuse. After spraying in meat packing plants, bakeries, and the food processing plants, wash with an acceptable detergent solution and rinse with potable water to remove all traces of contamination on the equipment, benches, shelving, etc., where exposed food will be handled.

When using in animal housing areas, do not apply directly to food, water or feed supplements. Do not apply directly to animals. Wash teats of dairy animals before milking.

Remove pets, birds and cover fish aquariums before spraying.

PHYSICAL OR CHEMICAL HAZARDS

Do not store near heat or open flame.

**NOTE:** This spray, when diluted properly as described, and applied per the directions and cautions given above, conforms with Food Additive Regulations 121.1074, 121.1075 and 121.1205 and the food additive tolerances established thereunder. Additionally, when diluted and used according to label directions, this spray will meet specifications for use under USDA poultry, meat, rabbit and egg products inspection program.

**STORAGE AND DISPOSAL**

**STORAGE:** Store in a cool, dry place. Keep container closed.

**PESTICIDE DISPOSAL:** Pesticide, spray mixture or rinse water that cannot be used according to label instructions must be disposed of according to applicable Federal, State and Local procedures.

**CONTAINER DISPOSAL:** Triple rinse (or equivalent) and offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill, or by other approved State and Local procedures.

This product is toxic to fish. Keep out of lakes, streams, or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

NET CONTENTS

