

SOLD TO PROFESSIONAL PEST CONTROL OPERATORS ONLY

WARNING: VAPONA insecticide is poisonous if swallowed, inhaled or absorbed through skin or eyes. Do not get on skin or eyes. Do not breathe fumes. Wear natural rubber gloves, protective clothing and goggles when handling. Wear a mask or respirator of a type passed by the U.S. Bureau of Mines for DDVP (Vapona Insecticide) protection. Keep all unprotected persons out of operational area. In case of contact, wash immediately with soap and water. Wash hands, arms and face thoroughly with soap and water before smoking or eating. Wash all contaminated clothing with soap and water before reuse. Contents are under pressure. High temperature may burst container. Do not expose to direct sunlight, radiators, stove, hot water or other source of heat.

ANTIDOTE AND FIRST AID TREATMENT: Atropine is the emergency antidote for VAPONA Insecticide poisoning. Consult your physician about an adequate supply of 1/10C grain atropine tablets for emergency use. **CALL A PHYSICIAN IMMEDIATELY IN ALL CASES OF SUSPECTED POISONING.**

2-PAM is also antidotal and may be administered in conjunction with atropine. **INTERNAL:** If the material has been swallowed induce vomiting immediately. This may be done by introducing a finger into the throat or by warm salt water. (1 tablespoon of salt to a glass of water) **NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.**

EXTERNAL: If the material has been spilled on the skin, immediately remove patient from the vicinity of the insecticide. Remove all contaminated clothing and wash skin with soap and running water. If the material gets into the eyes wash immediately with running water for at least 10 minutes.

IF DANGER SYMPTOMS APPEAR: Administer 1/100 grain atropine tablets immediately. **NEVER ADMINISTER ATROPINE UNLESS WARNING SYMPTOMS APPEAR;** (See warning symptoms below).

KEEP patient prone and quite. Start artificial respiration immediately if patient is not breathing. Transport patient immediately to the nearest physician.

NOTE TO PHYSICIAN: WARNING SYMPTOMS: Symptoms include weakness, headache, tightness in chest, blurred vision, non-reactive pin point vision, sweating, nausea, vomiting, diarrhea and abdominal cramps.

TREATMENT: Atropine is the specific therapeutic antagonist of choice against parasympathetic nervous stimulation. If there are signs of parasympathetic stimulation, atropine sulfate should be injected at 10 minute intervals, in doses of 1 to 2 milligrams until complete atropinization has occurred. Morphine is contraindicated. Clear chest by postural drainage. Observe patient continuously for 48 hours. Repeated exposure to cholinesterase inhibitors may, without warning, cause prolonged susceptibility to very small doses any cholinesterase inhibitor. Allow no further exposure until time for cholinesterase regeneration has been allowed as determined in blood test.

PRECAUTIONS IN USING: VAPONA is poisonous; therefore precautions must be observed when handling. (See antidote and warnings) Store in a safe place. Children or animals must not be able to reach or handle. Care should be used in handling empty containers. Do not contaminate feed, water or foodstuffs.

WARNING: Contents under pressure. Do not puncture. Do not use or store near heat or open flame. Exposure to temperatures above 130 degree F. may cause bursting. Never throw container into fire or incinerator.



VAPONA
AEROSOL INSECTICIDE

Kills Exposed Stages Of Following Insects: Roaches, Flies, Silverfish, Flying Moths, Weevils In Homes, Building and Railroad Cars.

DIRECTIONS: To be used by licensed pest control operators only. Use 12 oz. can for each unobstructed closed area of 10,000 cubic feet but not less than 7,000 cubic feet, or one 6 oz. can for each 5,000 cubic feet. During fogging and to release contents, use a mask or respirator of a type passed by the U.S. Dept. of Agriculture for DDVP insecticide protection. Open cabinets and doors to areas to be treated. Shut off air conditioners and fans before using.

All occupants must be removed from the house or building before treatment is started and should not re-occupy building for at least 2 hours. Open doors and windows and allow to be ventilated before occupying. Unwrapped or unpackage foods should be removed or placed in refrigerator during fogging. Food handling equipment, dishes, should be washed after application. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. Apply only when the facility is not in operation. Do not contaminate water, feed or foodstuffs. Remove all pets, cover fish tanks or remove. Cover house plants within 8 feet of point of release with newspaper to prevent possible burning of tender plants.

Place can on table in center of areas to be treated, or near point of greatest infestation. Place newspapers under can. Use one or more cans in combinations of 6 and 12 ounce sizes to give the best distribution of vapors where free flow of mist is not assured. Snap clip over lip of container. Leave building at once. The entire contents will release automatically.

ACTIVE INGREDIENTS:

2-2-dichlorovinyl dimethyl phosphate	6.50%
related compounds	0.50%
Kerosene	6.00%
Xylene	2.00%
INERT INGREDIENTS85.00%
	100.00%

FOR USE WHERE A LONG LASTING RESIDUAL IS NOT DESIRED.



POISON

DANGER KEEP OUT OF REACH OF CHILDREN

See antidote statement and other cautions on back panel

EPA REG. No. 5602-135

Net Weight — 6 oz.

AUG 18 973

ACCEPTED WITH COMMENTS