

## FOR USE BY PROFESSIONAL PEST CONTROL OPERATORS ONLY

**DANGER VAPONA WITH BAYGON** is extremely poisonous if swallowed, inhaled or absorbed through skin or eyes. Do not get on face or eyes. Do not breathe fumes. Wear natural rubber gloves, protective clothing and goggles when handling. Wear a mask or respirator of a type passed by the U. S. Bureau of Mines for DDVP (VAPONA INSECTICIDE) protection. Keep all unprotected persons out of operation area. In case of contact, wash immediately with soap and water. Wash hands, arms and face thoroughly with soap and water before smoking or eating. Wash all contaminated clothing with soap and hot water before reuse.

**WARNING:** Contents under pressure. Do not puncture. Do Not use or store near heat or open flame. Exposure to temperatures above 130F may cause bursting. Never throw container into fire or incinerator.

### ANTIDOTE AND FIRST AID TREATMENT:

**ATROPINE** is the emergency antidote of VAPONA in case of poisoning. Consult your physician about an adequate supply of 1-100 gram atropine tablets for emergency use. **CALL A PHYSICIAN IMMEDIATELY IN ALL CASES OF SUSPECTED POISONING.**

**INTERNAL:** If the material has been swallowed, induce vomiting immediately. This may be done by introducing a finger into the throat or by giving warm salt water (1 tablespoonful of salt to a glass of water). **NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.**

**EXTERNAL:** If the material has been spilled on the skin, immediately remove patient from the vicinity of the insecticide, remove all contaminated clothing, and wash skin with soap and running water. If the material gets into eyes, wash immediately with running water for at least ten minutes.

**IF WARNING SYMPTOMS APPEAR:** Administer two 1-100 gram atropine tablets immediately. **NEVER ADMINISTER ATROPINE UNLESS WARNING SYMPTOMS APPEAR.** (See warning symptoms below.)

**KEEP** patient prone and quiet. Start artificial respiration immediately if patient is not breathing. Transport the patient immediately to the nearest physician.

### NOTE TO PHYSICIAN:

**WARNING SYMPTOMS:** Symptoms include: weakness, headache, tightness in chest, blurred vision, non reactive pinpoint pupils, sweating, nausea, vomiting, diarrhea and abdominal cramps.

**TREATMENT ATROPINE** is the specific therapeutic antagonist of choice against parasympathetic nervous stimulation. If there are signs of parasympathetic stimulation, atropine sulfate should be injected at 10 minute intervals, in doses of 1 to 2 milligrams until complete atropinization has occurred. Morphine is contraindicated. Clear chest by postural drainage. Observe patient continuously for 48 hours. Repeated exposure to cholinesterase inhibitors may, without warning, cause prolonged susceptibility to very small doses of any cholinesterase inhibitor. Allow no further exposure until time for cholinesterase regeneration has been allowed and determined by blood test.

**PRECAUTIONS IN USING VAPONA IS POISONOUS;** therefore, precautions must be observed when handling. (See antidote and warning.) Store in a safe place. Children or animals must not be able to reach or handle. Care should be used in handling empty containers. Do not contaminate feed, water or foodstuffs.

Do not use in edible products area of food processing plants, restaurants or other areas where food is commercially prepared or processed. Do not use in eating areas where food is exposed.



## VAPONA WITH BAYGON\*

### TOTAL RELEASE AEROSOL

**KILLS ROACHES, TICKS, FLEAS, FLIES AND SILVERFISH IN HOMES AND BUILDINGS**

### ACTIVE INGREDIENTS:

2,2-dichlorovinyl dimethyl phosphate	6.50%
related compounds	0.50%
o-Isopropoxyphenyl methylcarbamate*	1.00%
Petroleum distillate	5.00%
Xylene	2.00%
INERT INGREDIENTS:	85.00%

**TOTAL 100.00%**

**DIRECTIONS:** To be used by licensed pest control operators only. Use one 12 oz. can for each unobstructed closed area of 10,000 cubic feet but not less than 7,000 cubic feet, or one 6 oz. can for each 5,000 cubic feet. During fogging and to release contents, use a mask or respirator of a type passed by the U. S. Bureau of Mines for DDVP insecticide protection. Open cabinets and doors to areas to be treated. Shut off air conditioners and fans before using.

All occupants must be removed from house or building before treatment is started and should not re-occupy building for at least 2 hours. Open doors and windows and allow to be ventilated before occupying. Unwrapped or unpackaged foods should be removed or placed in refrigerator during fogging. Food handling equipment, dishes, should be washed after application. Do not contaminate water, feed or foodstuffs. Remove all pets. Cover fish tanks, or remove. Cover house plants within 8 feet of point of release with news paper to prevent possible burning of tender plants.

Place canister on table in center of area to be treated, or near point of greatest infestation. Place newspapers under canister. Use one or more canisters in combinations of 6 and 12 ounce sizes to give the best distribution of vapors where free flow of mist is not assured.

Snap clip over lip of canister. Leave building at once. The entire contents will release automatically.




## DANGER KEEP OUT OF REACH OF CHILDREN

**See antidote statement and other cautions on back panel**

EPA Reg. No. 5602-136

**NET CONTENTS - 6 OZ. BY WT.**

WA 12473



5602-136