


Container
Front Panel



Every Product ... "Always A Winner"
Indianapolis, IN 46204

DI-TOX PLUS



CONTROLS NUMEROUS PESTS IN AND AROUND HOUSEHOLDS. PROVIDES FLUORINE ACTION AND FAST KNOCKDOWN.

To be applied only by or Under the Supervision of Pest Control Operators, Public Health Officials, and Other Trained Personnel Responsible for Insect Control Programs.

ACTIVE INGREDIENTS:

Chlorpyrifos (2,2-dimethyl 6-(1,1,1-trichloro-2-pyridyl) phosphorothioate)	11.18%
Pyrethrin	61.18%
N-octyl bicycloheptene dicarbodiimide	68.38%
Xylene	48.88%
Petroleum distillate	27.16%

INERT INGREDIENTS:

Total 100.00%

KEEP OUT OF REACH OF CHILDREN

WARNING

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED — Do not induce vomiting. Contains aromatic petroleum solvent. Call a physician immediately.
IF ON SKIN — In case of contact, remove contaminated clothing and immediately wash skin with soap and water.
IF IN EYES — Flush eyes with plenty of water for 15 minutes. Call a physician.
NOTE TO PHYSICIAN: Chlorpyrifos is a cholinesterase inhibitor. Treat symptomatically. Atropine only by injection is an antidote.

Physical or Chemical Hazards
COMBUSTIBLE

Do Not Use or Store Near Heat or Open Flame
Do Not Cut or Weld Container

In case of emergency endangering life or property involving this product, call collect: 317-636-6266

AGRICULTURAL CHEMICAL

Do Not Ship or Store with Foods, Feeds, Drugs or Clothing

HUB STATES CORPORATION
Indianapolis, Indiana 46204, U.S.A.

E.P.A. REG. NO. 5602-151 E.P.A. Est 5602-IN-01
NET CONTENTS GALLON

BEST DOCUMENT AVAILAB'L

5602

Container
Back Panel
Di Top Plus

PRECAUTIONARY STATEMENTS
RELATING TO USE

DO NOT USE PRODUCT IF CONTAINER OR LABEL IS DAMAGED. FOLLOW THESE PRECAUTIONS TO AVOID ACCIDENTS TO CHILDREN AND OTHERS.

DO NOT USE PRODUCT IF YOU ARE PREGNANT, BREASTFEEDING, OR TRYING TO CONCEIVE. THIS PRODUCT MAY HARM YOUR UNBORN CHILD OR YOUR BREASTMILK.

DO NOT USE PRODUCT IF YOU ARE TAKING MEDICATIONS, INCLUDING ALCOHOL, DRUGS, OR OTHER MEDICATIONS. THIS PRODUCT MAY INTERFERE WITH THE EFFECTS OF THESE MEDICATIONS.

DO NOT USE PRODUCT IF YOU HAVE A HISTORY OF ALLERGIC REACTIONS TO ANY OF THE INGREDIENTS LISTED ON THE LABEL.

DO NOT USE PRODUCT IF YOU HAVE A HISTORY OF SEIZURES OR OTHER NEUROLOGICAL CONDITIONS. THIS PRODUCT MAY TRIGGER AN EPILEPTIC SEIZURE OR OTHER NEUROLOGICAL EVENT.

DO NOT USE PRODUCT IF YOU ARE USING OTHER MEDICATIONS THAT MAY INTERFERE WITH THE EFFECTS OF THIS PRODUCT.

DO NOT USE PRODUCT IF YOU ARE USING OTHER MEDICATIONS THAT MAY INTERFERE WITH THE EFFECTS OF THIS PRODUCT.

PRECAUTIONS

DO NOT USE PRODUCT IF YOU ARE PREGNANT, BREASTFEEDING, OR TRYING TO CONCEIVE. THIS PRODUCT MAY HARM YOUR UNBORN CHILD OR YOUR BREASTMILK.

DO NOT USE PRODUCT IF YOU ARE TAKING MEDICATIONS, INCLUDING ALCOHOL, DRUGS, OR OTHER MEDICATIONS. THIS PRODUCT MAY INTERFERE WITH THE EFFECTS OF THESE MEDICATIONS.

DO NOT USE PRODUCT IF YOU HAVE A HISTORY OF ALLERGIC REACTIONS TO ANY OF THE INGREDIENTS LISTED ON THE LABEL.

DO NOT USE PRODUCT IF YOU HAVE A HISTORY OF SEIZURES OR OTHER NEUROLOGICAL CONDITIONS. THIS PRODUCT MAY TRIGGER AN EPILEPTIC SEIZURE OR OTHER NEUROLOGICAL EVENT.

DO NOT USE PRODUCT IF YOU ARE USING OTHER MEDICATIONS THAT MAY INTERFERE WITH THE EFFECTS OF THIS PRODUCT.

DO NOT USE PRODUCT IF YOU ARE USING OTHER MEDICATIONS THAT MAY INTERFERE WITH THE EFFECTS OF THIS PRODUCT.

See Pamphlet for Use Instructions

BEST DOCUMENT AVAILABLE

Handwritten notes:
 Take information
 in box 1000

PREPARATION AND USE OF THIS PRODUCT IN FOOD HANDLING ESTABLISHMENTS, AND THE USE OF THIS PRODUCT IN FOOD HANDLING ESTABLISHMENTS TO CONTROL PESTS OUT OF DOORS.

TRANSLATION TO THE USER: If you cannot read English, do not use this product until the user has been fully instructed in your language.

USE INSTRUCTIONS
 IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

PESTS OUT OF DOORS
 GENERAL INFORMATION: Use of this PLUS product to control pest insects in the areas listed below is dependent on a 0.25% or 0.50% concentration of the 0.25% spray to control flying insects, and the 0.50% spray to control other flying insects or all insects. To prepare the spray, refer to the PLUS spray chart with a suitable range of spray in the following SPRAY SOLUTION CHART. Repeat the treatment as indicated. Use only the spray solutions for selected pests to be applied in food handling establishments.

SPRAY SOLUTION CHART

Fluid Ounces of 0.25% PLUS in one gallon of water

Quantity of Spray Solution Required	0.25% spray	0.50% spray
1	2.50	5.00
2	5.00	10.00
3	7.50	15.00
4	10.00	20.00
5	12.50	25.00
6	15.00	30.00
7	17.50	35.00
8	20.00	40.00
9	22.50	45.00
10	25.00	50.00

• 1 quart = 32 fluid ounces • 1 pint = 16 fluid ounces • 1 cup = 8 fluid ounces

APPLICATIONS WITHIN FOOD HANDLING ESTABLISHMENTS: This product is used to control pest insects in food handling establishments, including restaurants, hotels, and other food service establishments. It is used to control flying insects, including house flies, fruit flies, and mosquitoes. It is also used to control other insects, including ants, cockroaches, and beetles. The product is applied as a spray to the areas where the insects are most likely to be found. It is important to use the product correctly to avoid contamination of food and equipment. The product should be applied to the surfaces of the establishment, including walls, ceilings, and floors. It should be applied to the areas where the insects are most likely to be found, such as under sinks, behind counters, and in other hidden areas. The product should be applied to the areas where the insects are most likely to be found, such as under sinks, behind counters, and in other hidden areas. The product should be applied to the areas where the insects are most likely to be found, such as under sinks, behind counters, and in other hidden areas.

APPLICATION OF THIS PRODUCT IN FOOD HANDLING ESTABLISHMENTS OTHER THAN AS A SPOT AND/OR CRACK AND CREVICE TREATMENT ARE NOT PERMITTED

Application within food handling establishments including restaurants, hotels, and other food service establishments. It is used to control flying insects, including house flies, fruit flies, and mosquitoes. It is also used to control other insects, including ants, cockroaches, and beetles. The product is applied as a spray to the areas where the insects are most likely to be found. It is important to use the product correctly to avoid contamination of food and equipment. The product should be applied to the surfaces of the establishment, including walls, ceilings, and floors. It should be applied to the areas where the insects are most likely to be found, such as under sinks, behind counters, and in other hidden areas. The product should be applied to the areas where the insects are most likely to be found, such as under sinks, behind counters, and in other hidden areas. The product should be applied to the areas where the insects are most likely to be found, such as under sinks, behind counters, and in other hidden areas.

PESTS OUT OF DOORS
 General information: Use of this PLUS product to control pest insects in the areas listed below is dependent on a 0.25% or 0.50% concentration of the 0.25% spray to control flying insects, and the 0.50% spray to control other flying insects or all insects. To prepare the spray, refer to the PLUS spray chart with a suitable range of spray in the following SPRAY SOLUTION CHART. Repeat the treatment as indicated. Use only the spray solutions for selected pests to be applied in food handling establishments.

PESTS OUT OF DOORS
 General information: Use of this PLUS product to control pest insects in the areas listed below is dependent on a 0.25% or 0.50% concentration of the 0.25% spray to control flying insects, and the 0.50% spray to control other flying insects or all insects. To prepare the spray, refer to the PLUS spray chart with a suitable range of spray in the following SPRAY SOLUTION CHART. Repeat the treatment as indicated. Use only the spray solutions for selected pests to be applied in food handling establishments.

BEST DOCUMENT AVAILABLE

Mr. Gary Hutton
Hub States Corporation
419 East Washington Street
Indianapolis, IN 46204

Dear Mr. Hutton:

Subject: Di-Tox Plus
EPA Registration No. 3602-151
Your Application Dated January 6, 1984

The labeling referred to above, submitted in connection with registration
under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is
acceptable. A stamped copy is enclosed for your records.

We have no objections to the additional package sizes of 2 2/3 oz.
and 5 1/3 oz. This amendment has been placed in our file for your product.

Sincerely yours,

Jay S. Ellenberger
Product Manager (12)
Insecticide-Rodenticide Branch
Registration Division (TS-767)

Enclosure

DCR-28462;Ellenberger:CBI-20;RD:Rm-217;Del.2/11/84:efs

CONCURRENCES							
SYMBOL ▶							
SURNAME ▶							
DATE ▶							

Form 1320-1 (4-81) OFFICIAL FILE COPY