

Reg # 5602-164

117-10

171

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

In hospitals, patients should be removed from room prior to treatment. Room should be ventilated for two hours after spraying. Do not return patients to room until after ventilation.

Use in food processing plants only when plant is not in operation. Remove or cover food in such a way as to prevent contamination. Food contact surfaces and equipment must be washed with an effective cleaning compound followed by a potable water rinse after treatment. Facilities and equipment in federally inspected meat and poultry plants must be washed with an effective cleaning compound followed by a potable water rinse after treatment. Do not spray directly on food or utensils.

"Do not use this product in or on electrical equipment due to the possibility of shock hazard."

WHERE TO APPLY

Use in Food Handling and Processing Establishments • Stores • Dairies • Canneries • Hotels • Institutions • Hospitals • Schools • Homes

HOW TO APPLY

ROACHES, ANTS, SILVERFISH and CRICKETS: Ascertain square feet of space to be treated. Open all doors, cabinets, closets, etc. Direct the mist toward insects, into cracks, crevices and trails, on door sills and window frames. For initial cleanup, apply for 10-15 seconds per 100 sq. ft. of floor space. Close room for one hour. Repeat treatment as necessary. Do not spray directly on clothes, fabrics or other materials.

FLIES, MOSQUITOES, WASPS, GNATS: Ascertain cubic feet of space to be treated. Close doors and windows. Pointing nozzle upward, direct the aerosol mist to all parts of the room, especially windows and other light sources which attract these insects. Keep nozzle in constant motion at least 36 inches from fabrics. Apply for 1 second per 1,000 cu. ft. of space. Spraying closer than 36 inches or longer than indicated may cause stains on fabrics, furs and other materials. Keep room closed 15 minutes after each treatment.

FLYING ADULT MOTHS: WEBBING CLOTHES MOTH, TOBACCO MOTH, AND ALMOND MOTH: Ascertain cubic feet of space to be treated. Treat all suspected enclosures arranging clothing and other articles so that the foggy mist can circulate freely around them. Keep the nozzle in constant motion at least 36 inches away from the articles. Applying for 1 second per 1,000 cu. ft. of space and close the treated area for 45 minutes or more. Spraying closer or longer than as directed above, or more often than bi-weekly, may cause stain on fabrics, fur and other materials. Twenty-Three is not a moth proofing agent and will not destroy uncontacted adult moths.

STORED PRODUCT INSECTS (Accessible Stages): (1) CONFUSED FLOUR BEETLES, GRANARY WEEVIL, and RICE WEEVIL: Direct treatment toward insects, into cracks, crevices, around machinery, around containers of stored products and other areas that may harbor insects. Hit as many insects as possible. A minimum dosage of 10-15 seconds treating time per 100 sq. ft. of floor space is recommended, leaving treated area tightly closed for at least 45 minutes. Repeat treatment as required. (2) **INDIAN MEAL or CHOCOLATE MOTH, MEDITERRANEAN FLOUR MOTH and ANGIOMORPH GRAM MOTHS** — Close doors and windows. Direct aerosol to all parts of the room, especially into dark enclosures and around stored product containers, etc. where adult moths may be resting. Use a minimum dosage of 6 to 8 seconds treating time per 1,000 cu. ft. of space. Leave treated area closed 30 minutes. Repeat treatment weekly or as other flying moths appear.

STORAGE AND DISPOSAL

Storage: Do not use or store near heat or open flame.
Disposal: The 5 lb. cylinder is refillable and should be returned to the manufacturer for deposit or exchange when empty. On non-refillable cylinders, do not reuse empty container. Wrap container and put in trash collection.

NET WEIGHT 5 POUNDS
(2.268 Kg)

**AEROSOL INSECTICIDE**

Kills Roaches, Ants, Silverfish, Crickets, Flies,
Mosquitoes, Wasps, and Gnats.

KEEP OUT OF REACH OF CHILDREN

CAUTION

SEE Left Panel For Additional Cautions

ACTIVE INGREDIENTS:

Pyrethrins	0.50%
*Technical Piperonyl Butoxide	1.00%
n-Octyl bicycloheptene dicarboximide	1.00%

INERT INGREDIENTS 97.50%

*Equivalent to .178% (butylcarbityl) (6-propyl-piperonyl) ether and 0.044% of other related compounds.

EPA Reg. No. 5602-164

HUB STATES CORPORATION

Indianapolis, IN 46240

**How to assemble and operate the
Hub States V-23
CONTAINER-APPLICATOR**

How to Assemble #5 Applicator Gun:

1. Remove valve cap "A" from cylinder.
2. Affix the applicator "B" to the valve with slight pressure from a wrench.
3. Do not use without applicator "B".
4. When utilizing SA-2 Triple Nozzle Automatic Valve, set application timer to correspond with dosage recommendations on left panel.

**How to Operate:**

1. Do not invert the cylinder.
2. Keep hand wheel "C" in upward position.
3. One half turn releases flow.

How to Assemble #25 Applicator Gun:

1. Remove valve protection cap from cylinder.
2. Insert cylinder into carrying bag.
3. Affix the hose and applicator to the valve with slight pressure from a wrench, if necessary.
4. Do not use without applicator.

How to Operate:

1. Sling strap of carrying bag over shoulder.
2. With applicator nozzle directed upward, open handwheel a full turn.
3. Keep the valve in the upright position at all times while in use.
4. Depress trigger on applicator handle to release spray.
5. Valve must be tightly closed and the cap replaced before shipment of empty cylinder.

**PRECAUTIONARY STATEMENT
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION**

Harmful if swallowed. Avoid breathing vapors or spray mist. Avoid contact with skin, eyes or clothing. In case of contact immediately flush eyes or skin with plenty of water. Get medical attention if irritation persists.

Remove pets, birds and cover fish aquarium before spraying.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED do not induce vomiting. Contains petroleum solvent. Call a physician at once.

IF INHALED remove victim to fresh air. Apply respiration if indicated.

IF ON SKIN OR CLOTHING remove contaminated clothing and wash affected areas with soap and water.

IF IN EYES flush eyes with plenty of water. Get medical attention.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

Lot No.

EPA Est. 5602 5C-01

Not Reviewed. Registrant claims to be in accordance with
Reregistration of Pesticide Product Guidance for Phase 2
Response, Page 2.12, Active to Inert Change in Status.

BEST AVAILABLE COPY