


NET WT. 1 LB. 14 OZ.  
(850 GRAMS)



# One

## AEROSOL INSECTICIDE

with Spray-Any-Way Valve

KILLS FLIES, MOSQUITOES, WASPS,  
GNATS, SMALL FLYING MOTHS AND  
MANY OTHER INSECTS

### CAUTION:

**KEEP OUT OF REACH OF CHILDREN**

See back panel for cautions

#### ACTIVE INGREDIENTS:

Pyrethrins .....	0.5%
*Technical piperonyl butoxide .....	1.0%
N-Octyl bicycloheptene dicarboximide .....	1.0%
Petroleum distillates .....	12.5%

INERT INGREDIENTS .....

85.0%

\*Equivalent to 0.8% (butylcarbityl) (6-propylpiperonyl) ether and 0.2% of other related compounds

E.P.A. Reg. No. 1187-35

VIRGINIA CHEMICALS INC.

PORTSMOUTH, VA 23703

### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Use only in non-residential food handling areas of food plants, canneries, bakeries, restaurants, cafeterias, diners, grocery stores, food markets, milk handling areas of dairies and milking parlors.

**Flies, mosquitoes, gnats, wasps, and small flying moths:** Ascertain the cubic feet of space to be treated. Close doors and windows. Pointing nozzle upward, direct the aerosol mist to all parts of the room, especially around window frames and other light sources which attract these insects. Keep nozzle in continuous motion at least 36 inches from fabrics. Apply for two seconds per 1000 cubic feet of space. Keep area closed for fifteen minutes after each treatment. Do not remain in treated area. Ventilate the area after treatment is completed. Sweep up and destroy fallen insects. Repeat treatment as necessary.

### STORED PRODUCT INSECTS (accessible stages)

**Flying Mediterranean flour moths, indian meal (chocolate) moths, angoumois grain moths:** Close doors and windows. Direct aerosol mist to all parts of the room, especially into dark enclosures and around stored product containers where adult moths may be resting. Use a minimum treatment of six to eight seconds per 1000 cubic feet of space. Keep area closed for 30 minutes after each treatment. Repeat treatment weekly, or as flying moths appear. Infested stored food products should be fumigated or treated with an approved product.

### Storage and Disposal

**Storage:** Do not use or store near heat or open flame.

**Disposal:** Do not reuse empty container. Wrap container and put in trash collection.

### PRECAUTIONARY STATEMENT

#### HAZARD TO HUMANS AND DOMESTIC ANIMALS

#### CAUTION

Harmful if swallowed. Avoid breathing vapors or spray mist. Avoid contact with skin, eyes or clothing. In case of contact immediately flush eyes or skin with plenty of water. Get medical attention if irritation persists.

Avoid contamination of feed and foodstuffs. When using this product in food processing plants, food should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. When using this product in those areas, apply only when the facility is not in operation. Remove pets, birds, and cover fish aquarium before spraying.

#### Physical or Chemical Hazards

Contents under pressure. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.