

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND
DOMESTIC ANIMALS

CAUTION

Harmful if swallowed or absorbed through skin. Avoid breathing vapors or spray mist. Avoid contact with skin and eyes. In case of contact, immediately flush eyes or skin with plenty of water. Obtain medical attention if irritation persists. In hospitals, patients should be removed from room prior to treatment. Room should be ventilated for two hours after spraying. Do not return patients to room until after ventilation. Do not apply directly to food. Cover or remove food prior to treatment. After spraying in commercial food handling facilities, food contact surfaces and equipment must be washed with an effective cleaning compound followed by a potable water rinse. Do not apply while food processing is underway. After spraying, facilities and equipment in federally inspected meat and poultry plants must be washed with an effective cleaning compound followed by a potable water rinse. In the home, all food processing surfaces and utensils should be covered during treatment, or thoroughly washed before use. Remove pets, birds and cover fish aquariums before spraying.

STATEMENT OF PRACTICAL
TREATMENT

IF IN EYES: Flush with plenty of water. Get medical attention if irritation persists.
IF ON SKIN OR CLOTHING: Remove contaminated clothing. Wash skin with soap and warm water. Get medical attention if irritation persists.
IF SWALLOWED: Call a physician or Poison Control Center. Do not induce vomiting because of aspiration hazard.

PHYSICAL OR CHEMICAL
HAZARDS

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F. may cause bursting.

STORAGE AND DISPOSAL

Storage: Store in original container and in a locked storage area.
Disposal: Replace cap and discard container in trash. Do not incinerate or puncture.

Important Note: Buyer assumes all risk of use, storage, or handling of this material not in strict accordance with directions given hereon.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.
FLIES MOSQUITOES, GNATS, WASPS, HORNETS, SANDFLIES, AND SMALL FLYING MOTHS: Ascertain the cubic feet of space to be treated. Close doors and windows. Pointing nozzle upward, direct the aerosol mist to all parts of the room especially around window frames and other light sources which attract these insects. Keep nozzle in continuous motion at least 36 inches from fabrics. Apply for two seconds per 1000 cubic feet of space. Keep area closed for fifteen minutes after each treatment. Do not remain in treated area, ventilate the area after treatment is completed. Sweep up and destroy fallen insects. Repeat treatment as necessary.

Directions for use continued

V One

AEROSOL INSECTICIDE
with Spray-Any-Way Valve

Kills: Angoumois Grain Moths, Ants, Bed Bugs, Carpet Beetles, Carrion Flies, Chocolate Moths, Cigarette Beetles, Clover Mites, Cluster Flies, Confused Flour Beetles, Cuckoo, Drug Store Beetles, Fleas, Flies, Gnats, Grain Mites, Granary Weevils, Horn Flies, House Flies, Indian Meal Moths, Mediterranean Flour Moths, Millipedes, Mosquitoes, Mud Daubers, Red Flour Beetles, Rice Weevils, Sawtoothed Grain Beetles, Silverfish, Small Flying Moths, Sowbugs, Spiders, Stable Flies, Hornets, Sandflies, Waterbugs, Scorpions, Firebrats, Brown Dog Ticks, Clothes Moths, Wasps and Cockroaches.

For Use In and Around: Campgrounds, Food Storage Areas, Homes, Hospitals, Hotels, Meat Packing and Food Processing Plants, Motels, Resorts, Restaurants, Canneries, Bakeries, Dairies, Milling Plants, Cafeterias, Diners, Institutions, Food and Non-Food areas of Warehouses, Kennels, Theaters, Office Buildings, Transportation Equipment (Buses, Boats, Ships, Trains, Trucks, Planes).

ACTIVE INGREDIENTS:

- Pyrethrins0.5%
- Technical piperonyl butoxide.....1.0%
- N-octyl bicycloheptene dicarboximide....1.0%
- INERT INGREDIENTS.....97.5%
- Equivalent to 0.8% (butylcarbityl) (6-propyl-piperonyl) ether and 0.2% of other related compounds.
- Contains Petroleum distillates.

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Side Panel for Additional Cautions

EPA Reg. No. 5602-165
EPA Est. 5602-SC-01

MANUFACTURED FOR:
HUB STATES CORPORATION
Indianapolis, Indiana 46240
NET WT. 1 LB. 5 OZ.

197
OUT OF DOORS: For temporary protection from mosquitoes and flies, spray along ground and weedic and branches around the area. Do not spray ornamental shrubbery. Frequent repeated applications may be necessary.

SILVERFISH, ANTS, WATERBUGS, SCOPIONS, CENTIPEDES, SOWBUGS, SPIDERS, FIREBRATS, ROACHES, AND CRICKETS: Ascertain square feet of space to be treated. Open all doors, cabinets, closets, etc. Direct the mist toward insects, into cracks, crevices, and trails, on door sills and window frames. For initial cleanup, apply for 10 or 15 seconds per 100 square feet of floor space. Follow up with periodic applications as a space aerosol at 3 to 6 seconds per 1,000 cu. ft. of space. Close room for one hour. Do not remain in treated area; ventilate the area after treatment is completed. Repeat treatment as necessary. Do not spray directly on clothes, fabrics or other materials.

FLEAS AND BROWN DOG TICKS: Thoroughly spray infested areas, pet beds, resting quarters, nearby cracks and crevices, along and behind baseboards, moldings, window and door frames, and localized areas of floor and floor covering. Do not remain in treated area; ventilate the area after treatment is completed. Fresh bedding should be placed in animal quarters following treatment. Concurrent treatment of animals with an approved insecticide is recommended. Repeat treatment as needed.

TO KILL CLOTHES MOTHS: Spray all articles to be protected, giving particular attention to folds and seams. Spray interior of storage container such as closets, chests and trunks regularly. Treatment should be repeated every thirty days unless the articles are stored in moth-tight containers.

TO KILL BEDBUGS: Spray mattresses thoroughly, especially around seams and tufts. Spray bedstead, baseboards and floorboards. Repeat as needed.

TO KILL CARPET BEETLES: Directly spray as many insects as possible. Spray both interior and exterior of upholstered furniture. Both top and bottom of rugs and carpets should be sprayed thoroughly. Also treat shelves, closets, areas under furniture and wherever these insects are seen or suspected. Repeat as necessary.

STORED PRODUCT INSECTS
(accessible stages)

FLYING MEDITERRANEAN FLOUR MOTHS, INDIAN MEAL (CHOCOLATE) MOTHS, ANGOUMOIS GRAIN MOTHS: Close doors and windows. Direct aerosol mist to all parts of the room, especially into dark enclosures and around product containers where adult moths may be resting. Use a minimum treatment of 6 to 8 seconds per 1000 cubic feet of space. Keep area closed for 30 minutes after each treatment. Do not remain in treated area, ventilate the area after treatment is completed. Repeat treatment weekly or as flying moths appear. Infested stored food products should be fumigated or treated with an approved product.

CONFUSED FLOUR BEETLES, SAWTOOTHED GRAIN BEETLES, RICE WEEVILS AND GRANARY WEEVIL: Direct treatment toward insects into cracks, crevices, around machinery, around containers of stored products and other areas that may harbor insects. Hit as many insects as possible. A minimum dosage of 10-15 seconds treating time per 100 sq. ft. of floor space is recommended leaving treated area tightly closed for at least 45 minutes. Do not remain in treated area; ventilate the area after treatment is completed. Repeat treatment as required.

CHT 1 2 7

BEST AVAILABLE COPY

Not Reviewed. Registrant claims to be in accordance with Reregistration of Pesticide Product Guidance for Phase 2 Response, Page 2.12, Active to Inert Change in Status.