

Copy # 5602-167

11/10

191

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

IN NON RESIDENTIAL FOOD HANDLING AREAS OF bakeries, food plants, restaurants, cafeteria's, grocery stores, food-handling establishments and in milk-handling areas of milk, cheese, and ice cream plants.

Holding dispenser upright, point valve in desired direction and turn dispenser handle to spray.

MOQUITOES, FLIES, GNATS: Close all doors and windows. Direct the spray to all parts of the room. Fill the room with mist, then leave the treated area. Keep room closed for at least 15-30 minutes. Do not remain in treated area. Ventilate the area after treatment is completed. Sweep up and destroy fallen insects. Repeat treatment as necessary.

WASPS: Application should be made in late evening when insects are at rest. Spray liberally into hiding and breeding places, contacting as many insects as possible. Repeat as necessary.

STORAGE AND DISPOSAL

Storage: Do not use or store near heat or open flame.

Disposal: This cylinder is refillable; return to manufacturer for deposit or exchange when empty.

PRECAUTIONARY STATEMENT HAZARD TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if swallowed. Avoid breathing vapors or spray mist. Avoid contact with skin, eyes or clothing. In case of contact immediately flush eyes or skin with plenty of water. Get medical attention if irritation persists.

Avoid contamination of feed and foodstuffs. When using this product in food processing plants, food should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. When using this product in these areas apply only when the facility is not in operation. Remove pets, birds and cover fish aquarium before spraying.

Physical or Chemical Hazards

Contents under pressure. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

27412-1181V

EPA Est. Reg. V-A-1



Kills: Mosquitoes, Flies, Gnats, Wasps

CAUTION

KEEP OUT OF REACH OF CHILDREN

See left panel for additional cautions

ACTIVE INGREDIENTS

Resmethrin ((S)-phenyl(methyl)-1-butynyl)
methyl 2,2-dimethyl-3-(2-methyl-1-propenyl)-
cyclopropane carboxylate

Related compounds

Aromatic petroleum hydrocarbons

PETRO INGREDIENTS

*cis-trans isomer ratio max 30% (+) cis and
min 70% (-) trans


0.500% w/w
0.000%
0.002%
10.75%
80.02%

Net Wt. 5 lbs. (2.27 kg)



EPA Reg. No. 1187-101

Virginia Chemicals Inc.

Portsmouth, Va. 23703



LOT NO.



How to Operate:

- (1) This is the range of correct operating positions.
- (2) Do not invert the cylinder.
- (3) Keep hand wheel "C" in upward position.
- (4) One half turn releases flow.

BEST AVAILABLE COPY