### PRECAUTIONARY STATEMENT HAZARD TO HUMANS AND DOMESTIC ANIMALS CAUTION

tarmful if swallowed or absorbed through skin. Avoid breathing vapors or spray mist. Avoid contact with skin and eyes. In case of contact, immediately flush eyes or skin with plenty of water. Obtain medical attention if irritation persists.

Oo not apply directly to food. In comnercial food handling facilities, cover a remove any food and food processing equipment during application. Do not apply while food processing is underway. Facilities and equipment in federally inspected meat and poultry plants must be washed with an effective cleaning compound followed by a potable water rinse after spraying. In the home, all food processing surfaces and utensits should be covered during treatment, or thoroughly washed before use.

Remove pets, birds and cover fish aqualiums before spraying.

## STATEMENT OF PRACTICAL TREATMENT

If in eyes: Flush with plenty of water. Get medical attention if irritation persists.


If on skin or clothing: Remove contaminated clothing. Wash skin with soap and warm water. Get medical attention if irritation persists.

# swallowed: Call a physician or Poison Control Center. Do not induce vomiting because of aspiration hazard.

# PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Do not puncture or incinerate container. Exposure to temperatures above 120°F may cause bursting.

# PRO-CIDE III



CAUTION
SEE SIDE PANEL FOR CAUTIONS
KEEP OUT OF REACH OF CHILDREN

NET WT. 1 LB. 5 OZ.

## STORAGE AND DISPOSAL

Storage: Do not use or store near heat or open flame.

Disposal: Replace cap and discard container in trash. Do not indinerate or puncture.

#### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

USE IN NON-RESIDENTIAL FOOD-HANDLING AREAS OF: bakeries, food plants, restaurants, cateterias, grocery stores, food handling establishments and in milk handling areas of dairies (milk, cheese, and ice cream plants), milking parlors and milk storage areas

Remove protective cap. Holding dispenser upright, point valve in desired direction and press dispenser button to soray.

MOSQUITOES, FLIES, GNATS: Close all doors and windows. Direct the spray to all parts of the room. Fill the room with mist, then leave the treated area. Keep room closed for at least 15-30 minutes. Ventilate the room when treatment is completed.

WASPS: Application should be made in tate evening when insects are at rest. Spray liberally into hiding and breeding places, contacting as many insects as possible. Repeat as necessary.

HUB STATES CORPORATION Indianapolis, Indiana 46240-4303

EPA Est. 5602-SC:O1: EPA Reg. No. 5602-170

Hist Reviewed. Registrant claims to be in accordance with Reregistration of Peetolde Product Guidence for Phase 2 Response, Page 2.12, Active to thert Change in Status.