

Not Reviewed. Registrant claims to be in accordance with Reregistration of Pesticide Product Guidance for Phase 2 Response, Page 2.12, Active to Inert Change in Status.



Thirty-Four

For Use Only in Non-Residential Food-Handling Area of: Food Processing Plants, Schools, Taverns, Grocery Stores, Hotels, Motels, Bottling Plants, Canneries, Bakeries, Cafeterias, Hospitals and Restaurants

EPA Reg. No. 5602-174

Manufactured for.
HUB STATES CORPORATION
Indianapolis, IN 46204

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

IN NON-RESIDENTIAL FOOD-HANDLING AREAS OF: Food processing plants, schools, taverns, grocery stores, hotels, motels, bottling plants, canneries, bakeries, cafeterias, hospitals and restaurants. Remove protective cap. Holding dispenser upright, point valve in desired direction and press dispenser button to spray.

MOSQUITOES, FLIES, GNATS, SMALL FLYING MOTHS: Close all doors and windows. Direct the spray to all parts of the room. Fill the room with mist, then leave the treated area. Keep room closed for at least 15-30 minutes. Do not remain in treated area. Ventilate the area after treatment is completed; Sweep up and destroy fallen insects. Repeat treatment as necessary.

WASPS: Application should be made in the late evening when insects are at rest. Spray liberally into hiding and breeding places, contacting as many insects as possible. Repeat as necessary.

STORAGE AND DISPOSAL

Storage: Do not use or store near heat or open flame.

Disposal: Replace cap and discard container in trash. Do not incinerate or puncture.

PRECAUTIONARY STATEMENT HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful if swallowed. Avoid breathing vapors or spray mist. Avoid contact with skin, eyes or clothing. In case of contact immediately flush eyes or skin with plenty of water. Get medical attention if irritation persists.

Avoid contamination of feed and foodstuffs. When using this product in food processing plants, food should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. When using this product in those areas, apply only when the facility is not in operation. Remove pets, birds and cover fish aquarium before spraying.

NOTE: When used in hospitals, patients should be removed prior to treatment. Wait two hours before patients are returned.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

Made in USA

BEST AVAILABLE COPY

*Equivalent to 0.80% (butylcarbityl) (5-propylpiperonyl) ether and 0.20% related compounds.

Net. Wt. 16 lbs. 8 oz. (7.48 Kg)

HUB STATES CORPORATION • INDIANAPOLIS, IN 46204

EPA Reg. No. 5602-174

100.00%

**PRECAUTIONARY STATEMENT
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION**

Harmful if swallowed. Avoid breathing vapors or spray mist. Avoid contact with skin, eyes or clothing. In case of contact immediately flush eyes or skin with plenty of water. Get medical attention if irritation persists.

Avoid contamination of feed and foodstuffs. When using this product in food processing plants, food should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. When using this product in those areas, apply only when the facility is not in operation. Remove pets, birds and cover fish aquarium before spraying.

NOTE: When used in hospitals, patients should be removed prior to treatment. Wait two hours before patients are returned.

STATEMENT OF PRACTICAL TREATMENT

IF IN EYES: Flush with plenty of water. Get medical attention if irritation persists.

IF ON SKIN OR CLOTHING: Remove contaminated clothing. Wash skin with soap and warm water. Get medical attention if irritation persists.

IF SWALLOWED: Call a physician or Poison Control Center. Do not induce vomiting because of aspiration hazard.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

BEST AVAILABLE COPY

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

IN NON-RESIDENTIAL FOOD-HANDLING AREAS OF: Food processing plants, schools, taverns, grocery stores, hotels, motels, bottling plants, canneries, bakeries, cafeterias, hospitals and restaurants. Holding dispenser upright, point valve in desired direction and turn handle to spray.

MOSQUITOES, FLIES, GNATS, SMALL FLYING MOTHS: Close all doors and windows. Direct the spray to all parts of the room. Fill the room with mist, then leave the treated area. Keep room closed for at least 15-30 minutes. Do not remain in treated area. Ventilate the area after treatment is completed. Sweep up and destroy fallen insects. Repeat treatment as necessary.

WASPS: Application should be made in the late evening when insects are at rest. Spray liberally into hiding and breeding places, contacting as many insects as possible. Repeat as necessary.

How to assemble and operate SA-2 SOLENOID VALVE

1. Attach SA-2 solenoid valve to cylinder with slight wrench pressure. NOTE: Valve should be attached in inverted position. Open cylinder valve 2 turns — check for leaks.
2. Invert cylinder and slide handles into bracket slots. Tighten hold plate over handle with wing nut.
3. Use at a rate of 2 seconds per 1000 cubic feet.
4. When utilizing SA-2 triple nozzle automatic valve, set application time to correspond with dosage recommendation chart from manufacturer.

The mechanical equipment used in the application of this insecticidal composition is covered by United States Patent Number 3,200,950 owned by Hub States Corporation.

STORAGE AND DISPOSAL

Storage: Do not use or store near heat or open flame.
Disposal: Do not reuse empty container. Wrap container and put in trash collection.

Lot No.

[Empty box for Lot No.]

EPA Est. 5602-9C-01

27-292 B/90M

292