


Not Reviewed. Registrant claims to be in accordance with Reregistration of Pesticide Product Guidance for Phase 2 Response, Page 2.12, Active to Inert Change in Status.



DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Use in homes, motels, hotels, food plants, canneries, bakeries, dairies, milking parlors, restaurants, cafeterias, diners, grocery stores, schools, hospitals, institutions, warehouses, kennels. Empty truck and railroad cars.

Kills exposed roaches, flies, gnats, confused flour beetles, red flour beetles, sawtooth grain beetles, spider beetles, angoumois grain moth, mediterranean flour moth, meal worms, cigarette beetles, drugstore beetles, cheese skippers, cheese mites, granary weevils, rice weevils, fleas, silverfish, crickets, wasps, mosquitoes, spiders and small flying moths.

HOW TO USE: Clean out any debris, shut off air conditioners and fans, prior to treatment. Place can upright on floor in center of area to be treated. For home use, place on a table or stand for best results. A newspaper should be placed under the container to prevent marring surfaces. Snap lock-open nozzle over lip of container. When discharge of insecticide starts, close area as tightly as possible and leave closed for at least 30 minutes. Repeat treatment as necessary. The entire contents of this can are sufficient to treat a space of 5000 cubic feet of unobstructed space. Do not remain in treated areas and ventilate the area after treatment is completed. Sweep up and destroy fallen insects.

FLEAS: Thoroughly spray infested areas, pet beds, resting quarters, nearby cracks and crevices, along and behind baseboards, molding, window and door frames, and localized areas of floor and floor covering. Fresh bedding should be placed in animal quarters following treatment. Concurrent treatment of animals with an approved insecticide is recommended. Repeat treatment as needed.

STORAGE AND DISPOSAL

Storage: Do not use or store near heat or open flame.
Disposal: Replace cap and discard container in trash. Do not incinerate or puncture.

PRECAUTIONARY STATEMENT

HAZARD TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if swallowed or absorbed through the skin. Avoid breathing vapors or spray mist. Avoid contact with skin and eyes. In case of contact, immediately flush eyes or skin with plenty of water. Obtain medical attention if irritation persists.

Do not apply directly to food. In commercial food handling facilities, cover or remove any food and food processing equipment during application. Do not apply while food processing is underway. After space spraying in meat packing plants, bakeries and other food processing plants, wash all equipment, benches, shelving, etc., where exposed food will be handled, with potable water. In the home, all food processing surfaces and utensils should be covered during treatment, or thoroughly washed before use.

Remove pets, birds and cover fish aquariums before spraying.

PHYSICAL OR CHEMICAL HAZARDS

Flammable. Contents under pressure. Keep away from heat, sparks, and open flame. Do not puncture or incinerate container. Exposure to temperature above 130°F may cause bursting.
27-368 885M

NET WT. 5 OZS.
(142 GRAMS)



**Clear -
Out**

INSECTICIDE

**KILLS EXPOSED: FLIES, MOSQUITOES, WASPS,
GNATS, SMALL FLYING MOTHS, ANTS,
ROACHES, SILVERFISH, CRICKETS, FLEAS**

ACTIVE INGREDIENTS:

Pyrethrins	0.5%
Piperonyl butoxide*, technical	4.0%
INERT INGREDIENTS	95.5%

*Equivalent to 3.2% (butylcarbityl) (6-propylpiperonyl) ether and 0.8% of other related compounds.

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Side Panel for Additional Cautions

HUB STATES CORPORATION
Indianapolis, Indiana 46204

EPA Reg. No. 5602-180

EPA Est. No. 7056-TX-1

