

SPECIMEN LABEL
V-1-23 (WATER BASE)

Front Panel

KILLS: Angoumois Grain Moths, Ants, Bed Bugs, Carpet Beetles, Centipedes, Chocolate Moths, Cigarette Beetles, Clover Mites, Cluster Flies, Confused Flour Beetles, Crickets, Drug Store Beetles, Fleas, Flies, Gnats Grain Mites, Granary Weevils, Horn Flies, Indian Meal Moths, Mediterranean Flour Moths, Millipedes, Mosquitoes, Mud Daubers, Red Flour Beetles, Rice Weevils, Sawtoothed Grain Beetles, Silverfish, Small Flying Moths, Sowbugs, Spiders, Stable Flies, Hornets, Sandflies, Waterbugs, Scorpions, Firebrats, Brown Dog Ticks, and Cockroaches.

FOR USE IN AND AROUND: Campgrounds, Food Storage Areas, Homes, Hospitals, Hotels, Meat Packing and Food Processing Plants, Motels, Resorts, Restaurants, Canneries, Bakeries, Dairies, Milking Parlors, Cafeterias, Diners, Institutions, Food and Non-Food areas of Warehouses, Kennels, Theatres, Office Buildings, Transportation Equipment (Buses, Boats, Ships, Trains, Trucks, Planes).

ACTIVE INGREDIENTS:

Pyrethrins.....	0.50%
*Piperonyl Butoxide, Technical.....	1.00%
N-Octyl bicycloheptene dicarboximide.....	1.00%
INERT INGREDIENTS.....	<u>97.50%</u>
	100.00%

*Equivalent to 0.480% (butylcarbityl) (6-propylpiperonyl) ether and 0.120% related compounds.

KEEP OUT OF REACH OF CHILDREN
CAUTION

STATEMENT OF PRACTICAL TREATMENT

- IF SWALLOWED: Call a physician or Poison Control Center immediately .
- IF IN EYES: Flush with plenty of water. Get medical attention if irritation persists.
- IF ON SKIN OR CLOTHING: Remove contaminated clothing and wash before reuse. Wash skin with soap and warm water. Get medical attention if irritation persists.
- IF INHALED: Remove victim to fresh air. Apply artificial respiration if indicated.

Net Contents _____

Manufactured by:

BEST AVAILABLE COPY

HUB STATES CORPORATION
INDIANAPOLIS, IN 46240

See Last Page for "ACCEPTED" Stamp

Back Panel

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if swallowed or absorbed through skin. Do not breathe vapors or spray mist. Avoid contact with skin or eyes. In case of contact flush with plenty of water. Wash with soap and water after use. Obtain medical attention if irritation persists. Avoid contamination of food or feedstuffs.

IN HOSPITALS: Patients should be removed from room prior to treatment. Room should be ventilated for 2 hours after spraying. Do not return patients to room until after ventilation. FOOD AREAS OF FOOD PROCESSING PLANTS: Do not apply while food processing is underway. Cover or remove all food processing surfaces. Thoroughly wash all food processing surfaces before reuse. After spraying in bakeries, meat packing plants, food processing plants, etc., all benches shelving, equipment, etc. where exposed food will be handled must be washed with an effective cleaning compound followed by a potable water rinse to remove all traces of contamination.

Remove pets, birds and cover fish aquariums before spraying.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Keep away from heat, sparks, and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130 degrees F may cause bursting.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

SHAKE BEFORE USE. APPLY IN SHORT BURSTS.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.
FLIES, MOSQUITOES, GNATS, WASPS, HORNETS, SANDFLIES, AND SMALL FLYING MOTHS: Ascertain the cubic feet of space to be treated. Close all doors and windows. Pointing nozzle upward, direct the aerosol mist to all parts of the room especially around window frames and other light sources which attract these insects. Keep nozzle in continuous motion at least 36 inches from fabrics. Apply for two seconds per 1,000 cubic feet of space. Keep area closed for fifteen minutes after each treatment. Do not remain in treated area, ventilate the area after treatment is completed. Sweep up and destroy fallen insects. Repeat treatment as necessary.

OUT OF DOORS: For temporary protection from mosquitoes and flies spray along ground and weeds and brambles around the area. Do not spray ornamental shrubbery. Frequent repeated applications may be necessary.

SILVERFISH, ANTS WATERBUGS, SCORPIONS, CENTIPEDES, SOWBUGS, SPIDERS, FIREBRATS, ROACHES AND CRICKETS: Ascertain square feet of space to be treated. Open all doors, cabinets, closets, etc. Direct the mist toward insects, into cracks, crevices, and trails on door sills and window frames. For initial clean up apply for 10 or 15 seconds per 100 square feet of floor space. Follow up with periodic applications as a space aerosol at 3 to 5 seconds per 1,000 cubic feet of space. Close room for one hour. Do not remain in treated area; ventilate the area after treatment is completed.

Repeat treatment as necessary. Do not spray directly on clothes, fabrics, or other materials.

FLEAS AND BROWN DOG TICK: Thoroughly spray infested areas, pet beds, resting quarters, nearby cracks and crevices, along and behind baseboards, moldings, window and door frames, and localized areas of floor and floor covering. Do not remain in treated area; ventilate the area after treatment is completed. Fresh bedding should be placed in animal quarters following treatment. Concurrent treatment of animals with an approved insecticide is recommended. Repeat treatment as needed.

TO KILL BEDBUGS: Spray mattresses thoroughly, especially around seams and tufts. Spray bedstead, baseboards and floor boards. Repeat as needed.

TO KILL CARPET BEETLES: Directly spray as many insects as possible. Spray both interior and exterior of upholstered furniture. Both top and bottom of rugs and carpets should be sprayed thoroughly. Also treat shelves, closets, areas under furniture and wherever these insects are seen or suspected. Repeat as necessary.

STORED PRODUCT INSECTS (accessible stages)

FLYING MEDITERRANEAN FLOUR MOTHS, INDIAN MEAL (CHOCOLATE) MOTHS, ANGOUMOIS GRAIN MOTHS: Close doors and windows. Direct aerosol mist to all parts of the room, especially into dark enclosures and around product containers where adult moths may be resting. Use a minimum treatment of 6 seconds per 1,000 cubic feet of space. Keep area closed for 30 minutes after each treatment. Do not remain in treated area, ventilate the area after treatment is completed. Repeat treatment weekly or as flying moths appear. Infested stored food products should be fumigated or treated with an approved product.


BEST AVAILABLE COPY

CONFUSED FLOUR BEETLES, SAWTOOTHED GRAIN BEETLES, RICE WEEVILS AND GRANARY WEEVIL: Direct treatment toward insects into cracks, crevices, around machinery, around containers of stored products and other areas that may harbor insects. Hit as many insects as possible. A minimum of 10-15 seconds treating time per 100 sq. ft. of floor space is recommended leaving treated area tightly closed for at least 45 minutes. Do not remain in treated area; ventilate the area after treatment is completed. Repeat treatment as required.

STORAGE AND DISPOSAL

STORAGE: Store in a cool dry area away from heat or open flame.

DISPOSAL: Replace cap and discard container in trash. Do not incinerate or puncture.



BEST AVAILABLE COPY