

HUB STATES V-34-74

DIRECTIONS FOR USE

[For use in Households, Non-food Areas of Warehouses, Food Processing Plants, Hospitals, Hotels, Motels, Theatres, Schools, Kennels and Office Buildings]

[Contains No CFC's or other ozone depleting substances. Federal regulations prohibit CFC propellants in aerosols.]

[Kills Houseflies, Mosquitoes, Cockroaches, Fleas and other pests listed on back panel]

Active Ingredients:

alpha-cypermethrin	0.50%
Piperonyl Butoxide	1.00%
N-Octyl bicycloheptene dicarboximide*	1.67%
Other Ingredients*:	96.83%
	100.00%


*MGK® 264 Insecticide Synergist

EPA Reg. No.: 5602-192

EPA Est. No.

KEEP OUT OF THE REACH OF CHILDREN CAUTION

See Side/Back Panel for Additional Precautions and First Aid



HUB STATES CORPORATION
112 West Carmel Drive
Carmel, IN 46032

NET CONTENTS:

For Product Information, Call 800-428-4416
For Chemical Emergency spill, leak, fire, exposure or accident call INFOTRAC, day or night at 1-800-535-5053. Outside the US, call collect 1-352-323-3500.

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

NOTE: Not for use in the food/feed handling areas of food/feed handling establishments. In hospitals, remove all patients prior to treatment and ventilate area for two hours before returning patients. Ventilate all other treated areas for at least 1 hour before allowing re-entry. In the home, cover or remove exposed food prior to application. Do not allow spray to contact food surfaces. If it does, clean surfaces with soap and water prior to use.

Shake Before Use. Hold container upright. Apply in short bursts.

HOW TO APPLY:

To Kill *Flies, Mosquitoes, Gnats, Wasps, Hornets, Sandflies, Flying Moths*: Close all doors and windows and direct spray upward into center of room with a low, sweeping motion. Spray 5 to 10 seconds for average room (1,000 cu. Ft.). Keep nozzle three feet from surfaces. Vacate premises. Keep room closed for 15 minutes after spraying. Ventilate room thoroughly before re-entry. Sweep up and destroy fallen insects.

FLIES, MOSQUITOES, WASPS, GNATS: Ascertain cubic feet of space to be treated. Close doors and windows. Pointing nozzle upward, direct the aerosol mist to all parts of the room, especially windows and other light sources which attract these insects. Keep nozzle in constant motion at least 36 inches from fabrics. Apply for 1 second per 1,000 cu. Ft. of space. Spraying closer than 36 inches or longer than indicated may cause stains on fabrics, furs and other materials. Keep room closed 15 minutes after treatment.

To Kill *Cockroaches, Waterbugs, Silverfish, Crickets, Ants, Scorpions, Centipedes, Sowbugs, Spiders and Firebrats*: Spray baseboards, cracks, crevices, moist areas and openings around sinks and pipes and other hiding places, hitting the insects directly. Spray ant hills and trails around windows and door sills and other locations where ant are suspected. Repeat treatments when insects return.

ROACHES, ANTS, SILVERFISH, CRICKETS: Ascertain square feet of space to be treated. Open all doors, cabinets, closets, etc. Direct the mist toward insects, into cracks, crevices and trails, on door sills and window frames. For initial cleanup, apply for 10-15 seconds per 100 sq. ft. of floor space. Close room for one hour. Do not spray directly on clothes, fabrics or other materials.

To Kill Clothes Moths: Spray all articles to be protected, giving particular attention to folds and seams. Spray interior of storage containers such as closets, chests and trunks regularly. Treatment should be repeated every thirty days unless the articles are stored in moth-tight containers.

To Kill Bedbugs: Spray mattresses thoroughly, especially around seams and tufts. Spray bedstead, baseboards and floorboards.

To Kill Carpet Beetles: Directly spray as many insects as possible. Spray both interior and exterior of upholstered furniture. Both top and bottom of rugs and carpets should be sprayed thoroughly. Also treat shelves, closets, areas under furniture and wherever these insects are seen or suspected.

LYING ADULT MOTHS: WEBBING CLOTHES MOTH, TOBACCO MOTH AND ALMOND MOTH – Ascertain cubic feet of space to be treated. Treat all suspected enclosures arranging clothing and other articles so that the foggy mist can circulate freely around them. Keep the nozzle in constant motion at least 36 inches away from the articles. Apply for 1 second per 1,000 cu. ft. of space and close the treated area for 45 minutes or more. Spraying closer or longer than as directed above or more often than bi-weekly, may cause stain on fabrics, fur and other materials. V-34-74 is not a moth proofing agent and will not destroy uncontacted adult moths.

To Kill Exposed Forms of Confused Flour Beetles, Saw-toothed Grain Beetles and Rice Weevils: Find and destroy infested package goods. Remove all other items from food storage area. Spray shelves and cabinets to kill any of the named insects present. Place clean paper on the shelves and return packages after shelves have dried.

STORED PRODUCT INSECTS (accessible stages): CONFUSED FLOUR BEETLES, GRANARY WEEVIL AND RICE WEEVIL – Direct treatment towards insects, into cracks, crevices, around machinery, around containers of stored products and other areas that may harbor insects. Hit as many insects as possible. Apply a minimum dosage of 10-15 seconds per 100 sq. ft. of floor space. Leave treated area tightly closed for at least 45 minutes. **INDIAN MEAL OR CHOCOLATE MOTH, MEDITERRANEAN FLOUR MOTH AND ANGOUMOIS GRAIN MOTHS** – Close doors and windows. Direct aerosol to all parts of the room, especially into dark enclosures and around stored product containers, etc. where adult moths may be resting. Use a minimum dosage of 6 to 8 seconds per 1,000 cu. ft. of space. Leave treated area closed for 30 minutes. Repeat treatment weekly if necessary.

FOOD/FEED HANDLING ESTABLISHMENTS:

Only for use in the Non-food/Non-feed areas of food/feed processing establishments.

Food/Feed handling establishments are defined as places other than private residences in which exposed food/feed is held, processed, prepared or served. Included also are areas for receiving, storing, packing (canning, bottling, wrapping, boxing), preparing, edible waste storage and enclosed processing systems (mills, dairies, edible oils, syrups) of food/feed. Serving areas where food/feed is exposed and the facility is in operation are also considered food/feed areas.

Non-Food/Non-Feed Areas: Examples of non-food/non-feed areas include garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, mop closets and storage (after packaging, canning or bottling). All areas that insects inhabit or through which insects may enter should be treated.

Storage & Disposal

Do not contaminate water, food or feed by storage or disposal.

Storage: Store in original container in a locked storage area. Do not use or store near heat or open flame.

Disposal: Do Not Puncture or Incinerate! *If empty:* Place in trash or offer for recycling if available. *If partly filled:* Call your local solid waste agency or 1-800-CLEANUP for disposal instructions.

**PRECAUTIONARY STATEMENTS
Hazards To Humans & Domestic Animals**

CAUTION: Harmful if swallowed or absorbed through skin. Wash thoroughly with soap and water after handling. Avoid contact with eyes, skin and clothing. Avoid breathing spray mist. Remove contaminated clothing and wash clothing before reuse.

Remove pets, birds and cover fish aquariums before spraying.

Physical or Chemical Hazards

Contents under pressure. Keep away from heat, sparks and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

FIRST AID	
If Swallowed:	<ul style="list-style-type: none"> • Immediately call a poison control center or doctor. ***** • Do not induce vomiting unless told to do so by a poison control center or doctor. • Do not give any liquid to the person. • Do not give anything by mouth to an unconscious person.

If Inhaled:	<ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. • Call a poison control center or doctor for further treatment advice.
If On Skin or Clothing:	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
If In Eyes:	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.

HOT LINE NUMBER

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-800-535-5053 for emergency medical treatment information.

NOTE TO PHYSICIAN

Contains petroleum distillate – vomiting may cause aspiration pneumonia.

Important Note: Buyer assumes all risks of use, storage, or handling of this product not in accordance with directions given herewith.

OR

Seller warrants that the product conforms to the chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, expressed or implied, extends to the use of this product contrary to label instructions or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes risk of any such use.

[] Denotes alternate text in addition to any subset of the directions for use.

