

HUB STATES A-20 PROCIDE INSECTICIDE

[Aerosol Insecticide Especially Formulated For Use in and Around: milk rooms, homes, horse stables, hog parlors, feed lots, livestock trailers, boats, hospitals, resorts, schools, restaurants, motels, hotels, dairies, chicken houses, food storage warehouses, kennels, horse trailers, food and bottling plants, feed mills, warehouses, supermarkets, canneries.]

[Contains No CFC's or other ozone depleting substances. Federal regulations prohibit CFC propellants in aerosols.]


[KILLS: Roaches, fleas, flies, mosquitoes, wasps, gnats, small flying moths, ants, silverfish, crickets, fruit flies, Indian meal moths, almond moths, foreign grain beetles.]

ACTIVE INGREDIENTS:

Pyrethrins 0.50%
Piperonyl Butoxide 4.00%

OTHER INGREDIENTS: 95.50%
100.00%

**KEEP OUT OF REACH OF CHILDREN
CAUTION**
See Side Panel for Additional Precautionary Statements
and First Aid



EPA Reg. No.: 5602-195

EPA Est. No.:

NET WEIGHT:

HUB STATES, LLC
112 West Carmel Drive
Carmel, IN 46032

For Product Information, Call 800-428-4416
For Chemical Emergency spill, leak, fire, exposure or
accident call INFOTRAC, day or night at 1-800-535-5053.
Outside the US, call collect 1-352-323-3500.

PRECAUTIONARY STATEMENTS Hazards To Humans & Domestic Animals CAUTION

Harmful if swallowed. Avoid breathing vapors or spray mist. Avoid contact with skin, eyes or clothing.

In hospitals, patients should be removed prior to treatment. Room should be ventilated for two hours after spraying. Do not return patients to room until after ventilation. Cover or remove food before treatment. All food processing surfaces, utensils, benches, shelving, etc. should be covered or removed prior to treatment, or utensils, benches, shelving, etc. Do not apply when food processing is in operation. Remove pets, birds, and cover fish aquariums before spraying.

Physical or Chemical Hazards

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130° F may cause bursting.

FIRST AID	
If Swallowed:	<ul style="list-style-type: none"> Immediately call a poison control center or doctor for treatment advice. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.
If Inhaled:	<ul style="list-style-type: none"> Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.
If On Skin or Clothing:	<ul style="list-style-type: none"> Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
If In Eyes:	<ul style="list-style-type: none"> Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
HOT LINE NUMBER	
Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-800-535-5053 for emergency medical treatment information.	
NOTE TO PHYSICIAN	
Contains petroleum distillate - vomiting may cause aspiration pneumonia.	

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

FLYING INSECTS: *Flies, Sandflies, Mosquitoes, Gnats, Wasps, Small Flying Moths, Fruit Flies, Indian Meal Moths, Almond Moths, Foreign Grain Beetles.*

Hold Container upright with nozzle away from you. Press valve down and spray as directed. To avoid possible staining of fabrics or surfaces, do not spray at close range.

Calculate the cubic feet of the area to be treated. Close all doors and windows. Pointing nozzle upward, direct the aerosol mist to all parts of the room, especially around windows and other light sources which attract these insects. Apply spray continuously at a rate of one second per 1000 cubic feet of space. Keep area closed for fifteen minutes after each treatment. Do not remain in treated area. Ventilate room when treatment is completed. Sweep up and destroy fallen insects. Repeat treatment as necessary. Area treatments can be made when animals are in lounging barns or holding pens.

Out of Doors: For temporary protection from mosquitoes and flies, spray along ground and around bushes and trees. Do not spray ornamental shrubbery. Frequent repeated applications may be necessary.

MUD DAUBER AND WASP NESTS: Spray aerosol directly on insects and their nests from approximately 2 feet distance. Applications should be made in late evening when insects are at rest. Spray liberally into hiding and breeding places contacting as many insects as possible. Repeat treatments as necessary.

CHOCOLATE MOTHS, CARPET BEETLES, DRUG STORE BEETLES IN EXPOSED ADULT LARVAE STAGES: Contact as many insects as possible when treating infested areas such as cracks, crevices, packaged store products, machinery, dark secluded areas. Spray 10 to 20 seconds per 100 square feet of floor space. Repeat weekly or as insects appear.

FLEAS IN BUILDINGS: Close windows and doors. Hold aerosol 36" above floor and direct fog toward floor and lower walls at a rate of 10 seconds per 100 square feet, making sure that all floor, sofa, chair surfaces are contacted. Remove and destroy pet's old bedding. Thoroughly treat area and allow to dry before replacing. Repeat as necessary. Also treat dogs and cats with a registered flea control product before allowing them to enter treated area.

ROACHES, SPIDER, WATERBUGS, ANTS, SILVERFISH, CRICKETS: Hold aerosol close to cracks and fog directly into them, contacting as many insects as possible. Apply freely to all possible hiding places behind baseboards, sinks, cabinets, coffee makers, meter boxes, manholes. Repeat all treatments as necessary.

DIRECTIONS FOR HAND-HELD EQUIPMENT (Cylinder):

How To Assemble #100 Applicator:

1. Remove valve protection cap from cylinder.
2. Chain cylinder to cart.
3. Affix the hose and applicator to the valve with slight pressure from a wrench.
4. Do not use without applicator.

How To Operate:

1. With applicator nozzle directed upward, open valve a full turn.
2. Keep the valve in the upright position at all times while in use.
3. Depress trigger on applicator handle to release spray.

OR

How To Assemble #25 [#115] Applicator:

1. Remove valve protection cap from cylinder.
2. Insert cylinder into carrying bag.
3. Affix the hose and applicator to the valve with slight pressure from wrench, if necessary.
4. Do not use without applicator.

How To Operate:

1. Sling strap of carrying bag over shoulder.
2. With applicator nozzle directed upward, open handwheel a full turn.
3. Keep the valve in the upright position at all times while in use.
4. Depress trigger on applicator handle to release spray.
5. Valve must be tightly closed and the cap replaced for storage.

FOR AUTOMATIC TIMED DISPENSER:**Preparation of Factory and/or Warehouse Areas:**

The preparation of factory or warehouse area is based primarily on the number of cubic feet of area to be treated. Several A-20 units can be mounted and wired in series. This enables two or more units to be activated simultaneously through the use of a single electrical timer.

Set timer to dispense product only when the facility is not in operation. Cover or remove food. Cover or remove all food handling surfaces, utensils, benches, shelving, etc. or thoroughly wash with an effective cleaning compound followed by a potable water rinse prior to use. Do not allow worker re-entry into treated areas until sprays have dried.

Treatment of Factory and/or Warehouse areas:

The number of units is based on an application rate of 1.5 grams of A-20 per 1000 cubic feet.

Important Note: Buyer assumes all risks of use, storage, or handling of this product not in accordance with directions given herewith.

OR

Seller warrants that the product conforms to the chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, expressed or implied, extends to the use of this product contrary to label instructions or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes risk of any such use.

How to Assemble and Operate SOLENOID VALVE (SA-5):

1. Attach solenoid valve to cylinder with slight wrench pressure. Note: Valve should be attached in inverted position. Open cylinder valve 2 turns – check for leaks.
2. Invert cylinder and slide into bracket.
3. When utilizing triple nozzle automatic valve, set application timer to correspond with dosage recommendation on left/back panel.

The mechanical equipment used in the application of this insecticidal composition is covered by United States Patent Number 3,209,950 owned by Hub States Corporation.

See manufacturer's instructions for additional information on the automatic timed dispenser system.

STORAGE & DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Storage: Do not store near heat or open flame

Disposal: Do Not Puncture or Incinerate! *If empty:* Place in trash or offer for recycling if available. *If partly filled:* Call your local solid waste agency or 1-800-CLEANUP for disposal instructions.

Instructions for returnable/refillable cylinders:

This cylinder is refillable by manufacturer. Return to manufacturer for deposit or exchange when empty.