

Partial List of Insects Controlled

| Borer and other insects | Trees or Shrubs | Dosage |
|--|---|------------------------------------|
| 1. LEAF MINERS | <u>Birch, Elm</u> (English & Scotch), <u>Locust</u> | 1 teaspoonful 1 gallon water |
| Apply when small Miners appear in early and mid-May and in early July. | | |
| 2. PEACH TREE BORER | <u>Peaches</u> | 1 tablespoonful .1 gallon water |
| Spray lower trunk and around base of tree, soaking bark and wetting trunk from crotch to ground. Do not apply to fruit or foliage. | | |
| The most valuable sprays are those applied in July and August as egg laying is heavy during this period. | | |
| 3. DOGWOOD BORER, RHODODENDRON BORER, LILAC BORER | <u>Dogwood,</u> <u>Rhododendron,</u> <u>Lilac</u> | 1 tablespoonful 1 gallon water |
| Make 2 to 3 applications 7 to 10 days apart in May and early June. | | |
| 4. IRIS BORER | <u>Iris</u> | 1 teaspoonful 1 gallon water |
| In early spring, destroy old leaves. Apply Borer Spray during April and May. | | |

20% LINDANE INSECTICIDE BORER SPRAY

KILLS: Peach Tree Borers, Flat Headed Borers, Birch Leaf Miners, Bark Beetles, Taxus Weevils, and certain other insects.

USE: on Flowers, Ornamental Fruit and Shade Trees.

207 NET CONTENTS 1 FL. PINT

CAUTION: Keep out of reach of Children
See other caution on side panel.

Read entire label. Use strictly in accordance with label cautions, warnings and directions; and in conformity with federal and state regulations.

ACTIVE INGREDIENTS:

Lindane (Gamma Isomer of Benzene Hexachloride) 20%
Xylene 70%
Cyclohexanone 5%

INERT INGREDIENTS:

Polyoxyethylene Sorbitol Esters of the mixed fatty and resin acids 5%
100%

CAUTION

Harmful if swallowed. Avoid inhalation and skin contact. May be absorbed through skin. In case of contact, wash immediately with soap and water. Avoid contamination of feed and foodstuffs. Do not use on household pets or humans. Keep out of reach of children. Do not use or store near heat or open flame. Do not apply to foliage of white or sweet potatoes. Highly toxic to fish and wildlife. Do not contaminate ornamental fish ponds.

NOTE: Birds feeding in treated areas may be harmed.

MANUFACTURED FOR
Farmingdale Garden Labs., Inc.
FARMINGDALE, NEW YORK
U.S.D.A. REG. NO. 5605-55

