

DIRECTIONS



Hold sprayer as shown.
Squeeze trigger with index and middle fingers

Turn adjustable nozzle (to open) by rotating to deliver a coarse, wet spray, or jet stream. Coarse sprays are less likely to drift. Stand as close to weed as possible. No need to stoop or squat with jet stream spray. Aim nozzle at weed. Do not drench weeds—a light application to wet the crown of the weeds is sufficient. When treating weedy grasses, a second application should be made after five to seven days. Apply when weeds are young and growing vigorously. After application, you may notice that, for a short period, the sprayed weeds may flourish. Hormone-like chemicals in this product causes the weed to grow so fast that the whole plant, including the root, dies. Do not discard this bottle. Refill concentrate is available from your dealer.




NEW! Aimand Spray CRABGRASS LAWN WEED & Dandelion KILLER


*Anhydrous disodium methanearsonate **2,4-Dichlorophenoxyacetate Sodium Salt Monohydrate INERT INGREDIENTS:	0.692 0.3 99.008	% %
*Arsenic as elemental, all in water soluble form **Equivalent to 2,4-D Dichlorophenoxyacetic Acid	100,000	% % %
CAUTION: KEEP OUT OF REACH OF CHILDREN READ OTHER CAUTIONS ON BACK PANEL BEFORE U	i.	,,

NET CONTENTS 1/2 GALLON LIQUID

237




Can in



Turn adjustable nozzle (to open) by rotating to deliver a coarse, wet spray, or jet stream. Coarse sprays are less likely to drift. Stand as close to weed as possible. No need to stoop or squat with jet stream spray. Aim nozzle at weed. Do not drench weeds—a light application to wet the crown of the weeds is sufficient. When treating weedy grasses, a second application should be made after five to seven days. Apply when weeds are young and growing vigorously. After application, you may notice that, for a short period, the sprayed weeds may flourish. Hormone-like chemicals in this product causes the weed to grow so fast that the whole plant, including the root, dies. Do not discard this bottle. Refill concentrate is available from your dealer.





NEW! Aimand Spray CRABGRASS LAWN WEED & Dandelion KILLER

ACTIVE INGREDIENTS:

*Anhydrous disodium methanearsonate	0.692%
**2,4-Dichlorophenoxyacetate Sodium Salt Monohydrate	0.3 %
Total	100.000%
*Arsenic as elemental, all in water soluble form	0.3 %
**Equivalent to 2,4-D Dichlorophenoxyacetic Acid	0.24 %
CAUTION: KEEP OUT OF REACH OF CHILDREN	٧.

NET CONTENTS 1/2 GALLON LIQUID

READ OTHER CAUTIONS ON BACK PANEL BEFORE USING.

237

ECTIONS

Hold sprayer as shown.
Squeeze trigger with index and middle fingers.

spray, or jet stream. Coarse to drift. Stand as close to weed to stoop or squat with jet stream weed. Do not drench weeds—wet the crown of the weeds is ting weedy grasses, a second made after fire to seven days. young and growing vigorously. I may notice that, for a short weeds may flourish. Hormones product causes the weed to whole plant, including the root, this bottle. Refill concentrate is ealer.



NEW! Aim and Spray CRABGRASS LAWN WEED & Dandelion KILLER

ACTIVE INGREDIENTS:	
*Anhydrous disodium methanearsonate	0.692%
**2,4-Dichlorophenoxyacetate Sodium Salt Monohydrate INERT INGREDIENTS:	0.3 % 99.008%
Total	100.000%
*Arsenic as elemental, all in water soluble form **Equivalent to 2,4-D Dichlorophenoxyacetic Acid	0.3 % 0.24 %
CAUTION: KEEP OUT OF REACH OF CHILDREN	4.

NET CONTENTS 1/2 GALLON LIQUID

READ OTHER CAUTIONS ON BACK PANEL BEFORE USING.

237

CAUTION

- 1. Harmful: if swallowed. Avoid contact with skin. Avoid breathing dust or spray mist. Wash hands after using. Avoid storage near food and feed products. Keep away from children and domestic animals.
- 2. Do not reseed treated spots for at least two weeks after treatment. Bent grass, clovers and fescues may be injured in treated spots. Flowers, shrubs and vegetable crops should be protected from spray drift. Do not store near seeds, fertilizers, insecticides or fungicides. Do not use New Farmingdale Aim & Spray Weed Killer for other purposes. If taken internally, induce vomiting and call physician at once.

USDA Reg. No. 5605-68

Manufactured for


FARMINGDALE GARDEN LABS., INC.

136 Verdi Street, Farmingdale, New York

G164/

ACCEPTED WITH COMMENTS


Turn adjustable nozzle (to open) by rotating to deliver a coarse, wet spray, or jet stream. Coarse sprays are less likely to drift. Stand as close to weed as possible. No need to stoop or squat with jet stream spray. Aim nozzle at weed. Do not drench weeds--a light application to wet the crown of the weeds is sufficient. When treating weedy grasses, a second application should be made after five to seven days Apply when weeds are young and growing vigorously After application, you may notice that, for a short period, the sprayed weeds may flourish. Hormonelike chemicals in this product causes the weed to grow so fast that the whole plant, including the root, dies. Do not discard this bottle. Refill concentrate is available from your dealer





NEW! Aim and Spra Dandelion K

NET CONTENTS & GALLON LIQUID





.

(umment c







ACTIVE INGREDIENTS:

"Anhydrous disodium methanearsonate 0.692%,

"2.4-Dichlorophenoxyacetate Sodium Salt Monohydrate 0.3 % 99 008% INERT INGREDIENTS:

Total 100 000%

"Arsonic as elemental, all in water soluble form 0.3 % 0.24 %

*Arsonic as elemental, all in water soluble form **Equivalent to 2,4-D Dichlorophenoxyacetic Acid

CAUTION: KEEP OUT OF REACH OF CHILDREN. READ OTHER CAUTIONS ON BACK PANEL BEFORE USING

NET CONTENTS 1/2 GALLON LIQUID

CAUTION

Harmful if swallowed. Avoid contact with skin Avoid breathing dust or spray mist. Wash hands after using Avoid storage near food and feed products. Keep away from children and domestic animals

Do not reseed treated spots for at least two weeks after treatment. Bent grass, clovers and fescues may be injured in treated spots. Flowers, shrubs and vegetable crops should be protected from spray drift. Do not store near seeds, fertilizers, insecticides or fungicides. Do not use New Farm ingdale Aim & Spray Weed Killer for other pur poses if taken internally, induce vomiting and call physician at once

USDA Reg No. 5605-68

Manufactured for

FARMINGDALE GARDEN LABS, INC. 136 Verui Street, Farmingdale, New York