

PLEASE FOLLOW DIRECTIONS CAREFULLY
WHEN TO SPRAY: Most lawn weeds, such as dandelion, plantain and chickweed, can be sprayed for control any time they are growing. A heavy spring summer rain. Proper fertilization after heavy weeding will thicken turf and prevent reinfestation.

Spray when the air is calm, or from dawn to mid-morning or evening to avoid spray drift which can injure desirable plants.

SAFE ON TURF GRASSES: Most lawn grasses, including blue grasses, fescues, Bermudagrass, Zoysia, etc., will be injured by a proper application of this weed killer. St. Augustine grass, however, will be injured. Use only the rate recommended here. Do not spray newly seeded lawns until they have been mowed at least twice. Lawns can be sprayed three weeks after spraying if there has been a drought or after watering.

Do not use on flowers, vegetable or ornamental plantings.

AMOUNTS TO USE: See directions to be treated. Apply one ounce of Lawn Weed Killer in one gallon of water for each 300 sq. ft. of lawn. For larger areas, use 1 pint for each 600 sq. ft. For larger areas, use 1 quart for each 1200 sq. ft. Rate of use of Farmingdale Lawn Weed Killer is 10.1 fl. oz. with water to 1 gallon. Silver content is 2400 sq. ft. of lawn.

FOR STUMP KILLING: Use one quart of this product or kerosene and 100 lbs. of 10-0-10 or 16-0-16 on the stump to be killed.

POISON IVY CONTROL: Apply this product to the leaves of the plant. Thoroughly wet all leaves and stems with a drenching spray.

Do not use same mixture for the second or third application. When a mixture is used, it should be stirred again before using. It should be stirred again.



CONTAINS SILVEX

2,4-D PLUS 2,4,5-TP*
LAWN WEED & DANDELION KILLER

• KILLS POISON IVY • KILLS TREE STUMPS
 KILLS Dandelion, Chickweed, Clover
 Plantain and many Broadleaf Weeds

NET CONTENTS 1 PINT LIQUID **168**
 TREATS 4800 SQUARE FEET

WARNING: KEEP OUT OF REACH OF CHILDREN.
 READ OTHER WARNINGS ON SIDE PANEL.

ACTIVE INGREDIENTS	
Isopropyl Ester of 2,4-Dichlorophenoxyacetic Acid	15.0%
Equivalent to 2,4-Dichlorophenoxyacetic Acid	
Isopropyl Ester of 2,4,5-Trichlorophenoxyacetic Acid	7.0%
Equivalent to 2,4,5-Trichlorophenoxyacetic Acid	
NET WT. RESIDUE	17.7%
	100.0%

WARNING: Avoid contact with susceptible plants as this product may injure ornamental shrubs, trees, flowers and vegetables, etc. (Coarse sprays are less likely to drift). Do not use the same type of equipment for other purposes. Do not store near fertilizers, seeds, insecticides, or fungicides. Under very high temperature of use, vapors from this product may injure susceptible plants in the immediate vicinity. Do not contaminate water used for irrigation purposes. Avoid contact with skin, eyes or clothing. Do not use in a greenhouse. Keep out of reach of children.

KEEP CONTAINER CLOSED
 STORE AWAY FROM HEAT
 AND OPEN FLAME

Manufactured For
FARMINGDALE GARDEN LABORATORIES, INC.
 158 VERDI STREET, FARMINGDALE, N. Y.
 U. S. PAT. REG. NO. 5805-88

RECEIVED
 11/1/68
 11/1/68