

FARMINGDALE GARDEN LABS., INC.  
136 Verdi Street  
Farmingdale, N.Y. 11735

2-8-68

FARMINGDALE SYSTEMIC GRANULES (continued)


<u>FLOWERS</u>	<u>CONTROLS</u>	<u>AMOUNT TO USE</u>
Ageratum	Aphids	<u>Before Plantings:</u> Apply 16 oz. per 100 sq.ft. (5x20) and work into soil. Sow seed or set plants in normal manner and water thoroughly.
Calendula	Lace Bug	<u>GROWING Plants:</u> For individual plants: Apply 1 level teaspoonful around base of plant, work into soil and water thoroughly.
Carnation	Leafhoppers	<u>Flowers in Row:</u> Apply 1 rounded teaspoonful per ft. of row in a narrow band near base of plants. Work into top soil and water thoroughly. Repeat application at 4-6 week intervals if insects reappear.
Chrysanthemum	Spider Mites	<u>Potted Plants:</u> Apply one level teaspoon per 6 inch pot. Mix thoroughly into top soil and drench with water.
Delphinium	Thrips	
Petunia & others	Whiteflies	

<u>SHRUBS</u>	<u>CONTROLS</u>	<u>AMOUNT TO USE</u>
Azalea	Aphids	Shrubs 1-3 ft. tall, 1 oz. per ft. of ht.
Birch	Birch Leaf Miner	3-6 ft. tall, 2 oz. per ft. of ht.
Camellia	Lace Bug	6-12 ft. tall, 3 oz. per ft. of ht.
Euonymus	Leafhoppers	Apply granules uniformly over the area under the shrub canopy, work into soil and water thoroughly. Repeat application at 4-6 week intervals, if required.
Moraine Locust	Mimosa Webworm	
Pine	Spider Mites	
Rhododendron	Pine Tip Moth	
Roses	Thrips	
Yew & Other shrubs	Whiteflies	

<u>FOR TOMATOES</u>	<u>CONTROLS</u>	<u>AMOUNT TO USE</u>
	Aphids	<u>In the Seed Furrow:</u> Apply 5-8 oz. per 50 ft. of row in the furrow with seed.
	Flea Beetles	<u>In the Transplant Hole:</u> Apply 1 rounded teaspoonful per plant in the transplant hole. Mix granules with soil in hole prior to setting plant.
	Leafhoppers	
	Leaf Miners	
	Mites	


<sup>r</sup>Di-Syston is a registered trademark of Farbenfabriken Bayer A.G., Chemagro Corp. licensee.

MFG FOR: FARMINGDALE GARDEN LABS., INC. FARMINGDALE, NEW YORK



FARMINGDALE GARDEN LABS., INC.  
136 Verdi Street  
Farmingdale, N.Y. 11735

2-8-68



FARMINGDALE SYSTEMIC GRANULES

Kills: certain insects on Roses, Shrubs, Flowers, Tomatoes  
Contains Di-Syston

ACTIVE INGREDIENT:

O,O-Diethyl S-(2-(ethyl) phosphorodithioate\* . . . . . 2%  
INERT INGREDIENTS . . . . . 98%  
100%

\*U.S. Patent No. 2759010-Canadian Patent No. 518967  
effective for purposes claimed

NET WEIGHT ONE POUND

CAUTION: KEEP OUT OF REACH OF CHILDREN AND PETS. SEE BACK PANEL FOR  
ADDITIONAL CAUTIONS

Back Panel:

HOW INSECTS ARE KILLED

Protects plants, such as roses, chrysanthemums, azaleas, pyracantha, spirea, birch, and other flowers and shrubs from damage by aphids, spider mites, thrips, leaf miners, whiteflies, lace bugs, leafhoppers, and certain other pests. FARMINGDALE SYSTEMIC GRANULES enter a plant through its roots (systemic action) and then moves to all parts of the plant through natural growth and sap flow. Working for inside of the plant, it kills sucking insects that feed on the plant.

HOW TO USE

Apply the ready-to-use granules uniformly according to recommended applications to the soil around the base of the plant. Mix the granules into the top soil, then water. The chemical, released from the granules, will leach into the root zone and be absorbed into the plant. The granules can also be scattered over planting beds and mixed into the top soil before sowing seed or setting bulbs or transplants. Additional applications of FARMINGDALE SYSTEMIC GRANULES can be made as needed to maintain insect control after the plants start to grow.

CAUTION

Use this product only in accordance with label directions. Do not re-use container for any purpose. Dispose of empty container. FARMINGDALE SYSTEMIC GRANULES is poisonous. Poisoning may occur as a result of exposure. May be fatal if swallowed, inhaled or absorbed through the skin. Avoid contact with skin, eyes, and clothing. Do not breathe dust. Do not contaminate feed or food. Keep out of reach of children. Keep children and pets away from treated area until product is worked and watered into soil and treated area is completely dry. Highly toxic to fish and wildlife. Do not contaminate fish ponds. Birds feeding in treated areas may be harmed. Wash hands thoroughly after handling. ANTIDOTE: Atropine sulfate and/or 2-PAM

RESTRICTION

Do not apply broadcast applications to lawns.

NOTICE

Follow directions carefully. Timing and method of application, weather and crop conditions, mixtures with other chemicals not specifically recommended, and other influencing factors in the use of this product are beyond the control of the seller. Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

USDA REG.NO. 5605-