

[5605-117]

FARMINGDALE GARDEN LABS., INC.
136 Verdi Street
Farmingdale, New York 11735

November 12, 1971

Farmingdale Aim and Spray Insecticide

U.S.D.A. No.
5605-117




ACTIVE INGREDIENTS:

pyrethrins	0.02%
*piperonyl butoxide, technical	0.02%
petroleum distillate	0.08%
	99.88%
	100.00%


*Consists of 0.016% (butylcarbityl) (6-propylpiperonyl) ether and 0.004% related compounds.

CAUTION: KEEP OUT OF REACH OF CHILDREN
DO NOT USE IN CATTLE OR HORSE STABLES

NET CONTENTS: 2 QTS. LIQUID



DIRECTIONS



FARMINGDALE AIM & SPRAY INSECTICIDE

For Insect Control on: Cabbages, Vegetables, Flowering Plants.

DIRECTIONS: Turn adjustable nozzle by rotating to deliver a fine mist, coarse spray, or jet stream.

A fine mist spray gives best insect control on plants. Begin early — Make first application when insects first appear. Fog with a slow sweeping motion to cover upper and lower leaf surfaces and stems. For dense growth, spray from both sides. Reapply immediately after rain.

For best results, spray early in the morning or evening when air is still.

Regular light sprayings are better than single heavy treatments. Repeat as necessary, generally at 7-day intervals. Stop use 1 day before harvest. Do not spray when temperature exceeds 90° F.

Spray **BEANS** for the control of Aphids, Leafhoppers, White Fly, Mexican Bean Beetle, 12-Spotted Cucumber Beetle.

Spray **BROCCOLI, CABBAGE, BRUSSELS SPROUTS,** and

Cross-striped Cabbageworm, Diamondback Moth Larvae, Flea Beetle, and Imported Cabbageworm.

Spray **LETTUCE** for the control of Cabbage Looper, Green Peach Aphid, Diamondback Moth Larvae, and Imported Cabbageworm.

Spray **PEPPERS** for the control of Green Peach Aphids.

Spray **RADISH** for the control of Aphids and Flea Beetles.

Spray **TOMATOES** for the control of Green Peach Aphids, Colorado Potato Beetles, and Flea Beetles.

Spray **ROSES and ORNAMENTALS** — Azaleas, Chrysanthemums, Asters, Marigolds, Petunias, Nasturtiums, Gladiolas, Salvia, Dahlias, Delphiniums, Iris, Snapdragons, and other flowering plants, evergreens and deciduous shrubs and vines for the control of the following insects: Aphids, Spider Mites, Thrips, White Flies, Rose Chalcids, Climbing Cutworms, Leafhopper Nymphs, Japanese Beetles, Lace Bugs, and Lygus Bugs.

CAUTION: KEEP OUT OF REACH OF CHILDREN

This product is toxic to fish.

Do not contaminate water by cleaning of equipment, or disposal of wastes.

Stop use 1 day before harvest. Keep from freezing.

Do not spray when temperature exceeds 90° F.

MANUFACTURED BY
FARMINGDALE GARDEN LABS., INC.
136 Verdi Street, Farmingdale, New York 11735


[5605-117]

FARMINGDALE GARDEN PRODUCTS, INC.
136 Verdi Street
Farminvale, New York 11 30

November 17, 1971

Farmingdale Aim and Spray Insecticide

U.S.D.A. No.
5605-117




AIM AND SPRAY INSECTICIDE

For Roses & Flowers
Tomatoes & Vegetables

pyrethrins	0.02%
*piperonyl butoxide, technical	0.02%
petroleum distillate	0.08%
	99.88%
	100.00%

*Consists of 0.016% (butylcarbityl) (6-propylpiperonyl) ether and 0.004% related compounds.



NET CONTENTS: 2 QTS. LIQUID



FARMINGDALE AIM & SPRAY INSECTICIDE

DIRECTIONS: Turn adjustable nozzle by rotating to deliver a fine mist-coarse spray or jet stream.

A fine mist spray gives best results on most plants. Begin early. Make first application when insects first appear. Fog with a slow sweeping motion to cover upper and lower leaf surfaces and stems. For dense growth spray from both sides. Reapply as needed after rain.

For best results spray in the morning or evening when air is still.

Regular light sprayings are better than single heavy treatments. Repeat as necessary, generally at 7 day intervals. Stop use 1 day before harvest. Do not spray when temperature exceeds 90°F.

Spray **BEANS** for the control of Aphids, Leafhoppers, White Fly, Mexican Bean Beetle, 12 Spotted Cucumber Beetle.

Cross striped Cabbageworm, Diamondback Moth, Cabbage Root Fly, and Imported Cabbageworm.

Spray **LETTUCE** for the control of Cabbage Looper, Cabbage Root Aphid, Diamondback Moth, Leafminer, and Imported Cabbageworm.

Spray **PEPPERS** for the control of Aphids, Beet Beetles, and Aphids.

Spray **RADISH** for the control of Aphids and Flea Beetles.

Spray **TOMATOES** for the control of Aphids, Flea Beetles, and Colorado Potato Beetle.

Spray **ROSES** for the control of Aphids, Beet Beetles, and Flea Beetles.

Spray **WINTER GARDENS** for the control of Aphids, Beet Beetles, and Flea Beetles.

Spray **WINTER GARDENS** for the control of Aphids, Beet Beetles, and Flea Beetles.

Spray **WINTER GARDENS** for the control of Aphids, Beet Beetles, and Flea Beetles.

Spray **WINTER GARDENS** for the control of Aphids, Beet Beetles, and Flea Beetles.

Spray **WINTER GARDENS** for the control of Aphids, Beet Beetles, and Flea Beetles.

Spray **WINTER GARDENS** for the control of Aphids, Beet Beetles, and Flea Beetles.

Spray **WINTER GARDENS** for the control of Aphids, Beet Beetles, and Flea Beetles.

Spray **WINTER GARDENS** for the control of Aphids, Beet Beetles, and Flea Beetles.

Spray **WINTER GARDENS** for the control of Aphids, Beet Beetles, and Flea Beetles.