

Rate Chart For Applying Diszinen®

NOT FOR USE IN THE HOME

Crusses B

Bluegrass,
Merion, Foscuo
Dichondra, Bent
Bermuda

Chinch Bugs*,
Sod Webworms.
Rormuda Miles.
Ants. Ticks.
Earwigs

2 tbsps. (1 fi
in 3 gals. of
covers 125 sq
8 fl. oz. in 24
of water covers
1 000 sq. ft.

Rate and Area Covered

2 tbsps. (1 fi. oz.)
in 3 gals. of water
covers 125 sq. ft.,
8 fi. oz. in 24 gals.
of water covers
1,000 sq. ft.

Thoroughly wet
down grass a few
hours before
applying.
In the north, if
Chinch Bugs are the
only insect problem,
a lower rate of
application can be
used: 2 tbsps. in
3 gals. of water

DIAZINON° INSECT SPRAY

covers up to 2000 sq. ft.

O, O-diethyl O-(2-isopropyl-6 m phosphorothicate		25%
Aromatic Petroleum Derivative S INERT INGREDIENTS	iolvent	57%
	TOTAL	00%

Warning: Keep out of reach of children.
SEE SIDE PANEL FOR WARNINGS

Net Contents: 1 Pint Liquid

		1,000 sq. ft.	only insect problem, a lower rate of application can be used: 2 tbsps. in 3 gals. of water covers 250 sq. ft.
Roses & Flowers: Roses, Azalogs, Chrysonthemums, Gladioli, Carnations	Aphids, Mites, Leathoppers, Thrips	2 tbsps. (1 fl. oz.) per 3 gals. of water. Apply as a thorough foliar spray.	Spray underside of leaves. Wet plants to the dripping point.
Trees & Shrubs: Qok, Maple, Lacust Holly, Roxwood, Pine, Spruce, Willow	Aphids, Mites, Scale Crawlers, Leaf Miners, Bayworms	2 tbsps. (1 fl. oz.) per 3 gals of water. Apply as a thorough foliar spray.	Wet leaves and branches to the dripping point. Try to penetrate dense foliage.
Nuisance Pets In Outside Areass Outdaor	Flies, Ants, Cockroaches. Boxelder Bugs, Clover Mites, Spiders, Ticks, Chiggers, Earwigs	Apply 8 fl. oz. per 3 gals. of water.	Thoroughly spray window frames, doors, sills, screens, porch and patio walls and ceilings, foundations, walks, garbage cans, and into cracks and other places where insects may hide. Do not treat plants or animals with this dosage rate.

(Note: Do not use on certain ferns, poinsettia, hibiscus, papaya, pilan as aardenia, and orchids since injury may occur.)

CAUTION: COMBUSTIBLE MIXTURE

WARNING: Keep out of reach of children. May be faral if swallowed. May be absorbed through skin. Do not breathe spray mist. Avoid contact with skin, eyes, c.id clothing. Wash thoroughly after handling. Avoid contamination of feed and foodstuffs. Do not use an household pets or humans. Do not permit children ar pets to go onto the sprayed grass until the spray has findiciple.

WHOER TO WHOER TO SERVICE ACT OF ACT

Do not rouse empty container. Destroy it by perforating or crushing. Bury or discard in a safe place.

This product is toxic to fish, wildlife and birds. Keep out of any body of water. Do not contaminate water by cleaning of equipment or disposal of wastes. Keep out of lakes, streams and ponds.

DIAZINON® LAWN & GARDEN INSECT CONTROL: Kills certain outdoor insects which destroy lawns, roses, flowers, trees, and shrubs or annoy pets and people. Contains Diazinon® insecticide which provides positive control of many "hard-to-kill" sucking and chewing insects. Works fast and remains effective for an extended period of time.

HOW TO MIX AND APPLY: for lawns, measure the area to be sprayed. For all other applications apply as a thorough cover spray. Make applications when insects first appear, or in advance of an expected infestation. Repeat applications as needed or as noted in rate chart. SPRAY AS DIRECTED IN RAT3 CHART: Use coarse drenching sprays for lawns, soils, and other surface applications. Use medium-fine mist sprays for trees and plants. Thorough coverage is important. Flush sprayer with clean water after each use.

E.P.A. Reg. No. 5605-125 U.S. Patent No. 2,754,243

000

MANUFACTURED FOR

FARMINGDALE GARDEN LABS. INC.