

ESTIMATING POOL CAPACITY

RECTANGULAR — Capacity in gallons equals length x width x average depth (in feet) x 7.5

ROUND — Capacity in gallons equals diameter x diameter x average depth (in feet) x 5.878

DANGER: Fatal or Harmful if Swallowed. Strong Oxidant. May produce severe chemical burns. Fire may result from contact with heat, acids, organic or combustible matter. Do not get on skin or in eyes. In case of skin and eye contact, flush with plenty of water. If skin irritation persists, get medical attention.

ANTIDOTE: External — Wash thoroughly with water. For eyes, get prompt medical attention. Internal — Give milk, water, or egg whites. Call physician immediately. Not for use or storage in or around the home environment.

This product is toxic to fish. Treated effluent should not be discharged into lakes, streams, ponds, or public water.

Do not reuse empty container. Destroy it by burying it with waste or burning. Stay away from smoke or fumes.

Keep cover closed when not in use. Use a CLEAN DRY scoop made of metal, ceramic, plastic or glass.

Keep away from heat, fire, combustible or other foreign materials. Do not repackage. Never mix with other materials or use in dry form except in accordance with label directions. Avoid contact with skin and eyes. Dispose of spilled Chlorine Crystals by immediate flushing with water. Store in the original container in a cool, dry place out of reach of CHILDREN.

*Some of the foreign materials which could cause fire are: oils, grease, paints, thinners, solvents, cosmetics, sun-tan lotions and creams, sugars, beverages, fertilizers, blood sours, dead vegetation.

Made for FARMINGDALE GARDEN LABORATORIES, INC.
136 Verd Street, Farmingdale, N. Y. 11735

POOL-CARE PRODUCTS

DANGER

KEEP OUT OF REACH OF CHILDREN
Read All Directions and Cautions Before Using

POISON



POOL SHOCK TREATMENT



ACTIVE INGREDIENTS:

Calcium Hypochlorite 70%

INERT INGREDIENTS 30%

100%

Available Chlorine 70%

SEE ANTIDOTE STATEMENT AND
OTHER WARNINGS ON SIDE PANEL

NET WT. 2 LBS.

544

E.P.A. REG. NO. 5605-127

**SWIMMING POOL
GERMICIDE - ALGAECIDE - DEODORANT**



5605-127

1. R
2. A
of a te
3. S
the dee
gallons
p.p.m.
4 ft. o
reach b
brush f
prevent
4. J
sity of
builds
conditio
hours. I
your de
dosages
p.p.m.
5. F
drops
test kit
ounces
as dete
chlorine
pool w
The
urgent
followin
• GRE
• VISA
• WA
• TRE
• PERI
AND

POOL-CARE PRODUCTS

KEEP OUT OF REACH OF CHILDREN
Read All Directions and Cautions Before Using

POISON



POOL SHOCK TREATMENT

ACTIVE INGREDIENTS:

| | |
|----------------------|------|
| Calcium Hypochlorite | 70% |
| INERT INGREDIENTS | 30% |
| | 100% |

Available Chlorine 70%

SEE ANTIDOTE STATEMENT AND
OTHER WARNINGS ON SIDE PANEL

NET WT. 2 LBS.

E.P.A. REG. NO. 5605-127

**SWIMMING POOL
BACTERICIDE - ALGAECIDE - DEODORANT**

544



DIRECTIONS

Not for use or storage in or around
the home environment.

1. Remove any foreign debris in the water.
2. Adjust pool water to pH of 7.2 to 7.6 with the use of a test kit.
3. Start filter and sprinkle POOL SHOCK TREATMENT in the deepest part of the pool at the rate of 1 lb. per 7000 gallons of water which will provide approximately 10 p.p.m. chlorine. Note: if the deepest end of your pool is 4 ft. or less, it is possible for some of the granules to reach bottom before completely dissolved. If this happens, brush the floor lightly in the area where you sprinkle to prevent possible bleaching of the liner or painted surface.
4. Allow filter to run continuously and watch for necessity of backwashing filter in the event the dead algae, etc. builds up in the filter. Repeat dosage on second day if condition is not corrected during the first twenty four (24) hours. If there is no improvement on the third day, consult your dealer for additional advice. Resume regular chlorine dosages when chlorine residual reads approximately 1 p.p.m. on your test kit.
5. Pool should remain unused until the chlorine residual drops to the proper level as shown on your chlorine test kit. Thereafter for regular chlorine dosages, add two ounces per 10,000 gallons of water daily, or as needed, as determined by the use of a chlorine test kit. Maintain a chlorine residual of 0.6 to 1.0 p.p.m. at all times. Test pool water frequently.

The purpose of POOL SHOCK TREATMENT is to provide urgent and immediate treatment of pool water when the following conditions exist:

- GREEN COLORED WATER DUE TO ALGAE
- VISIBLE ALGAE CLINGING TO FLOOR AND SIDES
- WATER WITH CLOUDY CONDITION
- TREATMENT OF PREVIOUS SEASON'S WATER
- PERIODIC SHOCK TREATMENT AS REGULAR MAINTENANCE.

5605-127