PLEASE FOLLOW DIRECTIONS CAREFULLY

WHEN TO SPRAY: Most lawn weeds, such as dandelion, plantain and chickweed can be sprayed successfully any time they are growing actively, spring, summer or fall. Proper fertilization after chemical weed control thickens turf and prevents reinfestation.

Spray when the air is still, on a calm day, early morning or evening to avoid spray drift which can damage desirable plants.

SAFE ON TURF GRASSES: Most lawn grasses, including is luegrasses, fescues, Bermudas, and Zoysias will not be injured by proper application. To control weeds in bentgrass, St. Augustine grass or newly seeded lawns, use half the rate recommended below. Delay treating newly seeded lawns until they have been mowed at least twice. Lawns can be reseeded three weeks after spraying if there has been a good rain or deep watering.

AND RODENT

FINGICIDE

May cause injury to bentgrass, St. Augustine grass, dichondra, and carpet grass.

Do not use in flower, vegetable or ornamental plantings.

AMOUNTS 10 USE: Measure off area to be treated. Apply one ounce of Lawn Weed Killer in a gallon of water for each 300 sq. ft. of lawn. Use a watering can. For larger areas, use Farmingdale Lawn Sprayer. Place 8 ozs. of Farmingdale Lawn Weed Killer in jar, fill with water to 8 gal. mark. Spray contents on 2400 sq. ft. of lawn. Repeat if necessary.

FOR STUMP KILLING: Use one pint in one quart of diesel oil or kerosene and apply spray to all areas of the stump to prevent new growth.

POISON IVY CONTROL: Apply 8 oz. in 21/2 gallons of water. Thoroughly wet all leaves and stems with a drenching spray.

Do not use same sprayer for other weed killing purposes. When diluting, mix thoroughly before using. If mixture is allowed to stand for any length of time before using, it should be stirred again.



CONTAINS SILVEX*

LAWN WEED & DANDELION KILLER

FORMULA C

• KILLS POISON IVY • KILLS TREE STUMPS

KILLS: Dandelion, Chickweed, Clover, Plantain and many Broadleaf Weeds.

WARNING: Keep Out of Reach of Children.
READ OTHER WARNINGS ON SIDE P '...

ACTIV Bute D

Butoxy

INERT

WARN Do ne childre SUSCOP shrubs sprays spray fortiliz very h may it Do no tic pu Do no KEEP AND This p or po

E.P.A.

equipm

only o

NET

ndeilon, possfully poser or control

, early ich can

ncluding will not reeds in lawns, treating wed at ks after or deep

e grass,

I plant-

treated.
plion of
watering
Sprayer.
in jar,
ents on

quart of

illons of with a

ing pur-) using, of time



CONTAINS SILVEX*

LAWN WEED & DANDELION KILLER

FORMULA C

• KILLS POISON IVY • KILLS TREE STUMPS

KILLS: Dandelion, Chickweed, Clover, Plantain and many Broadleaf Weeds.

WARNING: Keep Out of Reach of Children.

READ OTHER WARNINGS ON SIDE P

ACTIVE INGREDIENTS:

| Butoxy propyl Ester of 2,4- Dichlorophenoxyacetic Acid | 14 5% |
|--|-------|
| (Equivalent to 10.0% | |
| 2,4-Dichlorophenoxyacetic Acid) | |
| Butoxy propyl esters of Silvex 2-(2,4,5- | |
| Trichlorophenoxy Propionic Acid) | 8.2% |
| 2-(2,4,5-Trichlorophenoxyl Propionic Acid) | |
| INERT INGREDIENTS: | 75.3% |
| • | |

WARNING: Avoid contact with skin, eyes or clothing. Do not use in a greenhouse. Keep out of reach of children. Harmful if swallowed. Avoid spray drift to susceptible plants as this product may injure ornamental shrubs, trees, flowers and vegetables, etc. (Coarse sprays are less likely to drift.) Do not use the same spray equipment for other purposes. Do not store near fertilizers, seeds, insecticides, or fungicides. Under very high temperature of use, vapors from this product may injure susceptible plants in the immediate vicinity.

Do not contaminate water used for irrigation or domestic purposes.

Do not reuse container. Destroy when empty.

KEEP CONTAINER CLOSED. STORE AWAY FROM HEAT AND OPEN FLAME.

This product is toxic to fish. Keep out of lakes, streams, or pends. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

NET CONTENTS 1 QUART LIQUID

NET CONTENTS 1 QUART LIQUID
TREATS 9600 SQUARE FEET

Manufactured For

Farmingdale Garden Laboratories, Inc.

136 Verdi Street, Farmingdale, L.I., N.Y. 11735

E.P.A. Est. No. 5605-NY-1 E.P.A. Reg. No. 5605-142

SAN