

1430-201
CAMP
CONCENTRATED
PYRETHRUM COMPOUND

NON-STAINING


ESPECIALLY MADE
FOR ELECTRICAL
FOGGING
EQUIPMENT

Also good for
hand sprayers

CAUTION: Combustible Mixture
Do not spray near open flame
N.Y.C. Fire Dept. Permit No. B 110417

Do not spray directly on food or cooking
utensils. Harmful if swallowed. Keep out
of reach of children. Remove pets, birds
and fish bowls before spraying.

Net Contents: 1 Gallon



CAMP
REG. U.S. AND CANADIAN PAT. OFFICE

CONCENTRATED
Pyrethrum Com

ACTIVE INGREDIENTS: 100%

CONSISTING OF: Petroleum Distillates

N-octyl-Bicycloheptene Bicarb

Technical Piperonyl Butoxide

Pyrethrins

****MGK 264 Insecticide Synergist U.S. Pat. No. 2**

***Consists of (Butylcarbityl) (6-Propylpiperonyl) and**
Related Compounds.

KILLS: Flying and crawling insects, including flies, n
bed bugs, gnats, grain and flour beetles,
silverfish, spiders, wasps and weevils.

This formulation is especially designed for use in
restaurants, institutions, food storage warehouses,
packing plants, and the like, with electric mist sprayers.

HARMFUL IF SWALLOWED

CAUTION: KEEP OUT OF REACH OF CHILDREN

USDA Reg. No. 1430-20

SEE SIDE PANEL FOR ADDITIONAL CAUTIONS

5605-185

MANUFACTURED BY

CAMP CHEMICAL CO.,

Brooklyn, New York 11215

1430-20

CAMP
CONCENTRATED
PYRETHRUM COMPOUND

NON-STAINING


ESPECIALLY MADE
FOR ELECTRICAL
FOGGING
EQUIPMENT

Also good for
hand sprayers

CAUTION: Combustible Mixture
Do not spray near open flame
N.Y.C. Fire Dept. Permit No. B110417

Do not spray directly on food or cooking
utensils. Harmful if swallowed. Keep out
of reach of children. Remove pets, birds
and fish bowls before spraying.

Net Contents: 1 Gallon



CAMP
REG. U.S. AND CANADIAN PAT. OFFICE

CONCENTRATED
Pyrethrum Compound

ACTIVE INGREDIENTS: 100%

CONSISTING OF: Petroleum Distillates

N-octyl-Bicycloheptene Bicarboximide**

Technical Piperonyl Butoxide*

Pyrethrins

**MGK 264 Insecticide Synergist U.S. Pat. No. 2,476,512

*Consists of (Butylcarbityl) (6-Propylpiperonyl) Ether and other
Related Compounds.

KILLS: Flying and crawling insects including flies, mosquitoes, ants,
bed bugs, gnats, grain and flour beetles, moths, roaches,
silverfish, spiders, wasps and weevils.

This formulation is especially designed for use in camps, hotels,
restaurants, institutions, food storage warehouses, flour mills, meat
packing plants, and the like, with electric mist spray equipment.

HARMFUL IF SWALLOWED

CAUTION: KEEP OUT OF REACH OF CHILDREN

USDA Reg. No. 1430-20

SEE SIDE PANEL FOR ADDITIONAL CAUTIONS

5605-185

MANUFACTURED BY

CAMP CHEMICAL CO., INC.

Brooklyn, New York 11215

43

CO
PYRETI

EA

FA

Used

more

prohi

kitchens

For Be

Clos

window

Net Co

CAMP
REG. U.S. AND CANADIAN PAT. OFFICE

CONCENTRATED Pyrethrum Compound

ACTIVE INGREDIENTS: 100%

CONSISTING OF: Petroleum Distillates

N-octyl-Bicycloheptene Bicarboximide²⁴

Technical Piperonyl Butoxide²⁴

Pyrethrins

EPA Reg. No. 264 Insecticide Synergist U.S. Pat. No. 2,476,512

Consists of (Butylcarbityl) (6-Propylpiperonyl) Ether and other
related Compounds.

For: Flying and crawling insects including flies, mosquitoes, ants,
bed bugs, gnats, grain and flour beetles, moths, roaches,
silverfish, spiders, wasps and weevils.

This formulation is especially designed for use in camps, hotels,
restaurants, institutions, food storage warehouses, flour mills, meat
processing plants, and the like, with electric mist spray equipment.

HARMFUL IF SWALLOWED

CAUTION: KEEP OUT OF REACH OF CHILDREN

USDA Reg. No. 1430-20

SEE SIDE PANEL FOR ADDITIONAL CAUTIONS

5605-185

MANUFACTURED BY

CAMP CHEMICAL CO., INC.

Brooklyn, New York 11215

43

CAMP CONCENTRATED PYRETHRUM COMPOUND

EASY TO USE

FAST ACTING

Used in areas where
more toxic sprays are
prohibited, namely:
kitchens, bakeries, dining
rooms,

For Better Operation:

Close doors and
windows, then spray.

5605-185

Net Contents: 1 Gallon

CAMP CONCENTRATED PYRETHRUM COMPOUND

EASY TO USE

FAST ACTING

**Used in areas where
more toxic sprays are
prohibited, namely:
kitchens, bakeries, dining
rooms,**

For Better Operation:

**Close doors and
windows, then spray.**

**5605-185
Net Contents: 1 Gallon**

CONCENTRATED PYRETHRUM COMPOUND

DIRECTIONS: For control of flying insects as flies, mosquitoes, gnats, wasps and adult moths. Close all windows and stop all ventilation. Set machine to deliver mist in as fine a particle size as possible. For the average room (2000 cu. ft.) 10 x 10 x 20 can be treated in 30 seconds. Keep area closed for a minimum of 20 minutes after mist has been applied. Sweep up and destroy fallen insects. Repeat treatment every night.

For control of crawling insects such as, roaches, silverfish, ants, spiders, exposed stages of weevils, flour and grain beetles. Set equipment to deliver coarse spray. The spray should be directed at baseboards and into all cracks and crevices which are found behind switch boxes, under skids, behind sinks, at door and window casings, in double wall partitions, around scales and conduits. Should be applied so that it penetrates into these areas. Spray should be applied to point of runoff for control of these insects.

If ant control is also desired, be sure that door and window casings are thoroughly sprayed and that all trail ways and nests near the building being treated are also sprayed. Check the building's foundation for cracks, spraying these cracks and patching them where possible.

If aerosol space treatment for exposed crawling insects is desired, set machine for fine mist, spraying for about 60 seconds for average room of 10 x 10 x 20 (2000 cubic feet). It is generally preferable, however, to use a coarse spray as described above. Repeat treatment for crawling insects as necessary.

For Control of Bedbugs: Spray mattress, bedstead, corners and all cracks and crevices in the room. Use coarse spray. Repeat as needed.

PACKED IN 1—5—15—30 and 55 GALLON SIZES.

After spraying in meat packing plants, bakeries and other food processing plants, wash with potable water all equipment, benches, shelving, etc., where exposed food will be handled.

Do not apply where food processing is underway.

Prepared by Distribution
in Principal Cities in U. S. and Canada

Printed in U. S. A. **5605-185**