

US ENVIRONMENTAL PROTECTION AGENCY
OFFICE OF PESTICIDES PROGRAMS
REGISTRATION DIVISION (TS-767)
WASHINGTON, DC 20460

EPA REGISTRATION NO.
5625-1

DATE OF ISSUANCE

TERM OF ISSUANCE

APR 05 1993

NOTICE OF PESTICIDE: REGISTRATION
 REREGISTRATION
(Under the Federal Insecticide, Fungicide,
and Rodenticide Act, as amended)

NAME OF PESTICIDE PRODUCT
Tempo Marine Outboard-Outdrive
Clear Anti-Fouling Paint
No. 6993

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

Tempo Products Company
6200 Cochran Road
Solon, OH 44139

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

1. Submit/cite all data required for registration/reregistration of your product under FIFRA section 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of your product under FIFRA section 4.

At present, the data requirements specified in the following documents are among the data requirements applicable to your registration, and for which you are required to select satisfactory methods of compliance and to inform the Agency of such selection and to comply with all deadlines on a schedule consistent with that required of other registrants of similar products as required by FIFRA section 3(c)(7)(A).

This registration is subject to the Data Call-In requirements including, but not limited to, those specified in the January 31, 1985 Data Call-In Notice on Tributyltin, the July 29, 1986 Data Call-In Notice on Tributyltin, August 13, 1987 Data Call-In Notice on Tributyltin, the August 26, 1987 Data Call-In Notice, the March 26, 1989 Data Call-In Notice for TBT Monitoring and Product Efficacy Data, and the Reregistration Data Requirements Packages for products containing TBT issued 1990 and

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL

DATE

2. Make the labeling changes listed below before you release the product for shipment:

- a. Add the phrase "EPA Registration No. 5625-1".
- b. It is noted that two identical statements "See back panel for additional precautionary statements" are on the label. One of the statements may be removed.
- c. The Note to Physician statement should be placed directly above the statement: "See back panel for additional precautionary statements" and directly below the "If on skin " section.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Sincerely,




John H. Lee
Product Manager (31)
Antimicrobial Program Branch
Registration Division (H7505C)

Enclosures

CONCURRENCES							
SYMBOL							
SURNAME							
DATE							

393



Marine

OUTBOARD • OUTDRIVE CLEAR ANTI-FOULING PAINT

No. 6993

ACTIVE INGREDIENT:	Tributyltin Methacrylate (As a Part of a Polymer)	9.2%
INERT INGREDIENTS:		90.8%
		100.0%
Total Tin Content 2.91%. Contains Petroleum Distillates		
EPA Registration No.	• EPA Establishment No. 10900-OH1	

**KEEP OUT OF REACH OF CHILDREN
DANGER**

Note to Physicians: Probable mucosal damage may contraindicate the use of gastric lavage.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Promptly drink a large quantity of water. Avoid alcohol. Get medical attention.

IF INHALED: Remove to fresh air.

IF IN EYES: Flush eyes with plenty of water. Get medical attention.

IF ON SKIN: Wash with plenty of soap and water. Get medical attention. See back panel for additional precautionary statements.

SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

Net Contents: 12 ounces/340 grams

FOR COMMERCIAL AND NON-COMMERCIAL USE

PRECAUTIONARY STATEMENTS:

HAZARDS TO HUMANS & DOMESTIC ANIMALS: Corrosive. Causes irritation and burns. Harmful if absorbed through skin, swallowed or inhaled. Do not get on or on clothing. Wear goggles, face shield or safety glasses. Wear protective long sleeved cotton shirt, long pants, hat and gloves. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse. Avoid breathing spray mist. Use with adequate ventilation. When used in confined areas, while sanding boat surface, wear a mask or respirator jointly approved by the Mine and Safety Administration and the National Institute for Occupational Safety and Health.

ENVIRONMENTAL HAZARD: This pesticide is toxic to aquatic organisms i.e. shellfish. Do not apply directly to water by cleaning of equipment or waste. Do not allow chips or dust generated during paint removal to enter water.

PHYSICAL OR CHEMICAL HAZARD: Contents under pressure. Do not use or store near open flame. Do not puncture or incinerate container. Exposure to temperature extremes may cause bursting.

DIRECTIONS FOR USE: It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. For use only on outboard motor and/or lower units. Any other use is unlawful. **WHEN PROPERLY APPLIED, THIS AEROSOL WILL PROVIDE ANTI-FOULING PROTECTION AGAINST BARNACLES AND MARINE GROWTH.** Tempo Clear aerosol Antifoulant is specifically designed for coating outboard motor lower units.

All surfaces to be coated with antifoulant must be prepared in accordance with instructions. Users must comply with all applicable OSHA requirements.

INSTRUCTIONS FOR USE: 1. Make sure surface is free of grease, wax, oil, dirt, and surface is dry. 2. Mask off areas not being sprayed. 3. Prime prepared surface with Clear Primer #6987. 4. Apply Tempo Antifoulant in at least three thin coats, allowing 15-20 min. dry time between applications. Hold can 12" to 15" from surface. Spray in control film thickness and avoid runs. 5. Allow coated unit to air-dry overnight. Maximum adhesion and durability will be achieved by allowing an additional 24 hour cure time in water before use.

NOTE: This can contains sufficient coating for one outdrive. Entire contents MUST be used to obtain best antifoulant protection.

STORAGE & DISPOSAL:

- Do not contaminate water, food or feed by storage or disposal.


-PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture or rinseate is a violation of Federal Law. If these wastes cannot be disposed of according to label instructions, contact your State Pesticide or Environmental Control Agency, the Hazardous Waste Representative at the nearest EPA Regional Office for guidance. Do not contaminate water, food or feed by storage or disposal. Do not burn or bury. Do not use in sanitary landfill (or, if required by Federal, State or local regulations, handle as hazardous waste). If possible, use all of the contents by application according to label instructions.

-CONTAINER DISPOSAL: Do not reuse empty container. Replace cap and use in sanitary landfill or by other approved State and local procedures. Do not puncture.

OSHA REGULATIONS HCS-CFR 1910.1200

Required November 1985

Excise: Chemical Identity Being Withheld as a Trade Secret. Solvents may present an eye irritation hazard when not used in accordance with safety instructions label. Also, solvents herein may cause skin irritation upon repeated or prolonged contact.



UPC
Code

TEMPO PRODUCTS COMPANY
6200 Cochran Road,
Solon, Ohio 44139 • U.S.A.