

10-8-4 50% ORGANIC GUARANTEED ANALYSIS

Total Nitrogen (N)	10.00%
Water Insoluble Nitrogen (N)	1.50%
Avail. Phosphoric Acid (P ₂ O ₅)	6.00%
Soluble Potash (K ₂ O)	4.00%
Potential Acidity — 560 Lbs. of Calcium Carbonate Equivalent Per Ton.	

HERBICIDE

ACTIVE HERBICIDE INGREDIENT	By Weight
*Dimethyl Ester of Tetrachloro- <i>m</i> -phthalic Acid	2.50%
INERT INGREDIENTS	97.50%
	<hr/>
	100.00%

*Manufactured by Diamond Alkali Co.
U.S. Patent No. 2,923,634

INSECTICIDE

ACTIVE INSECTICIDE INGREDIENT	By Weight
ACTIVE: TECHNICAL CHLORDEANE*	2.00%
INERT:	98.00%
	<hr/>
	100.00%

*Equivalent to 1.2% Octachloro-4, 7-Methylenetetra-
hydroindane and .8% related compounds on a
weight basis.

CAUTION

Keep out of reach of children
See back panel for additional instructions

USDA Reg. No.

ACCEPTED

UNDER THE FEDERAL INSECTICIDE,
FUNGICIDE AND RODENTICIDE ACT
FOR EQUIV. TO POISON REGISTERED
UNDER NO. 100000000

One Twenty Three

CRABGRASS PREVENTER, & INSECT CONTROL

ACCEPTED FOR REGISTRATION
BY THE FEDERAL BUREAU OF INVESTIGATION
AND THE DEPARTMENT OF JUSTICE
ECONOMIC POISON REGISTERED



One Twenty Five

CRABGRASS PREVENTER, & INSECTICIDE

Prevents crabgrass and other weeds from growing. Kills insects that damage lawns. Easy to use. Safe for children and pets.

DIRECTIONS FOR USE

Established Lawns - The entire content of this bag should be applied to 1000 to 2500 sq. ft. (10 lbs. per 1000 sq. ft.) of lawn area.

This compound kills crabgrass and other weeds before they can germinate. It will have no effect on established grass. Results apply material evenly with a spreader. Once material has been applied do not walk or disturb the proper spreader setting.

Control ONE TWENTY FIVE will not harm established lawns. Moderate thinning of grasses and weeds may occur. However, normal growth will be restored. A good recovery 100 lbs. per acre on the following: Dog-faced Button grass, Bluegrass, Kentucky Bluegrass, and other cool season grasses. Will not harm established lawns.

Control ONE TWENTY FIVE will not harm established lawns. Moderate thinning of grasses and weeds may occur. However, normal growth will be restored. A good recovery 100 lbs. per acre on the following: Dog-faced Button grass, Bluegrass, Kentucky Bluegrass, and other cool season grasses. Will not harm established lawns.

CAUTION

Do not apply to newly seeded lawns. Treated areas should not be seeded for 60 months after application. Apply only to lawns. Do not use in flower or vegetable gardens. Harmful if swallowed. Keep children and animals off of treated areas until the material has washed into the soil and the grass is thoroughly dry. Avoid inhalation of dust or contact with skin. Wash the dust off after handling. Avoid contamination of feed and foodstuff.

NOTE: This material is toxic to fish and aquatic life. Do not apply to areas where it can be washed into water. Do not apply to areas where it can be washed into water.

HIGH AND MOUNTAIN: This material is toxic to fish and aquatic life. Do not apply to areas where it can be washed into water. Do not apply to areas where it can be washed into water.

17

SPREADER SETTINGS

	Corenco	Scott	John Deere
SPREADER TWENTY THREE			
TEWKS MASS PREVENTER INSECT	6	4	
MODEL 100-1			

Corenco

25 LBS. NET WT.

MANUFACTURED BY

CORENCO CORPORATION

TEWKSBURY, MASS.