


### VETERINARY LABORATORIES, Inc. v 12340 Santa Fe Dr. v Lenexa, Kansas 66215





## BENZENE HEXACHLORIDE

### SOLUTION

A CONCENTRATED DIP OR SPRAY AS AN AID IN THE CONTROL OF LICE, FLEAS, AND SARCOPTIC MANGE MITES OF DOGS	TICKS
Active Ingredients:	′% W/W
Methylated Naphthalene	48.5
Xylene	16.5
	11.0
Other Isomers of Benzene Hexachloride	17.0
Inert Ingredients	7.0
Total	100.00

### NOT FOR HUMAN USE

WARNING: May Be Fatal If Swallowed!
May Be Absorbed Through Skin!
Do not breathe spray mist. Avoid contact with skin

or eyes In case of contact, wash immediately with soap and water; for eyes, flush with water and get medical attention. Avoid contamination of feed and foodstuffs

### **WARNING**

KEEP OUT OF REACH OF CHILDREN
See side panel for other cautions

# NET CONTENTS 1 GALLON

#### SUGGESTED USAGE

DOGS: First bathe the animal with soap and water, rinse and towel dry. Mix 1 ounce with 3½ gallons of water and apply this emulsion with a sponge or dip the animal, allowing to dry without toweling. Do not use on cats or on nursing puppies. Application should be repeated at 7 to 14-day intervals to protect against reinfestations.

## **WARNING**

This product is toxic to fish. Keep out of any body of water. Do not contaminate water by cleaning of equipment, or disposal of wastes.

Apply this product only as specified on this label.

FOR EXTERNAL VETERINARY USE ONLY

# E.P.A. Est. 5645-KS- I

diluted

SPRAY FOR KENNELS AND

KENNEL RUNS

1 oz. to 1½ Gal. Water

4 oz. to 6¼ Gal. Water 8 oz. to 12½ Gal. Water

1 pint to 25 Gal. Water

Readily mixes with hard or soft

water and possesses emulsion sta-

bility for a long period. Stir slightly

to assure complete suspension of

ingredients. The

emulsion will not clog a sprayer

when mixed in accordance with di-

CAUTION: Do not use on human or

CAUTION: Do not use on nursing

mothers. Do not use on sick or con-

E.P.A. Reg. No. 5645-3

household pets other than dogs.


Dilute as follows:


rections.

valescing animals.

### VETERINARY LABORATORIES, Inc. v 12340 Santa Fe Dr.

Lenexa, Kansas 66215





## SPRAY FOR KENNELS AND KENNEL PUNS

Dilute as follows:

1 oz. to 1½ Gal. Water
4 oz. to 6¼ Gal. Water
8 oz. to 12½ Gal. Water
1 pint to 25 Gal. Water
Readily mixes with hard or

Readily mixes with hard or soft water and possesses emulsion stability for a long period. Stir slightly to assure complete suspension of active ingredients. The diluted emulsion will not clog a sprayer when mixed in accordance with directions.

CAUTION: Do not use on human or household pets other than dogs.

CAUTION: Do not use on nursing mathers. Do not use on sick or convalescing animals.

E.P.A. Reg. No. 5645-3 E.P.A. Est. 5645-KS-1

# A CONCENTRATED DIP OR SPRAY AS AN AID IN THE CONTROL OF LICE, FLEAS, TICKS AND SARCOPTIC MANGE MITES OF DOGS Active Ingredients: Oo W

Active Ingredients:	°o W W
Methylated Naphthalene	48.5
Xylene	16.5
Gamma Isomer of Be rere Hexachloride	11.0
Other Isomers of Berzene Hexachlaride	17.0
nert Ingredients	7.0
Total	100 00

## **WARNING**

KEEP OUT OF REACH OF CHILDREN See side panel for other cautions

# **NET CONTENTS 1 GALLON**

#### SUGGESTED USAGE

DOGS: First bathe the animal with soap and water, rinse and towel dry. Mix 1 ounce with 3½ gallons of water and apply this emulsion with a sponge or dip the animal, allowing to dry without toweling. Do not use on cats or on nursing puppies. Application should be repeated at 7 to 14 day intervals to protect against reinfestations

## **WARNING**

This product is toxic to fish. Keep out of any body of water. Do not contaminate water by cleaning of equipment, or disposal of wastes.

Apply this product only as specified on this label.

FOR EXTERNAL VETERINARY USE ONLY