WONDER INSECT SPRAY

For Control of Certa's (of Listed) Crawling & Flying Insects.

ACTIVE INGREDIENTS:

| Pryethrins | .150 |
|---------------------------------------|--------|
| N-octyl bicylctoheptene dicarboximide | 500 |
| Technical Piperonyl Butoxide | 300 |
| Petroleum Distillate | 99.050 |

Consists of .24 (butylcarbityl) (6 propylpiperonyl) ether and .06 other related compounds.

DIRECTIONS FOR USE

FOR CONTROL OF ROACHES, SILVERFISH, CARPET BEETLES, SPIDERS & ANTS IN WAREHOUSES. Apply as a coarse spray to baseboards, around plumbing fixtures, under skids and motor mounts, around base of equipment, around wirdow frames and sills. To control ants, snay and trails thoroughly also. Be sure to force spray into all cracks and crevices in walls, ceilings and floors. Spray all areas where insects can enter building. Apply to point of run off (500-750 square feet per gallon depending on surface). Repeat treatment as necessary. For Space Control of Flies, Mosquitoes, Gnats and Moths Close area to be treated and apply at rule of 1 or per 1,000 cubic feet, aiming sprayer at ceiling and corners of room. A good electric sprayer, team vaporizer or heat generating fogger can be used with this spray. Hand sprayers can also be used. Crawling insects contacted by this spray when used as a space spray will also be killed. Leave room closed for 10 minutes after spraying. Destroy fallen insects. Repeat treatment as required.

AS A SURFACE SPRAY TO KILL THE ACCESSIBLE STAGES OF GRANARY INSECTS SUCH AS WEEVILS FLOUR BEETLES MEAL MOTH LARVAE AND ADULTS, CADELLES AND SAW TOOTHED GRAIN BEETLES: Apply as a coarse, wet spray to all areas intested by these incocts. Use a dosige of 1 gallon per 1909 square feet Pay particular attention to crack, and crevices in floor, walls and ceilings. Spray thoroughly around and into floor drains, conveyors and other areas where granary it sects may be found. (For Flying Moths and Eeetles, treat as for Flics. Nosquitoes and Gnats. See above.) DO NOT APPLY THIS SPRAY TO SURFACE THAT MAY COME IN CONTACT WITH FOOD EXCESSIVE RESIDUES IN FOOD MAY RESULT.

CAUTION

KILLOLLOLB ACHOLOBIDIAN

Harmful if swallowed Do not apply directly to food Cover or removial food and food processing equipment during application. Do not apply while food processing a underway. After spraying in meat packing plants, bakerie, and other food processing plants wash with potable water all equipment, benches so lying, etc. where exposed food will be handled in case washing is impract call do not allow food to come in control with treated surfaces for at test 4d hours. Do not store pour or spill near heat of open flamus. Keep container closed.

Marufact d Py

WONDER PRODUCTS COMPANY

Salishury, N. C.

USCA REC NC 5659 5 CALLONS ACCEPTED

L. Francis