

### Precautionary Statements

#### Hazards to Humans and Domestic Animals

##### CAUTION

Keep out of reach of children. Avoid contact with eyes. Wash hands thoroughly with soap and water after use. Avoid contact with clothing. Wash clothing if soiled.

Do not use in areas where children, pregnant women, or nursing infants are present. Do not use in areas where food is prepared or stored. Do not use in areas where food is consumed.

Remove pets, beds and covers from areas being treated.

##### PHYSICAL HAZARDS

Contains flammable liquid. Do not use in areas where open flames, sparks, or other sources of ignition are present. Do not use in areas where electrical equipment is used.

##### General Classification

Classified as a flammable liquid. Do not use in areas where open flames, sparks, or other sources of ignition are present.

##### Storage and Disposal

STORAGE: Store in original container in a cool, dry place. Do not use if container is damaged or leaking. DISPOSAL: Do not pour down drain or into water. Contact local health department for disposal instructions.

This product will kill: Mosquitoes, Fleas, Ticks, Lice, and other insects. It will also kill: Fleas, Ticks, Lice, and other insects on pets. It will also kill: Fleas, Ticks, Lice, and other insects on furniture, carpets, and other household items.


TO KILL TICKS: Spray and repeat until ticks are dead. To kill ticks on pets, use a registered tick repellent before re-entry.

TO KILL FLEAS: Use the container for flea infestation on pets.

##### DIRECTIONS FOR USE

Cover exposed food dishes and food preparation equipment. Operate all fans and doors to area to be treated. Shut off fans and air conditioning. Put out candles and pilot lights. Close doors and windows. Plug vacuum cleaner power cord. Turn face and eyes when releasing. Use one unit for each 6000 cubic foot unobstructed area. Do not remain in the area during treatment and until air is thoroughly before re-entry.

TO OPERATE VALVE: To lock valve in open position for automatic discharge, press valve button all the way down hooking the catch. Then place fogger on stand or table in center of room, with valve locked open, placing several layers of newspaper or pad under fogger. Leave building at once and keep building closed for four hours before airing out. Open all doors and windows and allow to air for 30 minutes. Repeat spraying in two weeks or when necessary.



# SHIELD TOTAL RELEASE FOGGER II

- Household Use
- Industrial Use
- Pest Control Use
- Institutional Use

For Use In: Rooms, Apartments, Homes, Attics, Basements, Campers, Boats, Garages, Pet Sleeping Areas, Household Storage Areas, Cubicles, and other food areas of Motels, Schools, Washrooms, Hospitals, and Plants.

One Unit Treats Up to 6,000 cubic feet

##### ACTIVE INGREDIENTS

0.300% cis-Atlethrin (mixture of Cis and Trans) 0.300%

0.023% Related compounds 0.023%

0.191% 2,2-dimethyl-3-methylpropyl 0.191%

0.009% 1,1,1-trichloro-2,2,2-trifluoroethane 0.009%

14.477% Petroleum distillate 14.477%

##### INERT INGREDIENTS

85.000%

100.000%

100% trans-isomer (100% trans)  
Max 25% (+ or -) cis  
Min 75% (+ or -) trans

### CAUTION

KEEP OUT OF REACH OF CHILDREN

See Back Panel for Additional Precautionary Statements

Net Weight: 7 1/2 oz.

EPA Reg. No. 5693-60

EPA Est. No. 5693-MA-1  
5693-NJ-1  
5693-CA-1

SHIELD CHEMICAL CO., INC.  
CANTON, MA 02021

**Precautionary Statements**  
**Hazards to Humans and Domestic Animals**

**CAUTION**

Harmful if swallowed. Avoid inhalation of vapors. Avoid contact with eyes or clothing. Wash contaminated skin promptly with soap and water. For eyes: flush with plenty of water. Get medical attention if irritation persists. Avoid contamination of food and feedstuffs.

Do not use in commercial food processing operations, slaughterhouses, or food areas. In the home, avoid processing surfaces and utensils which will be covered during treatment or thoroughly washed before use. Do not use on food.

Remove pets, birds and other fish aquarium before fogging.

**PHYSICAL HAZARDS**

Contents under pressure. Do not use or store near heat, open flame, or other puncture or ignitable container. Explosive at high temperatures and under fire. May cause bursting.

**General Classification**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**Storage and Disposal**

**STORAGE:** Store in a cool, dry area away from heat and open flame.  
**DISPOSAL:** Do not reuse empty container. Wrap container airtight in plastic for collection.

This product will kill Houseflies, Mosquitoes, Black Carpet Beetle, Saw-toothed Grain Beetles, Rice Weevils, Small Figs, Mites, Spiders, Centipedes, Fleas, Ticks, Wasps, Pill Bugs, Crickets and Silverfish.

For control of stored grain pests such as Saw-toothed Grain Beetles and Rice Weevils find and destroy all infested food or feed products before fogging. Aids in control of Cockroaches.

**TO KILL TICKS:** Destroy and replace pet's old bedding. Treat animal with a registered tick control product before reentry.

**TO KILL FLEAS:** Use one container for each 1500 cu. ft. of space.

**DIRECTIONS FOR USE**

Cover exposed food, dishes and food handling equipment. Open cabinet doors and doors to area to be treated. Shut off fans and air conditioners. Put out all flames and pilot lights. Close doors and windows. Point valve opening away from face and eyes when releasing. Use one unit for each 6000 cubic feet of unobstructed area. Do not remain in the area during treatment and ventilate thoroughly before reentry.

**TO OPERATE VALVE:** To lock valve in open position for automatic discharge, press valve button all the way down hooking the catch. Then place fogger on stand or table in center of room with valve locked open, placing several layers of newspaper or pad under fogger. Leave building at once and keep building closed for four hours before airing out. Open all doors and windows and allow to air for 30 minutes. Repeat spraying in two weeks or when necessary.

**SHIELD**  
**TOTAL RELEASE FOGGER**

- Household Use
- Industrial Use
- Pest Control Use
- Institutional Use

**For Use in:** Rooms, Apartments, Homes, Attics, Basements, Campers, Boats, Garages, Pet Sheltering Areas, Household Storage Areas, Cabins, and non food areas of Mills, Schools, Washrooms, Hotels, Industrial Plants.

One Unit Treats Up to 6000 cubic feet

**ACTIVE INGREDIENTS**

Tetramethrin (1-Cyclohexene-1,2-dicarboximide, methyl-2,2-dimethyl-3-(2-methylpropyl)-cyclopropane-carboxylate)	0.200%
*3-Phenoxybenzylidene diis and trans-1,2,2-dimethyl-3-(2-methylpropyl)-cyclopropane-carboxylate	0.382%
*Other isomers	0.018%
Deodorized Kerosene	14.358%
<b>INERT INGREDIENTS:</b>	85.042%
	100.000%

\*Diis, trans-phenothrin  
 \*\*cis,trans isomer ratio: Max. 25% cis, 75% trans  
 Min. 75% cis, 25% trans

**CAUTION**

**KEEP OUT OF REACH OF CHILDREN**

See Back Panel for Additional Precautionary Statements

**Net Weight: 7 1/2 oz.**

EPA Reg. No. 5693-61

EPA Est. No. 5693-MA-1  
 5693-NJ-1  
 5693-CA-1

**SHIELD CHEMICAL CO., INC.**  
**CANTON, MA 02021**

11

