

JUN 10 1991

Mr. Robert McCollum
Shield Packaging Company, Inc.
P.O. Box 729
Webster, MA 01570

Dear Mr. McCollum:

Subject: Label revision
Shield Total Release Fogger I
EPA Registration Number 5693-61
Submission dated May 24, 1991

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable subject to the comments listed below. Five copies of the finished labeling must be submitted prior to releasing the product for shipment.

1. Delete the words "GENERAL CLASSIFICATION" from the label.
2. The statement "It is a violation of Federal Law to use this product in a manner inconsistent with its labeling" should appear directly below the DIRECTIONS FOR USE declaration.
3. The statement KEEP OUT OF REACH OF CHILDREN and the signal word CAUTION must be prominently displayed on the front panel, in minimum type size and parallel with other text on the panel. Refer to 40 CFR 156.10(h).
4. Delete the claim "Pre-adult fleas". We will reconsider this point if you should provide an appropriate application with supporting data.

It is understood that the use of the List 1, toxic inert compound methylene chloride as an ingredient in the formulation of this product is no longer consistent with the terms of registration of this pesticide.

Sincerely,

RFM

Richard F. Mountfort
Product Manager 10
Insecticide-Rodenticide Branch
Registration Division (H7505C)

Date

BEST AVAILABLE COPY

**ACCEPTED
with COMMENTS
In EPA Letter Dated
JUN 10 1991**

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
amended, for the Pesticide
Registered under EPA Reg. No. **5693-61**

GENERAL CLASSIFICATION
It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This product will kill Houseflies, Mosquitoes, Black Carpet Beetles, Saw-toothed Grain Beetles, Rice Weevils, small Flying Moths, Spiders, Centipedes, Fleas, Ticks, Wasps, Pill Bugs, Crickets and Silverfish

For control of stored grain pests such as Saw-toothed Grain Beetles and Rice Weevils find and destroy all infested food or feed products before logging

Aids in control of Cockroaches

**PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION**

Harmful if swallowed. Avoid inhalation of vapors. Avoid contact with skin, eyes or clothing. Wash contaminated skin promptly with soap and warm water. For eyes, flush with plenty of water. Get medical attention if irritation persists. Avoid contamination of food and foodstuffs.

Do not use in commercial food processing, preparation, serving or storage areas. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Cover exposed food.

Remove pets, birds and cover fish aquariums before spraying.

EPA Reg. No. 5693 61
EPA Est. No. 5693 MA 1

**SHIELD
TOTAL RELEASE
FOGGER**

**FOGS UP TO 9000 CUBIC FEET
KILLS FLEAS, PRE-ADULT
FLEAS AND TICKS**

Active Ingredients: Tetramethrin (1-Cyanoheptane 1, 2 dicarboximide) methyl 2, 2-dimethyl-3-(2-methylpropenyl) cyclopropane carboxylate @ 200%; 2, 3-Pentamethylbutyl (1RS, 3RS, 1HS, 3SH) 2, 2-Dimethyl-3-(2-methylprop-1-enyl) Cyclopropane carboxylate @ 60%; Inert Ingredients 99.4% *d (cis, trans) piperazine
Contains denatured petroleum distillate.

NET WT. 9 OZ.

CAUTION KEEP OUT OF REACH OF CHILDREN SEE BACK PANEL FOR OTHER PRECAUTIONS ON BACK PANEL

TO KILL TICKS: Destroy and replace pet's bed animal with a registered tick control product.

TO KILL ADULT AND PRE-ADULT FLEAS: Use 2000 cu. ft. of space.

TO OPERATE VALVE: To lock valve in open automatic discharge, press valve button. All locking the catch. Then place fogger on center of room with valve locked open, place newspaper or pad under fogger. Leave fogger and keep building closed for four hours before opening all doors and windows and allow to air. Repeat spraying in two weeks or when necessary.

DIRECTIONS FOR USE
Cover exposed food, dishes and food handlers. Open cabinets and doors to area to be treated and air conditioners. Put out all flames and pilot doors and windows. Point valve opening away from eyes when releasing. Use one unit for each 1000 sq. ft. of unobstructed area. Do not remain in the area until ventilated thoroughly before re-entering.

Will Not Stain

STORAGE AND DISPOSAL
STORAGE: Store in a cool, dry area away from flame.

DISPOSAL: Wrap container and dispose of in accordance with local, state or federal regulations.

Buyer assumes all risks of use, storage or handling of material not in strict accordance with directions hereon.

PHYSICAL HAZARDS
Contents under pressure. Do not use or store near open flame. Extremely Flammable. Exposures above 130°F may cause bursting.

Manufactured for
Lynwood Laboratories, Inc.
Needham, Massachusetts 02192