US ENVIRONMENTAL PROTECT N AGENCY 5693-73 OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (15-767) TERM OF ISSUANCE WASHINGTON, DC 20460 REGISTRATION NOTICE OF PESTICIDE: REREGISTRATION Shiel: flea & Tick III (Under the Vederal Insecticide, Fungicide, and Rodenticide Act, as amended) NAME AND ADDRESS OF REGISTRANT (Include ZIP code) Shield Packading P.O. Box 729, Peter Street Webster, 15 - 11570 NGTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number. On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act. A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith, Registration is in no way to be construed as an indorsement or approval of this croduct by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others. This product is conditionally registered to accordance with FIFRA section 3(c)(7)(A) provided that you: 1. Submit and/or cite all data required tr registration/reregistration of your product under FIFRA section 3(c)(5) when the Agency requires all registrants of similar products to submit such tata. Make the labeling changes listed below before you release the product for shipment: a. Add the phrase "EPA Registration > . 5693-73." b. According to our calculations, the extroleum distillate content is 3.942 percent. At this revel it would not likely be active. Please delete this item from the list of active , ingredients on the label and add at appropriate amount to the percentage of inert ingredients. c. Please change the word scrotum to jenitals or genitalia in

LATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL

treated.

DATE

The approved name for Carbaryl is :-naphthyl

the use directions, since female animals are also to be

e. Add a Statement of Practical Treatment as follows:

STATEMENT OF PRACTICAL TREATMENT

If Swallowed: Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not give anything by mouth to an unconscious person. Get medical attention.

If On Skin: Remove contaminated clothing and wash skin with soap and water.

If In Eyes: Flush eyes with plenty of water. Get medical attention if irritation persists.

f. Include the following statement in the label text:

ENVIRONMENTAL HAZARDS

This product is extremely toxic to aquatic invertebrates. Do not apply directly to water or wetlands. Do not contaminate water by cleaning of equipment or disposal of wastes.

- g. Add the statement: "Do not treat kittens and puppies under 4 weeks of age."
- h. The following statement must be placed in the use directions for dogs: "Do not use on pregnant dogs."
- 3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Jay S. Ellenberger Product Manager (12) Insecticide-Rodenticide Branch Registration Division (TS-767C)

Enclosures -

ACCEPTED

ONLOWENER

BEEKA LING TO SE

SPECIMEN LABEL

SHIELD FLEA & TICK !!!

JAN 27

For Listed Insects on Dogs and Cats

ACTIVE INGREDIENTS:

Pyrethrins	0.050%
*Piperonyl butoxide, technical	0.100%
¹ N-Octyl bicycloheptane dicarboximide	0.167%
**Carbaryl (i-naphthy! N-methy!carbamate)	0.500%
***2, 3:4, 5-Bis (2-butylene) tetrahydro-2-furaldehyde	0.240%
Petroleum Distillates	17.99%
INERT INGREDIENTS:	80.953%
	100.000%

*Equivalent to 0.08% (butylcarbityl) (6-propylpiperonyl) ether and 0.02% related compounds.

**Insecticide SEVIN - U.S. Pat. No. 2,903,478

***MGK Repellent 11, U.S. Pat. No. 2,610,116

1-MGK-264, Insecticide Synergist

CAUTION KEEP OUT OF REACH OF CHILDREN

SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS HARMFUL IF SWALLOWED OR INHALED - AVOID CONTACT WITH SKIN.

Kills Fleas, Lice and Ticks on Dogs and Cats.

Repels Flies, Gnats and Mosquitoes.

Net Weight <u>8 ounces</u>
Manufactured By:
SHIELD PACKAGING COMPANY, INC.

EPA Reg. No. 5693-

Webster, MA 01570

EPA Est. No. 5693-MA-1

BACK PANEL

Precautionary Statements

Hazards to Humans and Domestic Animals

CAUTION

Harmful if swallowed. Avoid breathing vapors. Wash hands with soap and water after use. Do not spray in pet's eyes, face, scrotum, or open wounds. Do not use on nursing pupples or kittens under 3 months of age.

In the home, all food processing surfaces, exposed food and utensils, should be covered during treatment, or thoroughly washed before use.

Cover fish aquariums before spraying.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

STORAGE AND DISPOSAL

Storage: Store in a cool area away from heat or open flame.

Disposal: DO NOT INCINERATE. Wrap container and put in trash collection.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

HOLD CONTAINER UPRIGHT

This product will kill Fleas, Ticks and Lice on Dogs and Cats. It will Repe! Flies, Gnats and Mosquitoes from the animals.

Spray the animal from a distance of 8-12 inches. Start spraying at the tail, moving the dispenser rapidly and making sure that the animal's entire body is covered, including the legs and under the body. As you spray, fluff the hair so the spray will penetrate to the skin. Make sure spray wets ticks thoroughly. Do not spray into eyes, face or on secotum. Repeat weekly or as directed by veterinarian. Use in pet's sleeping area or on betiding, walls and floor to control reinfestation. Do not treat or cause esposure to kittens or pupples under four weeks of age. Do not use on pregnant dogs or cats.

For cats apply at the rate of one second per pound of body weight. For dogs apply, at the rate of two seconds per pound of body weight for thin or short haired dogs and up to eight seconds per pound of body weight for heavy or long haired dogs.