

SEP 26 1994

~~3005461460~~
17/2

Mr. Robert McCollum
Shield Packaging Co.
PO Box 729
Webster, MA 01570

Dear Mr. McCollum:

Subject: Labeling Amendment
Shield Total Release Fogger V
EPA Registration No. 5693-77
Your Submission Dated December 2, 1993

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable, provided that you make the following labeling changes listed below before you release the product for shipment:

1. Change 100 to 1000 cu. ft. in the statement "Do not use this fogger in an area less than 100 cu. ft." See the April 15, 1994 FR Notice (59 FR 10858) regarding flammability labeling requirements for total release fogger.

Submit three copies of your final printed labeling before you release the product for shipment. A stamped copy of the labeling is enclosed for your records.

Sincerely,

George T. LaRocca
Product Manager 13
Insecticide-Rodenticide Branch,
Registration Division (7505C)

enclosure

Helmut
9-27-94

Front Panel

Kills Ants, Cockroaches, Crickets, Fleas, Flies, Mosquitoes, Rice Weevils, Saw-toothed Grain Beetles, Small Flying Moths, Ticks, Hornets and Wasps.

For Use in Rooms, Apartments, Homes, Attics, Basements, Campers, Boats, Household Storage Areas, Garages, Pet Sleeping Areas, Cabins.

One Unit Treats up to 6,000 Cubic Feet.

ACTIVE INGREDIENTS:

Pyrethrins.....	0.050%
*N-Octyl bicycloheptene dicarboximide.....	0.400%
Permethrin [**(3-Phenoxyphenyl) methyl (+ or -) cis-trans-3-(2,2-dichloroethenyl) 2,2-dimethylcyclopropanecarboxylate].....	0.400%
Related compounds.....	0.035%
INERT INGREDIENTS.....	99.115%
	<u>100.000%</u>

*MGK® 264, Insecticide Synergist

**cis-trans isomer ratio: Min. 35% (+ or -) cis Max. 65% (+ or -) trans

EVERCIDE, MGK® - Registered trademarks of McLaughlin Gormley King Co.

KEEP OUT OF REACH OF CHILDREN

CAUTION

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED:

Call a physician or poison control center immediately. Drink one or two glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

IF IN EYES:

Flush with plenty of water. Get medical attention if irritation persists.

IF ON SKIN OR CLOTHING:

Remove contaminated clothing and wash before reuse. Wash skin with soap and warm water. Get medical attention if irritation persists.

IF INHALED:

Remove victim to fresh air. Apply artificial respiration if indicated.

Net Contents 5 oz

BEST AVAILABLE COPY

Manufactured by:

Shield Packaging Co Inc

Webster, Ma.

EPA Reg. No.

5693-77

CONTAINS NO CFC'S

OR OTHER

OZONE DEPLETING SUBSATANCES

EPA Est. No.

ACCEPTED with COMMENTS - Ma-1 in EPA Letter Dated

SEP 26 1994

Federal regulations prohibit CFC propellants in aerosols

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No.

5693-77

CAUTION

Harmful if swallowed or absorbed through skin. Do not breathe vapors or spray mist. Avoid contact with skin or eyes. In case of contact, flush with plenty of water. Wash with soap and water after use. Obtain medical attention if irritation persists. Avoid contamination of food or feedstuffs.

"Do not use in commercial food processing, preparation, food storage or serving areas. In the home, all food processing surfaces and utensil should be covered during treatment, or thoroughly washed before use. Exposed food should be covered or removed. Remove pets, birds, and cover fish aquariums before spraying."

ENVIRONMENTAL HAZARDS

Do not contaminate water when disposing of equipment washwaters.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Keep away from heat, sparks, and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130 F may cause bursting. Extremely Flammable.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

SHAKE WELL BEFORE USE. KEEP CONTAINER UPRIGHT.

This product will kill Ants, Cockroaches, Crickets, Fleas, Houseflies, Mosquitoes, Rice Weevils, Saw-Toothed Grain Beetles, Small Flying Moths, Ticks, Hornets and Wasps.

Cover exposed food, dishes and food-handling equipment. Open cabinets and doors to area to be treated. Shut off fans and air conditioners. Put out all flames and pilot lights. Close doors and windows. Point valve opening away from face and eyes when releasing. Use one unit for each 6,000 cubic feet of unobstructed area. Use additional units for remote rooms or where free flow of mist is not assured. Do not remain in the area during treatment and ventilate thoroughly before re-entry.

TO OPERATE VALVE: To lock valve in open position for automatic discharge, press the valve button all the way down, hooking the catch. Then place fogger on stand or table in the center of the room with valve locked open, placing several layers of newspaper or pad under fogger. Leave building at once and keep building closed for four hours before airing out. Open all doors and windows and allow to air for 30 minutes. Repeat spraying in two weeks or when necessary.

"Do not use this fogger in a cabinet or under a counter or table. Do not use this fogger in an area less than 100 cubic feet."

To Kill Ticks and Fleas: Old bedding should be removed and replaced with fresh, clean bedding after treatment. Pets should be treated with a registered product for flea and tick control in conjunction with this treatment.

BEST AVAILABLE COPY

STORAGE AND DISPOSAL

STORAGE: Store in a cool dry area away from heat or open flame.

DISPOSAL: Replace cap and discard container in trash. Do not incinerate or puncture.

BEST AVAILABLE COPY