

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS
AND DOMESTIC ANIMALS**

DANGER: Corrosive, may cause severe skin irritation or chemical burns to broken skin. Causes eye damage. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling this product. Wash after handling. Avoid breathing vapors. Vacate poorly ventilated areas as soon as possible. Do not return until odors have dissipated.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Keep out of lakes, streams or ponds. Treated effluent may not be discharged into lakes, streams, ponds or public waters without a valid discharge permit. For guidance, contact the regional office of the Environmental Protection Agency.

PHYSICAL AND CHEMICAL HAZARDS:

STRONG OXIDIZING AGENT: Mix only with water according to label directions. Mixing this product with gross filth such as feces, urine, etc., or with ammonia, acids, detergents or other chemicals may release hazardous gases irritating to eyes, lungs and mucous membranes.

manufactured by

KELLERMAYER CHEMICAL CO.
1025 BROWN AVE., TOLEDO, OHIO 43607
Phone: (419) 255-3022

EPA Reg. No. 5700-8

EPA Est. No. 5700-OH-1

NET CONTENTS:

KELLERMAYER
CHEMICAL CO.


KELLOCHLOR

ACTIVE INGREDIENT:
SODIUM HYPOCHLORITE12.5%
INERT INGREDIENTS:.....87.5%
AVAILABLE CHLORINE11.9%

KEEP OUT OF REACH OF CHILDREN
DANGER

FIRST AID: If on skin, wash with plenty of soap and water. If in eyes, flush with water for at least 15 minutes. Get medical attention. If swallowed, drink large quantities of milk, or gelatin solution or, if these are not available, drink large quantities of water. Do NOT give vinegar or other acids. Do NOT induce vomiting. Get prompt medical attention.

See additional precautions on side panel.



KELLERMAYER
CHEMICAL CO.

KELLOCHLOR

ACTIVE INGREDIENT:

SODIUM HYPOCHLORITE 12.5%

INERT INGREDIENTS: 87.5%

AVAILABLE CHLORINE 11.9%

KEEP OUT OF REACH OF CHILDREN

DANGER

FIRST AID: If on skin, wash with plenty of soap and water. If in eyes, flush with water for at least 15 minutes. Get medical attention. If swallowed, drink large quantities of milk, or gelatin solution or, if these are not available, drink large quantities of water. Do NOT give vinegar or other acids. Do NOT induce vomiting. Get prompt medical attention.

See additional precautions on side panel.

DIRECTIONS FOR USE GENERAL CLASSIFICATION

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

DIRECTIONS FOR SWIMMING POOL CHLORINATION

For a new pool or for Spring start up, Superchlorinate with $\frac{1}{2}$ pint (5 ozs.) of KELLOCHLOR sodium hypochlorite for each 1000 gallons of water. This dosage is equivalent to 5 ppm available chlorine by weight.

For Pool Maintenance:

A) Adjust pool water pH to 7.2 to 7.6 and maintain.

B) Add manually or by a feeder device KELLOCHLOR sodium hypochlorite at a rate to maintain an available chlorine residual at 0.6 to 1.0 ppm. One fourth ($\frac{1}{4}$) pint (5 ozs.) of KELLOCHLOR sodium hypochlorite for each 5000 gallons of water will provide 1.0 ppm available chlorine by weight. Frequency of additions to maintain 0.6 to 1.0 available chlorine will depend on temperature and number of swimmers. Use test kit to make certain that pH and chlorine residual are in the proper range.

DIRECTION FOR SANITIZING FOOD PROCESSING OR DAIRY EQUIPMENT

Clean equipment in the normal manner. Just before using rinse all surfaces thoroughly with 200 ppm of KELLOCHLOR. Maintain contact with disinfectant for a minimum of two minutes. Do not rinse with water after chlorine treatment. Do not soak over night. Use one part KELLOCHLOR to 650 parts of water for a 200 ppm solution.

NOTE: This product degrades with age. Use a chlorine test kit and increase dosage, as necessary, to obtain the required level of available chlorine.

STORAGE AND DISPOSAL: Store in a cool, dry area away from direct sunlight. In case of spill, flood area with large quantities of water. Rinse empty container thoroughly with water and either return to manufacturer or discard by placing in trash collection or burying in an approved landfill. Product or rinsate that cannot be used, should be diluted with water and disposed of in a sanitary sewer. Do not contaminate food or feed by storage, disposal or cleaning of equipment.