

Common Burdock	Lawn Pennyworth	Wild Garlic
Common Plantain	Lippia	Wild Onion
Curly Dock	Morning Glory	Yarrow
Dandelion	Sheep Sorrel	

Controls the following Annual Weeds:

Black Medick	Florida Pusley	Pigweed
Carpetweed	Wild Geranium	Purslane
Cocklebur	Hankweed	Ragweed
Common Chickweed	Henbit	Shepherds Purse
Clover	Knottweed	Spurge
Creeping Beggar Weed	Lambsquarters	Sow Thistle
Fennel	Mallow	Smartweed
Fleabane	Oxalis	Speedwell

CAUTION: Harmful if swallowed. Avoid breathing spray mist. Avoid contact with eyes, skin and clothing. Wash thoroughly with soap and water after handling. Avoid contamination of feed and food stuff. Keep in original containers. Do not reuse empty container. Destroy it, burying in safe place. Do not burn. Dispose of container promptly when empty. Do not contaminate water used for irrigation or domestic purposes. Thoroughly clean spray equipment with a suitable chemical cleaner before using for other purposes.

This product is toxic to fish. Keep out of lakes, streams or ponds. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.


DO NOT ICE, FREEZE, SPILL OR STORE NEAR HEAT OR OPEN FLAME.

NOTICE: Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given hereon.

E.P.A. REG NO. 5719-38

CHACON CHEMICAL CORPORATION South Gate, Calif. 90280

A Subsidiary of Leisure Enterprises, Inc



BROAD-LEAF WEED KILLER

KILLS BROAD-LEAF WEEDS IN GRASS LAWNS

1 PINT COVERS 4800 SQUARE FEET

ACTIVE INGREDIENTS:

2,4-Dichlorophenoxyacetic Acid, Propylene Glycol Butyl Ether Esters	20.0%
2,4-Dichlorophenoxyacetic Acid Equivalent	12.1% or 0.11-lbs. per pint.
INERT INGREDIENTS	80.0%

CAUTION: KEEP OUT OF REACH OF CHILDREN NET 16 FL. OZ. (1 PINT)
See back panel for additional cautions.

CHACON BROAD-LEAF WEED KILLER

Read entire label carefully. Use only in accordance with label cautions and directions. Apply when weeds are young and actively growing. Spray only on weeds to be killed. Vapors from this product may injure susceptible plants in the immediate vicinity.

DILUTION TABLE

Area to Treat	Water to Use	Amount to Use
200 sq. ft.	1 gallon	4 teaspoons
1200 sq. ft.	6 gallons	8 tablespoons
1600 sq. ft.	8 gallons	11 tablespoons
3000 sq. ft.	15 gallons	1 1/4 cupful (10 oz.)

Use at one-half the rate on Bentgrass, Red Fescue, Centipede and Carpetgrass. If used on Bentgrasses or St. Augustine Grasses, possible injury may occur.

DIRECTIONS for use on LAWNS: For control of listed weeds. For best results, when using a hose-end spray, be sure it is a garden or insecticide sprayer rather than a fertilizer spray. If lawn needs watering, water thoroughly before application. **DO NOT WATER FOR 24 HOURS AFTER APPLICATION.** Spray entire infested lawn area, wetting weeds and lawngrass. Do not overspray. Spray when air is calm to avoid spray drift. Course sprays are less likely to drift.

Do not spray newly planted lawns until after 3rd mowing. Do not apply on Dichondra, Lippia or Clover lawns or other Broad-leaf ground covers.

HARDY WEEDS: Some hardy well established weeds may require repeated applications at 2-week intervals.

DO NOT USE in flower or vegetable beds or around shrubs or ornamental plantings.

Controls the following Perennial and Biennial Weeds:

Buckhorn Plantain	Dichondra	Thistles
Canadian Thistle	Ground Ivy	Wild Carrot

Common Burdock
Common Plantain
Curly Dock
Dandelion
Lawn Pigeonwort
Lippia
Morning Glory
Sheep Sorrel
Wild Garlic
Wild Onion
Yarrow

Control the following Annual Weeds:
Black Medick
Carpetweed
Cocklebur
Common Chickweed
Clover
Creeping Beggar Weed
Fennel
Fleabane
Lamb's Quarters
Mint
Pigweed
Purslane
Ragweed
Shepherd's Purse
Sourgrass
Sow Thistle
Smartweed
Spurge
Wild Carrot
Wild Radish
Yarrow

CAUTION: Harmful if swallowed. Avoid breathing spray mist. Avoid contact with eyes, skin and clothing. Wash thoroughly with soap and water after handling. Avoid contamination of feed and food stuff. Keep in original container. Do not reuse empty container. Dispose of in safe place. Do not burn. Dispose of promptly when empty. Do not contaminate water used for irrigation or domestic purposes. Thoroughly clean spray equipment with a suitable chemical before using for other purposes.

This product is toxic to fish. Keep out of lakes, streams or ponds. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label. **DO NOT USE IN FLOWERS, SPILL OR STORE NEAR HEAT OR OPEN FLAME.**

NOTICE: Buyer assumes all risk of use, storage or handling of this material not in strict accordance with directions given here with.
E.P.A. REG. NO. 5719-38
CHACON CHEMICAL CORP. 16841000 South Gate, Calif. 90220
a Subsidiary of Loneare Enterprises, Inc.

CHACON

BROAD-LEAF WEED KILLER

KILLS BROAD-LEAF WEEDS IN GRASS LAWNS

1 PINT COVERS 4800 SQUARE FEET

ACTIVE INGREDIENTS:
2,4-Dichlorophenoxyacetic Acid 20.0%
2,4-Dichlorophenoxyacetic Acid Ethyl Ester 22.7% w/w 0.11-100 per pint
INERT INGREDIENTS 57.3%

CAUTION: KEEP OUT OF REACH OF CHILDREN
See back panel for additional cautions.
NET 16 FL. OZ. (1 PINT)

CHACON BROAD-LEAF WEED KILLER
Read entire label carefully. Use only in accordance with label cautions and directions. Apply when weeds are young and actively growing. Spray only on weeds to be killed. Vapors from this product may injure susceptible plants in the immediate vicinity.

DILUTION TABLE

Area to Treat	Water to Use	Amount to Use
200 sq. ft.	1 gallon	4 teaspoons
1200 sq. ft.	6 gallons	8 tablespoons
1600 sq. ft.	8 gallons	11 tablespoons
3000 sq. ft.	15 gallons	1 1/2 cupful (10 oz.)

Use at one-half the rate on Bentgrass, Red Fescue, Centipede and Carpetgrass. If used on Bentgrasses or St. Augustine Grasses, possible injury may occur.

DIRECTIONS for use on LAWNS: For control of listed weeds. For best results, when using a hose-end spray, be sure it is a garden or insecticide sprayer rather than a fertilizer sprayer. If lawn needs watering, water thoroughly before application. **DO NOT WATER FOR 24 HOURS AFTER APPLICATION.** Spray entire infested lawn area, wetting weeds and lawngrass. Do not overspray. Spray when air is calm to avoid spray drift. Course sprays are less likely to drift. Do not spray newly planted lawns until after 3rd mowing. Do not apply on Dichondra, Lippia or Clover lawns or other Broad-leaf ground covers.

HARDY WEEDS: Some hardy well established weeds may require repeated applications at 2-week intervals.

DO NOT USE in flower or vegetable beds or around shrubs or ornamental plantings.

Controls the following Perennial and Biennial Weeds:
Buckhorn Plantain
Canada Thistle
Dichondra
Ground Ivy
Thistles
Wild Carrot

5719-38
Comments